

Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY - NOT FOR SALE

KNITTED COMFORTS

for our

SAILORS, SOLDIERS & AIRMEN
in "GREENOCK" Service Wools



PRICE
4 $\frac{1}{2}$ ^D

A COMPLETE HANDBOOK OF
KNITTING INSTRUCTIONS
FOR NATIONAL SERVICE COMFORTS

PRICE
4 $\frac{1}{2}$ ^D

SCOTCH WOOL & HOSIERY STORES

PROPRIETORS

www.scotlandrepairs.com 2020, 10
FLEMING, REID & CO. LTD.
The Worsted Mills **GREENOCK**

Contents

	Page
Bed Jacket,	11
Blanket, Patchwork,	12
Body Belt,	23
Boot for Injured Foot,	30
Caps—	
For wear with Steel Helmet, Knitted,	20
For wear with Steel Helmet, Crocheted,	20
For wear with Sou'wester, Knitted,	18
Cardigan, with or without Sleeves,	2
Chest Protector,	23
Gloves—	
Gunner,	16
Steering,	14
With Fingers or Half Fingers,	13
Helmets—	
Balaclava, with or without Ear Openings,	19
Short Neck, with or without Ear Openings,	21
Hot Water Bottle Cover,	23
Jerseys—	
Cable Stitch, with Sleeves,	4
Stocking Stitch, with or without Sleeves,	6
Stocking Stitch, with Sleeves and Roll Collar,	8
Knee Caps,	17
Mittens—	
For Injured Hand,	30
With Palms,	15
Without Palms,	17
Scarves,	22
Socks—	
Heel-less Bed,	29
Heel-less, in Spiral Ribbing,	26
Plain, in two lengths,	25
Plain, quickly knitted,	26
Ribbed, in two lengths,	24
Stockings—	
Operation, Heel-less,	29
Sea-Boot,	27
Sea-Boot, Heel-less, in Spiral Ribbing,	28
Waistcoat, in Moss Stitch,	9

The Instructions in this book
have been tested and proved
by expert knitters. Should
further information or in-
structions be desired, these
may be obtained by application
to the nearest Branch of the

SCOTCHWOOL & HOSIERY STORES

— 420 BRANCHES —

or from the Proprietors:

**FLEMING, REID & CO. LTD.
THE WORSTED MILLS, GREENOCK**

BRANCH ADDRESSES AT END OF BOOK

CARDIGAN With or Without Sleeves

MATERIALS REQUIRED :—

With Sleeves : 17 ozs. } "Greenock" Service Wool or "Greenock" Super Service Wool.
Without Sleeves : 12 ozs. }
1 Pair Knitting Needles, No. 12.
Spare Needle.
6 Buttons.

TENSION.—15 stitches to 2 inches in width ; 11 rows to 1 inch in depth.

MEASUREMENTS.—Length from shoulder, 24 inches ; chest, 38 inches ; sleeve seam, 20 inches.



THE BACK.—Cast on 136 stitches and work in garter stitch (knit every row) for 2 inches. Change to stocking stitch (knit 1 row, purl 1 row, alternately) and continue until back measures 24 inches from commencement. Cast off.

POCKET LINING.—Cast on 40 stitches and work in stocking stitch for 5 inches. Leave on a spare needle and work a second piece the same.

Knit firmly to Tension given.

RIGHT FRONT.—Cast on 82 stitches and work in garter stitch for 2 inches. Now work the main part in stocking stitch, but knit 12 stitches at the end of purl rows to form front border. When work measures 6 inches begin pocket top.

1st row : Knit. **2nd row :** Purl 12, knit 40, purl 18, knit 12.

Repeat these 2 rows 4 times more.

Next row : Knit 30, cast off 40, knit 12.

Next row : Purl 12, slip pocket lining stitches (wrong side facing) on to left hand needle, purl across them, complete row.

Continue front until work measures 17 inches, then begin front shaping :— Knit 2 together inside garter stitch border on alternate rows until 48 stitches remain. Continue without further shaping until the armhole measures the same depth as on back. Cast off 36 stitches at the beginning of the next purl row. Continue on the 12 remaining stitches, working a length sufficient to reach centre back.

LEFT FRONT.—As right, reversing garter stitch border, shaping and position of pocket. The wrong side pocket top row will be:—Knit 12, purl 18, knit 40, purl 12. Make 6 buttonholes on this front, the first, two inches from lower edge and the other five at intervals of $2\frac{1}{4}$ inches.

Make buttonholes thus :—Knit to within 7 stitches of end of row, cast off 3, knit 4. On next row cast on 3 stitches over those cast off on previous row.

THE SLEEVES (both alike).—Cast on 84 stitches and rib—knit 2, purl 2—for 3 inches. Change to stocking stitch and increase 1 stitch at beginning and end of every 8th row until there are 112 stitches on the needle. Continue on these until the sleeve measures 20 inches. Cast off loosely.

TO MAKE UP.—Press the knitting with a hot iron over a damp cloth. Join shoulder and side seams, leaving $8\frac{1}{2}$ inches for armholes. Join sleeve seams and insert sleeves in armholes, seam to seam. Sew edging along back of neck. Overcast buttonholes and sew on buttons. Press all seams.

FOR A SLEEVELESS CARDIGAN.—Knit the back for 16 inches, then knit 6 stitches at beginning and end of every purl row to form garter stitch border at armholes. Knit the fronts for 16 inches, then knit 6 stitches at armhole end of purl rows to form a garter stitch border.

Knit firmly to Tension given.

JERSEY IN CABLE STITCH

MATERIALS REQUIRED :—

1 lb. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 9.
1 Set Knitting Needles, No. 12.
Short Spare Needle.

TENSION.—After light pressing, 15 stitches to 2 inches in width ; 10 rows to 1 inch in depth.

MEASUREMENTS.—Length from shoulder, 22 inches ; chest, 38 inches ; sleeve seam, 20 inches.



THE BACK.—Cast on 144 stitches on No. 12 needles and rib—knit 2, purl 2—for 3 inches. Change to No. 9 needles and work 2 rows in stocking stitch (knit 1 row, purl 1 row), increasing 1 stitch on 1st row (this is necessary, as the Cable consists of 9 stitches with 1 stitch over) (145 stitches).

1st pattern row : *, Knit 1, purl 2, knit 4, purl 2 ; repeat from *, ending knit 1.

2nd pattern row : Knit 3, purl 4, *, knit 5, purl 4, repeat from *, ending knit 3. Repeat these 2 rows twice more.

Knit firmly to Tension given.

7th row : *, Knit 1, purl 2, slip next 2 stitches on to short spare needle, put behind, knit 2, then knit 2 on spare needle, purl 2 ; repeat from *, knit last stitch.

8th row : As 2nd. **9th row :** As 1st. **10th row :** As 2nd.

Repeat from 1st row until work measures 14 inches from the commencement, ending with the 10th pattern row.

TO SHAPE FOR ARMHOLES.—Cast off 3 stitches at beginning of next 2 rows, and on next 4 rows knit 2 together at beginning and end. On next 4 rows knit 2 together at beginning. Continue without further shaping until the work measures 21 inches. Now divide for neck.

THE RIGHT SHOULDER.—Knit in pattern 40 stitches, turn, knit 2 together, knit in pattern to end. Repeat this decrease 5 times more at neck end of alternate rows (34 stitches remain). Cast off.

Place the 47 centre stitches on a spare needle and work the Left Shoulder to correspond with the Right.

THE FRONT.—Work to correspond with Back. Cast off.

THE SLEEVES (both alike).—Cast on 80 stitches on No. 12 needles and rib—knit 2, purl 2—for 4 inches. Change to No. 9 needles and work 2 rows in stocking stitch, increasing 2 stitches on 1st row. Now work in pattern, increasing 1 stitch at beginning and end of every 4th row and add cables as stitches are increased, until there are 120 stitches on needle. Knit without further increasing until length required, then shape for top thus :—Cast off 3 stitches at the beginning of the next 2 rows, and at beginning and end of each succeeding row knit 2 stitches together twice until 62 stitches remain. Cast off.

NECKBAND.—Join shoulders. With the set of No. 12 needles arrange stitches for neckband—47 from front and back ; pick up and knit 21 stitches from the shaped part at each side (136 stitches altogether). Rib for 2 inches. Cast off.

TO MAKE UP.—Sew up side seams. Sew up sleeves and insert in arm-holes. Sew a piece of ribbon or tape at shoulder from sleeve seam to just inside neckband to prevent shoulder sagging. Press lightly.

Knit firmly to Tension given.

JERSEY With or Without Sleeves



MATERIALS REQUIRED :—

With Sleeves :

1 lb. "Greenock"
Service Wool or
"Greenock"
Super Service Wool.

Without Sleeves :

10 ozs. "Greenock"
Service Wool or
"Greenock"
Super Service Wool.
1 Pair Knitting Needles,
No. 12.
Spare Needle.

TENSION.—

15 stitches to 2 inches in
width.

11 rows to 1 inch in depth.

MEASUREMENTS.—

Length from shoulder,
24 inches.

Chest, 38 inches.

Sleeve seam, 20 inches.

WITH SLEEVES

The Back.—Cast on 136 stitches and rib—knit 2, purl 2—for 3 inches. Change to stocking stitch (knit 1 row, purl 1 row alternately) and continue until work measures 15 inches from the commencement.

To Shape Armholes.—Cast off 3 stitches at the beginning of the next 2 rows, knit 2 together at the beginning and end of the next 4 rows, and knit 2 together at the beginning and end of the next 2 alternate rows. Continue on the remaining 118 stitches until the armhole measures $8\frac{1}{2}$ inches (measuring straight).

Knit firmly to Tension given.

Now divide for neck. Work over the first 37 stitches for right shoulder, leaving the remaining stitches on a spare needle meantime.

Cast off 10 stitches at armhole end of next 3 alternate rows, then cast off the 7 remaining stitches.

Leave the 44 stitches at centre for neckband and work the left shoulder on the remaining 37 stitches to correspond with right shoulder.

Back of Neckband—Pick up and knit 8 stitches from right side of neck, knit across the 40 stitches on spare needle; pick up and knit 8 stitches from left side of neck (60 stitches). Rib on these—knit 2, purl 2—for 2 inches. Cast off.

The Front.—Work exactly as Back.

The Sleeves (both alike).—Cast on 84 stitches and rib—knit 2, purl 2—for 3 inches.

Change to stocking stitch and increase 1 stitch at the beginning and end of every 8th row until there are 112 stitches on the needle. Continue without further shaping until the sleeve measures 20 inches.

To Shape Top of Sleeve.—Cast off 2 stitches at the beginning of the next 20 rows. Cast off remainder.

To Make Up.—Press the knitting—except ribbing—with a hot iron over a damp cloth. Join shoulder and neckband seams. Insert sleeves in armholes. Join side and sleeve seams and press.

WITHOUT SLEEVES

Edge armholes thus:—Join shoulder and neckband seams. Pick up and knit 120 stitches round armhole. Rib—knit 2, purl 2—for $1\frac{1}{4}$ inches. Cast off.

Knit firmly to Tension given.

JERSEY WITH ROLL COLLAR



MATERIALS REQUIRED :—

- 1 lb. "Greenock"
Service Wool or
"Greenock"
Super Service Wool.
- 1 Pair Knitting Needles,
No. 12.
- 1 Set Knitting Needles,
No. 12.
- Spare Needle.

TENSION.—

- 15 stitches to 2 inches in
width.
- 11 rows to 1 inch in depth.

MEASUREMENTS.—

- Length from shoulder,
23 inches.
- Chest, 38 inches.
- Sleeve seam, 20 inches.

THE BACK.—Cast on 136 stitches and rib—knit 2, purl 2—for 3 inches. Change to stocking stitch (knit 1 row, purl 1 row, alternately) and continue until the work measures 23 inches from the commencement. Cast off 40 stitches at the beginning of the next 2 rows. Leave the remaining 56 stitches on a spare needle meantime.

THE FRONT.—Work exactly as for the Back.

THE SLEEVES (both alike).—Cast on 84 stitches and rib—knit 2, purl 2—for 3 inches. Now work in stocking stitch and increase 1 stitch at beginning and end of every 8th row until there are 112 stitches on the needle. Continue on these until the sleeve measures 20 inches. Cast off loosely.

THE COLLAR.—Join shoulder seams. Arrange the stitches left for collar on three needles. Work in rib—knit 2, purl 2—for 6 inches. Cast off.

TO MAKE UP.—Join side and sleeve seams, leaving $8\frac{1}{2}$ inches for armholes. Insert sleeves in armholes, seam to seam. Press all seams.

Knit firmly to Tension given.

WAISTCOAT in Moss Stitch

MATERIALS REQUIRED :—

- 9 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
- 1 Pair Knitting Needles, No. 10.
- 2 Spare Needles.
- 6 Buttons.

TENSION.—13 stitches to 2 inches in width ; 9 rows to 1 inch in depth.

MEASUREMENTS.—Length from back of neck, 20 inches ; chest, 39 inches.



THE BACK.—Cast on 117 stitches and work in moss stitch (knit 1, purl 1 alternately, having a knit stitch over a purl stitch on next row) for 10½ inches.

TO SHAPE ARMHOLES.—Knit 2 together at beginning and end of the next 10 rows. Continue without further shaping until the armholes measure 8½ inches, measuring straight.

TO SLOPE SHOULDERS.—Cast off 8 stitches at the beginning of the next 8 rows. Cast off remainder.

Knit firmly to Tension given.

WAISTCOAT—Continued

LOWER POCKETS.—Cast on 26 stitches and work in moss stitch for $2\frac{1}{2}$ inches. Leave on a spare needle and work another piece in the same way.

UPPER POCKETS.—Cast on 20 stitches and work in moss stitch for $2\frac{1}{2}$ inches. Leave on a spare needle and work another piece in the same way.

LEFT FRONT.—Cast on 64 stitches and work 1 row in moss stitch.
Next row : Rib 10, moss 10, turn, slip 1, moss 9, rib to end of row. **Next row :** Rib 10, increase in next stitch, moss 19, turn, slip 1, moss 20, rib to end of row. Continue in this way, keeping 10 stitches in rib for front border and working 10 stitches more in moss stitch on each alternate row 3 times more. Increase 1 stitch inside ribbing on every 4th row. Now work across all the stitches and continue increasing at front until there are 70 stitches on the needle. Work 2 rows more, then make 1st buttonhole thus :—Moss 60, rib 3, cast off 3, rib to end of row. **Next row :** Rib 4, cast on 3, complete row.

Make 5 more buttonholes at intervals of 2 inches. Begin the lower pocket top on the 2nd row of the 2nd buttonhole :—Rib 4, cast on 3, rib 3, moss 14, rib—knit 1, purl 1—over the next 26 stitches, moss 20.

Next row : Moss 20, rib 26, complete row. **Next row :** Rib 10, moss 14, rib 26, moss 20. **Next row :** Moss 20, cast off 26, complete row.

Next row : Rib 10, moss 14, take a pocket lining, slip the stitches on to left hand needle, moss stitch across them, moss to end of row. Midway between 4th and 5th buttonholes begin upper pocket top :—Rib 10, moss 20, rib 20, moss 20. **Next row :** Moss 20, rib 20, complete row. **Next row :** Rib 10, moss 20, rib 20, moss 20. **Next row :** Moss 20, cast off 20, complete row. **Next row :** Insert pocket lining as before.

Work 2 rows after the 6th buttonhole, then begin armhole and neck shaping. At armhole end cast off 4 stitches and knit 2 together at the same end of next 6 rows. Knit 2 together at the same end of the next 4 alternate rows, then continue straight at this end. Meantime at neck end knit 2 together on next and every following 3rd row until 42 stitches remain. Continue without shaping until front armhole measures same length as at back.

TO SLOPE SHOULDERS.—Cast off 8 stitches at armhole end of next 4 alternate rows. Continue in rib on the remaining 10 stitches for $2\frac{1}{2}$ inches. Cast off, or leave for grafting.

RIGHT FRONT.—To correspond with left front, reversing shaping, ribbed border, and the position of the pockets. Omit the buttonholes.

ARMHOLE EDGING.—Cast on 8 stitches and rib a length sufficient to edge each armhole.

TO MAKE UP.—Press the work lightly with a hot iron over a damp cloth. Join shoulder and side seams, sew band along back of neck. Overcast buttonholes and sew on buttons. Sew pockets into position and sew edging to armholes. Press all seams.

Knit firmly to Tension given.

BED JACKET



MATERIALS REQUIRED :—

- 13 ozs. "Greenock"
Service Wool or
"Greenock"
Super Service Wool.
- 1 Pair Knitting Needles,
No. 9.
- Spare Needle.
- 4 Buttons.

TENSION.—

- 6 stitches to 1 inch in
width.
- 8 rows to 1 inch in depth.

MEASUREMENTS.—

- Length from shoulder,
23 inches.
- Chest, 38 inches.
- Sleeve seam, 17 inches.

THE BACK.—Cast on 107 stitches. **1st row :** Knit. **2nd row :** Purl 2, *, knit 5, purl 2, repeat from * to end of row. Repeat these 2 rows for 15 inches.

TO SHAPE ARMHOLES.—Cast off 3 stitches at beginning of next 4 rows and knit 2 together at beginning and end of next 5 rows (85 stitches). Continue without further shaping until armholes measure 8 inches (measuring straight).

TO SLOPE SHOULDERS.—Cast off 8 stitches at beginning of next 6 rows and 5 stitches at beginning of next 2 rows. Cast off remainder.

POCKET LINING.—Cast on 30 stitches and work in pattern for 5 inches, ending with a knit row. Leave on a spare needle.

RIGHT FRONT.—Cast on 63 stitches. **1st row :** Knit. **2nd row :** *, Purl 2, knit 5, repeat from * to end of row. Repeat these 2 rows for 15 inches, ending with a knit row.

TO SHAPE ARMHOLE.—Cast off 3 stitches at beginning of next row and cast off 3 stitches at same end of next alternate row. Knit 2 together at same end of next 5 rows. Continue on the 52 remaining stitches until the armhole measures $5\frac{1}{2}$ inches (measuring straight).

TO SHAPE NECK.—Cast off 14 stitches at neck end of next row and knit 2 together at same end of next 9 rows. Continue on the 29 remaining stitches until the armhole is the same depth as on back.

TO SLOPE SHOULDER.—Cast off 8 stitches at armhole end of alternate rows 3 times, then cast off the 5 remaining stitches.

Knit firmly to Tension given.

BED JACKET—Continued

LEFT FRONT.—Cast on 63 stitches. **1st row :** Knit. **2nd row :** *, Knit 5, purl 2, repeat from * to end of row. Repeat these 2 rows for 9 inches, then make the first buttonhole thus:—Knit to within 6 stitches of end of row, cast off 3, knit 3. On next row cast on 3 over those cast off on previous row. Repeat the two buttonhole rows at intervals of $3\frac{1}{2}$ inches 3 times more, but when work measures 15 inches shape armhole to correspond with right front, and on the knit row immediately after the armhole shaping is completed make the pocket opening. Knit 3, cast off 30, knit to end of row. **Next row :** Pattern 19, slip pocket lining stitches on to left hand needle (wrong side facing) pattern across these, pattern to end of row. Complete left front to correspond with right front.

THE SLEEVES (both alike).—Cast on 58 stitches and work in pattern as on back for 3 inches. Increase at beginning and end of next and every following 8th row until there are 78 stitches on the needle. Continue without further shaping until the sleeve measures 17 inches.

TO SHAPE TOP OF SLEEVE.—Cast off 2 stitches at beginning of every row until 46 stitches remain. Cast off remainder.

THE COLLAR.—Join shoulder seams. With wrong side facing pick up and knit 82 stitches round neck, beginning and ending 1 inch from front edge. Work in garter stitch throughout and increase at beginning and end of every 4th row 6 times. Work 4 rows more. Cast off rather loosely.

TO MAKE UP.—Do not press. Insert sleeves in armholes. Join side seams very neatly. Sew pocket lining into position. Overcast buttonholes and sew on buttons.

PATCHWORK BLANKET

MATERIALS REQUIRED :—“Greenock” Service Wool or “Greenock” Super Service Wool (1 oz. will make two 6-inch squares).
1 Pair Knitting Needles, No. 10.

The square is worked in garter stitch throughout.

Cast on 1 stitch and knit twice into it. **2nd row :** Knit 1, knit twice into next stitch. **3rd row :** Knit 2, knit twice into last stitch. Continue in this manner increasing in the last stitch of each row until the side edges measure 6 inches, then knit 2 together at the end of each row until all the stitches are worked off. Fasten in the end of wool.

Odd pieces of wool in any colour may be used up in this way.

Finer wool than Service wool should be used double.

Sew the squares together, using the number for the size of cover desired. Each piece of knitting is 6 inches square.

A cover for a single bed requires 40, 54 or 63 squares (i.e., 5 rows of 8, 6 rows of 9, or 7 rows of 9).

GLOVES

MATERIALS REQUIRED :—

3 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.

RIGHT HAND.—Cast on 56 stitches (20 on each of 2 needles and 16 on the 3rd), join round, rib—knit 1, purl 1—for 33 rounds. Knit 12 rounds, then begin thumb gusset.

1st round : Knit 2, increase in each of next 2 stitches, knit to end of round.

2nd and 3rd rounds : Knit.

4th round : Knit 2, increase, knit 2, increase, knit to end of round.

5th and 6th rounds : Knit.

7th round : Knit 2, increase, knit 4, increase, knit to end of round.

8th and 9th rounds : Knit.

10th round : Knit 2, increase, knit 6, increase, knit to end of round.

11th and 12th rounds : Knit.

Continue in this manner, increasing 2 stitches on every 3rd round until the round—knit 2, increase, knit 18, increase, knit to end of round—has been worked.

Next round : Knit 3, slip next 20 stitches on to a piece of string, cast on 4 stitches on needle on which you have 3 stitches. Knit to end of round. Knit 16 rounds.

FIRST FINGER.—Take 8 stitches from beginning of 1st needle and 9 stitches from end of 3rd needle, and leave the remaining stitches on a piece of string meantime. Cast on 3 for between first and second fingers, knit 27 rounds.

28th round : Knit 2 together at beginning of each needle.

29th round : Knit.

30th round : Knit 2 together throughout round.

Break wool, leaving an end about 7 inches long, with which thread darning needle. Slip all the stitches on to the needle and draw wool through. Fasten firmly on wrong side. Close all fingers in the same manner.

SECOND FINGER.—8 stitches from each side. Pick up and knit 3 stitches along edge of 3 cast-on for first finger, cast on 3 for between second and third fingers, 22 stitches in all. Knit 33 rounds.

THIRD FINGER.—6 stitches from each side. Pick up and knit 3 stitches along the edge of 3 cast on for second finger. Cast on 3 for between third and fourth fingers, 18 stitches in all. Knit 31 rounds.

FOURTH FINGER.—Take remaining 15 stitches. Pick up and knit 3 stitches along edge of 3 cast-on for third finger. Knit 26 rounds.

THUMB.—Slip the 20 stitches from string on to 3 needles. Pick up and knit 4 stitches along the edge of 4 cast-on for palm of hand, 24 stitches in all. Knit 26 rounds.

LEFT HAND.—Work as for right hand glove until ready for fingers. Knit 10 stitches from first needle on to third needle, then set for first finger as on right hand glove.

WITH HALF FINGERS

Work as for gloves, but on each finger knit 12 rounds, then rib—knit 1, purl 1—for 4 rounds. Cast off.

STEERING GLOVES AND MITTENS



STEERING GLOVES

MATERIALS REQUIRED :—

3 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.

(BOTH HANDS ALIKE).

** Cast on 56 stitches—20 on each of two needles and 16 on the third. Rib 33 rounds—knit 2, purl 2—then knit 14 rounds plain.

Round 15 : Knit 1, make 1, knit remainder of round. **Rounds 16 and 17 :** Plain. **Round 18 :** Knit 1, make 1, knit 1, make 1, knit remainder of round.

Rounds 19 and 20 : Plain. **Round 21 :** Knit 1, make 1, knit 3, make 1, knit remainder of round. **Rounds 22 and 23 :** Plain.

Round 24 : Knit 1, make 1, knit 5, make 1, knit remainder of round. **Rounds 25 and 26 :** Plain. **Round 27 :** Knit 1, make 1, knit 7, make 1, knit remainder of round.

Rounds 28 and 29 : Plain. **Round 30 :** Knit 1, make 1, knit 9, make 1, knit remainder of round. **Rounds 31 and 32 :** Plain.

Round 33 : Knit 1, make 1, knit 11, make 1, knit remainder of round. **Rounds 34 and 35 :** Plain. **Round 36 :** Knit 1, make 1, knit 13, make 1, knit remainder of round.

Rounds 37 and 38 : Plain. **Round 39 :** Knit 1, make 1, knit 15, make 1, knit remainder of round. **Rounds 40 and 41 :** Plain. **Round 42 :**

Knit 1, take off 17 stitches on piece of string and leave. Cast on 6 stitches more on the needle on which you already have 1 stitch—62 stitches in all, **.

Knit 38 rounds plain. **Round 81 :** *, Knit 2 together, knit 6, repeat from * ending last repeat knit 4.

Next 6 rounds : Plain. **Round 88 :** Knit 2 together at the beginning of each needle, knitting all the rest of the stitches plain. Knit 6 rounds plain.

Round 95 : Knit 2 together and continue this throughout the round. **Round 96 :** Plain. **Round 97 :** Knit 2 together, continue throughout the round.

Round 98 : Plain. Break off the wool, leaving an end 6 inches long with which thread darning needle ; on this needle slip off all the stitches and draw them tightly together. Fasten firmly on the wrong side.

FOR THE THUMB.—Take off the 17 stitches from the piece of string and take up 8 more stitches where the opening is to make 25 stitches round thumb. Knit 26 rounds plain. **Round 27 :** Knit 2 together at the beginning of each needle. **Round 28 :** Plain. **Round 29 :** Knit 2 together throughout round. Fasten off in the same manner as top of glove.

WITH OPENING ACROSS PALM.—Work glove from ** to **. Knit 16 rounds.

FOR RIGHT HAND.—Rounds 59 and 60 : (Knit 1, purl 1) 15 times, knit 32. On the next round cast off the first 30 stitches and on the next round cast on 30 to replace them. Repeat rounds 59 and 60, then knit 16 rounds. Complete glove from round 81 on preceding page.

FOR LEFT HAND.—Slip 8 stitches from the beginning of the first needle on to the end of the third needle. **Rounds 59 and 60 :** Knit 32, (knit 1, purl 1) 15 times. On the next round knit 32, cast off 30, and on the next round cast on 30 to replace them. Complete as right hand glove.

WITH ELBOW LENGTH GAUNTLETS.—Allow 1 oz. more wool. Cast on 96 stitches and rib—knit 2, purl 2—for 6 inches. **Next round :** *, Knit 2, purl 2 together, repeat from * to end of round. Rib—knit 2, purl 1—for 2 inches. **Next round :** *, Knit 2 together, purl 1, repeat from * to end of round (48 stitches). Rib—knit 1, purl 1—for 2 inches. **Next round :** *, Knit 5, increase in next stitch, repeat from * 7 times (56 stitches). Knit 13 rounds plain, then begin thumb gusset.

MITTENS

MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.

(BOTH HANDS ALIKE).

Cast on 56 stitches—20 on each of 2 needles and 16 on the third. Rib—knit 2, purl 2—for 33 rounds. This forms the wrist. Knit 12 plain rounds. Then knit the thumb thus :—**Round 1 :** Knit 2, make 1, knit 2, make 1, knit to the end. **Rounds 2 and 3 :** Plain. **Round 4 :** Knit 2, make 1, knit 4, make 1, knit to the end. **Rounds 5 and 6 :** Plain. **Round 7 :** Knit 2, make 1, knit 6, make 1, knit to the end. **Rounds 8 and 9 :** Plain. **Round 10 :** Knit 2, make 1, knit 8, make 1, knit to the end. **Rounds 11 and 12 :** Plain. **Round 13 :** Knit 2, make 1, knit 10, make 1, knit to the end. **Rounds 14 and 15 :** Plain. **Round 16 :** Knit 2, make 1, knit 12, make 1, knit to the end. **Rounds 17 and 18 :** Plain. **Round 19 :** Knit 2, make 1, knit 14, make 1, knit to the end. **Rounds 20 and 21 :** Plain. **Round 22 :** Knit 2, make 1, knit 16, make 1, knit to the end. **Rounds 23 and 24 :** Plain. **Round 25 :** Knit 2, make 1, knit 18, make 1, knit to the end. **Rounds 26 and 27 :** Plain. **Round 28 :** Knit 2, make 1, knit 20, make 1, knit to the end. **Rounds 29 and 30 :** Plain. **Round 31 :** Knit 2, make 1, knit 22, make 1, knit to the end. **Rounds 32 and 33 :** Plain. **Round 34 :** Knit 2, make 1, knit 24, make 1, knit to the end. **Round 35 :** Knit 3, then slip off on a piece of string 24 stitches and knit plain the rest of the round. Knit 12 rounds plain. Then rib 12 rounds—knit 2, purl 2—and cast off loosely. Knit the rest of the thumb thus :—Take up the 24 stitches on the piece of string on to three needles, adding 4 more stitches where the opening is. Knit 5 rounds plain. Then rib 5 rounds—knit 2, purl 2. Cast off loosely. Fasten off the ends.



GUNNER GLOVES

MATERIALS REQUIRED :—

3 ozs. "Greenock" Service Wool or
"Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.

RIGHT HAND.—Cast on 56 stitches (20 on each of 2 needles and 16 on the third). Join round. Rib—knit 1, purl 1—for 33 rounds, knit 12 rounds, then begin thumb gusset.

1st round : Knit 2, increase in each of next 2 stitches, knit to the end of round.

2nd and 3rd rounds : Knit.

4th round : Knit 2, increase, knit 2, increase, knit to end of round.

5th and 6th rounds : Knit.

7th round : Knit 2, increase, knit 4, increase, knit to end of round.

Continue in this manner, increasing 2 stitches on every third round, having 2 stitches more between the increasings each time until the round knit 2, increase, knit 18, increase, knit to end of round is worked.

Next round : Knit 3, slip next 20 stitches on to a piece of string, cast on 4 stitches on needle on which you have 3 stitches, knit to end of round (60 stitches). Knit 16 rounds.

1st FINGER.—Take 8 stitches from beginning of first needle and 9 stitches from end of third needle and leave the remaining stitches on a piece of string meantime. Cast on 3 for between first and remaining fingers, knit 27 rounds.

28th round : Knit 2 together at beginning of each needle.

29th round : Knit. **30th round :** Knit 2 together throughout round. Break wool, leaving a long end with which thread darning needle. Slip all the stitches on to the needle and draw wool through. Fasten off.

Work the remaining fingers together. Arrange the 43 remaining stitches on 3 needles, pick up and knit 4 stitches along edge of first finger. Knit 22 rounds.


Next round : *, Knit 2 together, knit 4, repeat from *, ending round knit 3. Knit 7 rounds.

Next round : Knit 2 together at beginning of each needle. Knit 6 rounds. **Next round :** Knit 2 together throughout round. **Next round :** Knit. Repeat these two rounds once more.

Finish off as the first finger.

THUMB.—Slip the 20 stitches from string on to 3 needles. Pick up and knit 4 stitches along the edge of 4 cast-on for palm of hand, 24 stitches in all. Knit 26 rounds. Finish off as the first finger.

LEFT HAND.—Work as for right hand glove until ready for fingers. Knit 10 stitches from first needle on to third needle, then set for first finger as on right hand glove.



MITTENS WITHOUT PALMS

MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or
"Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.
Crochet Hook.

LEFT HAND.—Cast on 50 stitches, 16 on each of two needles and 18 on the third. Rib—knit 1, purl 1—for 5 inches, then knit backwards and forwards in garter stitch for 34 rows (17 ridges). Cast off 15 stitches at beginning of next row for thumb and on the remaining 35 stitches knit 18 rows or 9 ridges. Cast off.

With crochet hook fasten wool at end. Work 9 chain, pass 7 of the cast off stitches and fasten down with double crochet. Repeat for the other three fingers.

Double crochet along edge of work and make a similar loop for thumb. Turn. Work sufficient double crochet into each loop to hide the chain. Fasten off securely.

FOR RIGHT HAND MITTEN.—Cast off the stitches for thumb at opposite end.

KNEE CAPS

MATERIALS REQUIRED :—

3 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 11.

TENSION.—7 stitches to 1 inch in width.

MEASUREMENTS.—Depth, 11 inches ; width, 5½ inches.

Cast on 49 stitches. **1st row :** Knit. **2nd row :** Purl 10, knit 29, purl 10.
3rd row : Knit. **4th row :** Knit. **5th row :** Purl 10, knit 29, purl 10.
6th row : Knit. Repeat these 6 rows twice more.

19th row : Knit 23, increase, knit 1, increase, knit 23. **20th row :** Purl 10, knit 31, purl 10. **21st row :** Knit 23, increase, knit 3, increase, knit 23.

Continue in this manner, increasing on every 2nd row, having 2 stitches more between the increasings each time. Work ribbing at beginning and end of the row throughout. When 21 ribs at the side edges have been worked from commencement, work 6 rows without shaping, then decrease on next and every alternate row after the first 23 stitches and before the last 23 on the needle until 49 stitches remain. Work 18 rows to correspond with 18 rows at commencement. Cast off. Sew the cast-on to the cast-off stitches.

Knit firmly to Tension given.

KNITTED HELMET

(BALACLAVA)

AS ILLUSTRATED ON FRONT COVER

MATERIALS REQUIRED :—

4 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 10.
Spare Needle.

TENSION.—6 stitches to 1 inch in width.

MEASUREMENTS.—17 inches from top of head to lower edge ; 19 inches round face, unstretched.

Cast on 29 stitches. Knit 1 row. **2nd row :** Knit 1, increase, knit 25, increase, knit 1. **3rd row :** Knit 1, increase, knit 27, increase, knit 1.

Continue in this manner until there are 51 stitches on needle. Work without further shaping for $5\frac{1}{2}$ inches. Leave meantime and work another piece in the same manner. (This is to make the flaps for back and front). Join the two flaps and rib in rounds of knit 3, purl 3, for 4 inches.

Now place 27 stitches at the centre of one of the flaps on a piece of string. This should be 5 knit ribs and 4 purl ribs. Put the remaining stitches on 2 needles, and knit backwards and forwards for 44 rows (about 4 inches).

Next row : *, Knit 17 stitches, knit 2 together, knit to end of row. Repeat this row until the stitches are reduced to 42.

Next row : Knit 9, knit 2 together, knit to end of row. Repeat the last row until 27 stitches remain. Decrease 4 times on each row until 7 stitches remain. Now working again with 4 needles pick up and knit the stitches at the ends of the plain rows, also the 27 stitches on the string. There should be 120 altogether.

The work is now continued in rounds. Knit along the stitches until you reach the ribs, which were on the string, then work in ribbing—knit 3, purl 3— for $2\frac{1}{2}$ inches. Cast off rather loosely in ribbing.

HELMET WITH EAR OPENINGS

Follow the instructions until 27 stitches at the centre of one of the flaps have been placed on a piece of string. Put the remaining stitches on two needles and knit backwards and forwards for 12 rows. **Next row :** Knit 10 stitches, turn, leaving the remaining stitches on a spare needle meantime. Knit 20 rows on these 10 stitches, leave. On centre 55 stitches knit 20 rows, leave. On remaining 10 stitches knit 20 rows. Now place all the stitches on one needle and knit 12 rows. This will measure about 4 inches from ribbing. Complete helmet from *, knit 17 stitches, knit 2 together, knit to end of row.

Knit firmly to Tension given.

CAPS

TO WEAR WITH STEEL HELMETS

KNITTED

MATERIALS REQUIRED :—

1 oz. "Greenock" Service Wool or
"Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 10.

TENSION.—7 stitches to 1 inch in width.

MEASUREMENTS.—Round head, unstretched, 18 inches ; depth, 5 inches.



Cast on 132 stitches and rib—knit 1, purl 1—for 10 rows, then work in stocking stitch (knit 1 row, purl 1 row alternately) for 12 rows.

TO SHAPE CROWN.—1st row : Knit 6, (knit 2 together, knit 10) 10 times, knit 2 together, knit 4.

2nd and every alternate row : Purl.

3rd row : Knit 5, (knit 2 together, knit 9) 10 times, knit 2 together, knit 4.

5th row : Knit 4, (knit 2 together, knit 8) 10 times, knit 2 together, knit 4.

7th row : Knit 3, (knit 2 together, knit 7) 10 times, knit 2 together, knit 4.

9th row : Knit 2, (knit 2 together, knit 6) 10 times, knit 2 together, knit 4.

11th row : Knit 1, (knit 2 together, knit 5) 10 times, knit 2 together, knit 4.

13th row : (Knit 2 together, knit 4) 11 times.

15th row : Knit 4, (knit 2 together, knit 3) 9 times, knit 2 together, knit 4.

17th row : Knit 3, (knit 2 together, knit 2) 10 times, knit 2 together.

19th row : Knit 2, (knit 2 together, knit 1) 10 times, knit 2 together.

21st row : Knit 2 together 11 times, knit 1.

Break wool, leaving a long end with which thread darning needle, slip through remaining stitches, draw up and fasten off securely. Sew along seam. Press cap (except ribbing) with a hot iron over a damp cloth.

CROCHETED

SIMILAR IN SHAPE TO ABOVE DESIGN

MATERIALS REQUIRED :—

1 oz. "Greenock" Service Wool or "Greenock" Super Service Wool.
Medium Crochet Hook.

TENSION.—4 trebles to 1 inch in width.

MEASUREMENTS.—Round head, unstretched, 19 inches ; depth, 5 inches.

Make 4 chain, join round, and work 12 trebles into the circle, join with slip stitch.

2nd round : 3 chain to stand for 1st treble, 1 treble into 1st treble, 2 trebles into each of next 11 trebles, join with slip stitch.

Knit firmly to Tension given.

3rd round : 3 chain, 1 treble into 1st treble, *, 1 treble into next treble, 2 trebles into next, repeat from * to end of round. Join with slip stitch.

4th round : 3 chain, 1 treble into 1st treble, *, 1 treble into each of next 2 trebles, 2 trebles into next, repeat from * to end of round. Join with slip stitch.


5th round : 3 chain, 1 treble into 1st treble, *, 1 treble into each of next 3 trebles, 2 trebles into next, repeat from * to end of round. Join with slip stitch.

6th round : 3 chain, 1 treble into 1st treble, *, 1 treble into each of next 4 trebles, 2 trebles into next, repeat from * to end of round. Join with slip stitch.

On next round increase at equal intervals 4 times, by working 2 trebles into 1. Work 5 rounds in double crochet without shaping. Fasten off.

SHORT NECK HELMET

WITHOUT EAR OPENINGS



MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 7.

TENSION.—

11 stitches to 2 inches in width on garter stitch.

MEASUREMENTS.—

Top of head to lower edge, 12 inches ; width across (lying flat), 8 inches.

Cast on 90 stitches (30 on each of 3 needles), join round and rib—knit 3, purl 3—for 5 inches.

Place the first 21 stitches on a piece of string for under chin (4 knit ribs and 3 purl ribs), and knit backwards and forwards on the remaining 69 stitches for 54 rows (27 ridges). Now shape for top of head. Knit 44, knit 2 together, turn, *, slip 1, knit 20, knit 2 together, turn, repeat from * until all the stitches are worked in and 20 stitches remain on needle. Pick up and knit 27 stitches down left side, rib—knit 3, purl 3—across stitches for chin. Pick up and knit 28 stitches up right side.

Knit to chin stitches, then rib—knit 3, purl 3—for 10 rounds. Cast off in ribbing.

WITH EAR OPENINGS.—Knit backwards and forwards on the 69 stitches for 12 rows (6 ridges). Now divide : Knit 22 rows (11 ridges) on the first 13 stitches, the same number of rows on the 43 centre stitches and then on the remaining 13 stitches. Now work over all the stitches for 20 rows (10 ridges), then shape at top as instructed above.

Knit firmly to Tension given.

SCARF

IN GARTER STITCH

AS ILLUSTRATED ON FRONT COVER

MATERIALS REQUIRED :-

5 ozs "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 6 or 7.
Crochet Hook.

TENSION.—11 stitches to 2 inches in width.

MEASUREMENTS.—Length, 45 inches, without fringes. Width, 10 inches.

Cast on loosely 54 stitches. Work in garter stitch until scarf measures 45 inches. Cast off.

If a fringe is desired at each end of the scarf take a book or piece of cardboard about 3 inches in depth. Wind the wool round, then cut through. Take 5 strands, double these, keeping the ends in left hand, with crochet hook draw the 5-strand loop through the end of scarf, then pass the ends through this loop and draw close to scarf. Repeat at intervals along edge.

SCARF

IN 1 and 1 RIB

AS ILLUSTRATED ON FRONT COVER

MATERIALS REQUIRED :-

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 6 or 7.
Crochet Hook.

TENSION.—8 stitches to 1 inch in width, with ribs closed.

MEASUREMENTS.—Length, 45 inches, without fringes. Width, 8 inches.

Cast on loosely 62 stitches. Rib—knit 1, purl 1—for 45 inches. Cast off. Fringe as instructed above.

A SHAPED SCARF

WITH BROAD ENDS IN GARTER STITCH

MATERIALS REQUIRED :-

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 6 or 7.

TENSION.—11 stitches to 2 inches in width on garter stitch.

MEASUREMENTS.—Length, 41 inches. Width at ends, 12 inches.

Cast on 66 stitches and knit in garter stitch 128 rows (64 ridges). Rib—knit 2, purl 2—for 114 rows. Knit in garter stitch 128 rows (64 ridges). Cast off.

Knit loosely to Tension given.

CHEST PROTECTOR



MATERIALS REQUIRED :—

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.

1 Pair Knitting Needles, No. 9 ; Press Studs.

TENSION.—

8 stitches to 1 inch in width, unstretched.

MEASUREMENTS.—

Depth, 20 inches ; width, 18 inches ; neck, 14½ inches.

Cast on 140 stitches and rib—knit 1, purl 1—for 20 inches. Now divide for neck :—Rib 45, cast off 50, rib 45. Work over these last 45 stitches for right shoulder and knit 2 together at neck end of every row 9 times. Cast off remainder. Join wool at neck end and work left shoulder to correspond. Cast on 28 stitches and with same needle pick up and knit 66 stitches round neck. Cast on other 28 stitches (122 stitches). On these rib 2½ inches. Cast off in ribbing. Sew press studs at back of neck.

BODY BELT

MATERIALS REQUIRED :—

3 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 9.

TENSION.—7 stitches to 1 inch in width.

MEASUREMENTS.—Depth, 13 inches ; width, 11 inches across, unstretched.

Cast on 148 stitches. Knit 1 row. Rib—knit 1, purl 1—for 3½ inches. Work 6 inches in stocking stitch (knit 1 row, purl 1 row, alternately), then rib—knit 1, purl 1—for 3½ inches. Cast off loosely and sew up side.

This belt may be knitted in two pieces, having a seam at both sides. Cast on 74 stitches for each piece.

HOT WATER BOTTLE COVER

MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Pair Knitting Needles, No. 9.
Crochet Hook.
4 Buttons.

TENSION.—5 repeats of the pattern measure 2 inches in width, unstretched.

MEASUREMENTS.—Width, 8 inches ; depth, 10 inches.

Cast on 56 stitches and knit 1 row. **2nd row :** Slip 1, *, wool forward, slip 1 purlwise, knit 2 together, repeat from * until 1 stitch remains, knit 1. Repeat last row till work measures 20 inches. Knit 1 row. Cast off.

With crochet hook work 1 row of double crochet across each end and make 4 buttonhole loops on one end. Join side seams. Sew on buttons to correspond with buttonholes.

Knit firmly to Tension given.

RIBBED SOCKS in Two Lengths

MATERIALS REQUIRED :—

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.
(For the larger size allow 1 oz. more wool).

TENSION.— $8\frac{1}{2}$ stitches to 1 inch in width (with ribs closed).

LENGTH OF LEG, 14 inches ; FOOT, 11 inches.

Cast on 80 stitches (28 on each of two needles and 24 on the third) and rib—knit 1, purl 1—for $3\frac{1}{2}$ inches, then rib—knit 3, purl 1—for $7\frac{1}{2}$ inches.

THE HEEL.—Arrange 19 stitches on either side of a purl stitch for heel and leave the 41 remaining stitches on two needles for top of foot. **1st heel row :** Knit. **2nd heel row :** Purl 1, *, slip 1, purl 1, repeat from * to end of row. Repeat these 2 rows for 3 inches, ending with a knit row.

TO TURN HEEL.—Slip 1, purl 20, purl 2 together, turn.

Slip 1, knit 3, knit 2 together, turn.

Slip 1, purl 4, purl 2 together, turn.

Slip 1, knit 5, knit 2 together, turn.

Continue as on these last 2 rows increasing on the knit and purl stitches by 1 stitch on each row till all the stitches are worked in. Pick up and knit 20 stitches down side of heel. Rib top of foot stitches on to one needle. Pick up and knit 20 stitches from other side of heel and add to this needle half of the stitches that were left from turning of heel. Knit along the needle on which the first 20 stitches were picked up. Rib across top of foot needle

THE GUSSET.—Knit 2, knit 2 together, knit to within 4 stitches of end of second foot needle, knit 2 together, knit 2. Rib across top of foot needle. Work one round without decreasing. Repeat these 2 rounds until the stitches are reduced to 81, then work without shaping until the foot measures $8\frac{1}{2}$ inches from outer edge of heel.

THE TOE.—On top of foot needle knit 2, knit 2 together, knit to centre of needle, knit 2 together, knit to within 4 stitches of end, knit 2 together, knit 2. **Note.**—The decrease made in the centre of this needle is not to be repeated as this has only been made to bring the stitches even. On first foot needle knit 2, knit 2 together, knit to within 4 stitches of end of second foot needle, knit 2 together, knit 2. Work one round without shaping. Repeat the last 2 rounds till 16 stitches remain. Place these on two needles. Place the needles parallel and cast off by knitting a stitch from each together.

LENGTH OF LEG, 18 inches ; FOOT, 11 inches.

Rib top as above, then rib—knit 3, purl 1—for $11\frac{1}{2}$ inches. Arrange stitches for heel and proceed to instructions.

Knit firmly to Tension given.

PLAIN SOCKS in Two Lengths

MATERIALS REQUIRED :—

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 13.
(For the larger size allow 1 oz. more wool).

TENSION.—8 stitches to 1 inch in width.

LENGTH OF LEG, 14 inches ; FOOT, 10½ inches.

Cast on 80 stitches (28 on each of two needles and 24 on the third). Rib—knit 3, purl 1—for 40 rounds, then with a piece of coloured wool mark the 14th stitch of the first needle. This will be the seam stitch of the sock and should be purled on every round. Knit 6 rounds, then begin to decrease. Knit to within 3 stitches of the seam stitch, slip 1, knit 1, pass slipped stitch over, knit 1, purl 1, knit 1, knit 2 together, knit to end of round. Knit 6 rounds, then repeat the decrease. Continue thus until 66 stitches remain, then knit 40 rounds without further shaping.

THE HEEL.—Arrange 16 stitches on either side of the seam stitch for the heel and leave the other 33 stitches on 2 needles for the top of foot. Knit the stitches on heel needle, purling the seam stitch, turn, slip 1, knit 2, purl 13, knit 1, purl 13, knit 3. Repeat these 2 rows 17 times more, then the first row again.

TO TURN HEEL.—Slip 1, knit 2, purl 14, purl 2 together, purl 1, turn.
Slip 1, knit 2, knit 2 together, knit 1, turn.
Slip 1, purl 3, purl 2 together, purl 1, turn.
Slip 1, knit 4, knit 2 together, knit 1, turn.

Continue as on these last 2 rows increasing on the knit and purl stitches by 1 stitch on each row till all the stitches are worked in. Pick up and knit 18 stitches down side of heel. Knit on to one needle all the stitches for top of foot. With another needle pick up and knit 18 stitches along the other side of heel and on to the same needle knit half of the stitches remaining from turning heel. Knit along to the end of top of foot needle.

THE GUSSET.—Slip 1, knit 1, pass slipped stitch over, knit to within 2 stitches of the end of second foot needle, knit 2 together. Knit top of foot needle. Knit one round without shaping. Repeat these 2 rounds until 64 stitches remain. Continue without further shaping until the foot is the length required to toe, finishing at the end of the second foot needle. Arrange the stitches with 24 on the first two needles and 16 on the third.

THE TOE.—*, Knit 2 together, knit 6, repeat from * to end of round. Knit 6 plain rounds. *, Knit 2 together, knit 5, repeat from * to end of round. Knit 5 plain rounds. *, Knit 2 together, knit 4, repeat from * to end of round. Knit 4 plain rounds. *, Knit 2 together, knit 3, repeat from * to end of round. Knit 3 plain rounds. *, Knit 2 together, knit 2, repeat from * to end of round. Knit 2 plain rounds. *, Knit 2 together, knit 1, repeat from * to end of round. Knit 1 plain round. Knit 2 together all round and cast off the remaining stitches by slipping 1 stitch off the first foot needle on to top of foot needle and the remaining 2 on to the second foot needle. Place these needles parallel with each other and cast off by knitting a stitch from each together. To strengthen heels and toes, work with double wool. Finer wool may be used for the second ball.

LENGTH OF LEG, 18 inches ; FOOT, 10½ inches.

Rib as above. Work 20 rounds before commencing the decreases. After the stitches are reduced to 66, work 45-50 rounds before setting for heel.

Knit firmly to Tension given.

PLAIN SOCKS

IN A QUICKLY KNITTED PATTERN

MATERIALS REQUIRED :—

4 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 11.

TENSION.—7 stitches to 1 inch in width.

MEASUREMENTS.—Leg, 14 inches ; foot, 10½ inches.

Cast on 60 stitches (20 on each of 3 needles). Join round and rib—knit 2, purl 2—for 3 inches, then knit plain, but purl the last stitch on each round for seam stitch. When leg measures 11 inches, set for heel. Arrange 15 stitches on either side of seam stitch and leave the 29 remaining stitches on two needles for top of foot.

1st heel row : Knit. **2nd heel row :** Purl 1, *, slip 1, purl 1, repeat from * to end of row. Repeat these 2 rows for 2¾ inches, ending with a knit row.

TO TURN HEEL.—Purl 17, purl 2 together, purl 1, turn, slip 1, knit 4, knit 2 together, knit 1, turn, slip 1, purl 5, purl 2 together, purl 1, turn.

Continue as on these last 2 rows, increasing on the knit and purl stitches by 1 stitch on each row, till all the stitches are worked in. Pick up and knit the stitches evenly along one side of heel, knit the top of foot stitches on to one needle, pick up and knit stitches along other side of heel and on to this needle knit half of the stitches remaining from the turning of the heel. Knit 1 round.

THE GUSSET.—Knit to within 3 stitches of end of first foot needle, knit 2 together, knit 1. Knit across top of foot needle. On 3rd needle knit 1, knit 2 together, knit to end of needle. Knit 1 round without shaping. Repeat these 2 rounds until the stitches are reduced to 60. Continue without shaping until the foot measures 8½ inches from the back of the heel.

THE TOE.—Slip 1 stitch from first foot needle on to top of foot needle (30 stitches on top of foot and 15 on each side needle). On top of foot needle knit 1, knit 2 together, knit until 3 stitches remain, knit 2 together, knit 1. On next needle knit 1, knit 2 together, knit to end of needle. On third needle knit until 3 stitches remain, knit 2 together, knit 1. Knit 1 round without shaping. Repeat these 2 rounds until 16 stitches remain on the round. Place on two parallel needles. Cast off by knitting a stitch from each together.

HEEL-LESS SOCKS

IN SPIRAL RIBBING

MATERIALS REQUIRED :—

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 11.

TENSION.—7 stitches to 1 inch in width with ribs closed.

MEASUREMENTS.—Total length, 23 inches.

Cast on 60 stitches (20 on each of three needles). Join round and rib—knit 2, purl 2—for 30 rounds. **Next round :** *, Knit 5, purl 1, repeat from * to end of round. Work 4 rounds more in the same way. **Next round :** Purl 1, *, knit 5, purl 1, repeat from *, ending round knit 5. Work 4 rounds more in the same way. **Next round :** Knit 1, purl 1, *, knit 5, purl 1, repeat from *, ending round knit 4. Continue in this manner, changing the rib after 5 rounds by moving each purl stitch one stitch to the left, thus forming the spiral ribbing. When the work measures 21 inches, shape for toe.

THE TOE.—Decrease by knitting 2 stitches together after the 1st, 3rd, 5th, 7th and 9th purl stitches on the first round, and after the 2nd, 4th, 6th, 8th and 10th purl stitches on the third round, working 2nd and 4th rounds in the spiral rib as before. Repeat these 4 rounds until 20 stitches remain.

Next round : Knit 2 together all round. Break wool, leaving a long end with which thread darning needle, slip through remaining stitches, draw up and fasten off securely.

Knit firmly to Tension given.

SEA-BOOT STOCKINGS

MATERIALS REQUIRED :—

- 9 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool, or 1 lb. "Greenock" Abb Wool, 2-ply.
- 1 Set Knitting Needles, No. 11, for Service Wool or Super Service Wool.
- 1 Set Knitting Needles, No. 10, for Abb Wool.

TENSION.—7 stitches to 1 inch in width with Service Wool or Super Service Wool.
6 stitches to 1 inch in width with Abb Wool.

MEASUREMENTS.—Leg, 26 inches ; foot, 11½ inches.

1 oz. of Service Wool or Super Service Wool less for 23-inch leg and 1 oz. more for 28-inch leg, but there will be sufficient Abb Wool for the larger size.

WITH SERVICE WOOL OR SUPER SERVICE WOOL

Cast on 92 stitches (30 on each of two needles and 32 on the third) and rib—knit 2, purl 2—for 5 inches. Now work in plain knitting, but purl the 15th stitch on the first needle on each round for the seam stitch. When the leg measures 12 inches begin the shaping. Knit to 3 stitches before the seam stitch, slip 1, knit 1, pass slipped stitch over, knit 1, purl the seam stitch, knit 1, knit 2 together, complete round. Repeat this decrease on every 7th round 8 times more (74 stitches remain). Continue without further shaping until leg measures 23 inches.

THE HEEL.—Divide the stitches, having 18 on the heel needle on either side of the seam stitch and 37 on the other two needles to be left for the top of foot. Knit along the heel needle, turn, purl 1, *, slip 1, purl 1, repeat from * to end of row. Repeat these 2 rows alternately for 3 inches, ending with a knit row.

TO TURN THE HEEL.—Purl 19, purl 2 together, purl 1, turn, slip 1, knit 2, knit 2 together, knit 1, turn, slip 1, purl 3, purl 2 together, purl 1, turn, slip 1, knit 4, knit 2 together, knit 1, turn, slip 1, purl 5, purl 2 together, purl 1, turn. Continue as on these last 2 rows, increasing on the knit and purl stitches by 1 stitch on each row, till all the stitches are worked in. Pick up and knit 21 stitches down the side of the heel, knit top of foot stitches on to one needle.

With another needle pick up and knit 21 stitches along the opposite side of the heel, and on to the same needle knit half of the stitches left from the turning of the heel. The stitches are now arranged upon three needles again ; knit along to the top of foot needle.

THE GUSSET.—Begin on the next needle, which we will call the 1st foot needle, *, slip 1, knit 1, pass slipped stitch over, knit to within 2 stitches of the end of the 2nd foot needle, knit 2 together, then knit along the top of foot needle. Knit 1 round plain. Repeat from * till reduced to 72 stitches in the round. Proceed on these stitches till the foot is 1½ inches less than the length required. Leave off at the end of the 2nd foot needle and arrange the stitches with 24 on each needle.

THE TOE.—Knit 2 together, knit 4, repeat all round, then knit 6 plain rounds. Knit 2 together, knit 3, repeat all round ; knit 5 plain rounds. Knit 2 together, knit 2, repeat all round ; knit 4 plain rounds. Knit 2 together, knit 1, repeat all round ; knit 2 plain rounds. Knit 2 together all round and cast off by placing the stitches on 2 parallel needles and knitting a stitch from each together.

Knit firmly to Tension given.

SEA-BOOT STOCKINGS—Continued

WITH ABB WOOL

Cast on 76 stitches loosely and work to instructions as given for Service wool, but decrease on every 6th row until 58 stitches remain.

THE HEEL.—Arrange 14 stitches on each side of the seam stitch and work to instructions.

The first row when turning heel will be purl 15, purl 2 together, purl 1, turn. Decrease at gusset until 56 stitches remain on the round. Work on these stitches until the foot is $2\frac{1}{2}$ inches less than the length required. Begin the toe shaping thus :—Knit 2 together, knit 5, repeat all round ; knit 5 plain rounds. Knit 2 together, knit 4, repeat all round ; knit 4 plain rounds. Knit 2 together, knit 3, repeat all round ; knit 3 plain rounds. Knit 2 together, knit 2, repeat all round ; knit 2 plain rounds. Knit 2 together, knit 1, repeat all round ; knit 1 plain round. Knit 2 together all round and cast off as for Service wool.

NOTE.

FOR 23-inch LEG.—Rib 4 inches, knit plain for 6 inches, then commence decreases on leg. Set heel when leg measures 20 inches.

FOR 28-inch LEG.—Rib 5 inches, knit plain for 9 inches, then commence decreases on leg. Set heel when leg measures 25 inches.

HEEL-LESS SEA-BOOT STOCKINGS

IN SPIRAL RIBBING

MATERIALS REQUIRED :—

8 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool,
or 1 lb. "Greenock" Abb Wool, 2-ply.

1 Set Knitting Needles, No. 9, for Service Wool or Super Service Wool.

1 Set Knitting Needles, No. 8, for Abb Wool.

TENSION.—6 stitches to 1 inch in width with ribs closed for Service Wool or Super Service Wool ; 5 stitches to 1 inch in width with ribs closed for Abb Wool.

MEASUREMENTS.—Total length, 36 inches.

WITH SERVICE WOOL OR SUPER SERVICE WOOL

Cast on 84 stitches (28 on each of 3 needles). Join round and rib—knit 2, purl 2—for 5 inches. **Next round :** *, Knit 5, purl 1, repeat from * to end of round. Work 4 rounds more in the same way.

Next round : Purl 1, *, knit 5, purl 1, repeat from *, ending round knit 5. Work 4 rounds more in the same way. **Next round :** Knit 1, purl 1, *, knit 5, purl 1, repeat from *, ending round knit 4.

Continue in this manner, changing the rib after 5 rounds by moving each purl stitch one stitch to the left. When the work measures 23 inches shape leg by knitting together the first 2 stitches of each group of 5. The rib will now be knit 4, purl 1. Continue in rib, changing after every 5th round as before until the work measures 33 inches. Now decrease by knitting together the first 2 stitches in each group on the rounds on which the change of rib is made, thus reducing the rib to knit 3, purl 1 ; knit 2, purl 1 ; and knit 1, purl 1.

Next round : Knit 2 together all round. Knit 1 round.

Next round : Knit 2 together all round. Break wool, leaving a long end with which thread darning needle, slip through remaining stitches, draw up and fasten off securely.

WITH ABB WOOL

Cast on 72 stitches and work as for Service wool.

Knit firmly to Tension given.

HEEL-LESS BED SOCKS AND OPERATION STOCKINGS

As Recommended and Approved by the BRITISH RED CROSS SOCIETY

HEEL-LESS BED SOCKS

MATERIALS REQUIRED :—

5 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 9.

MEASUREMENTS.—When finished, 22 inches.

Cast on 72 stitches (that is, 24 on each of 3 needles). Knit 1 round plain. Knit 2 and purl 2 until a length of 10 inches is worked, then knit all plain for another 10 inches.

Then knit 6, take 2 together, repeat to end of round. Knit 6 rounds plain. Knit 5, take 2 together, repeat to end of round. Knit 5 rounds plain. Knit 4, take 2 together, repeat to end of round. Knit 4 rounds plain. Knit 3, take 2 together, repeat to end of round. Knit 3 rounds plain. Knit 2, take 2 together, repeat to end of round. Knit 2 rounds plain. Knit 1, take 2 together, repeat to end of round. Knit 1 round plain.

Next round : Knit every 2 together, then knit 2, slip the first knitted one over second ; continue until last stitch, through which draw the wool, leaving a length of 4 inches or 5 inches to be neatly fastened off with darning needle.

HEEL-LESS OPERATION STOCKINGS

MATERIALS REQUIRED :—

9 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool.
1 Set Knitting Needles, No. 9.

MEASUREMENTS.—When finished, 36 inches.

Cast on 80 stitches and knit on 2 needles one row plain and then rib—purl 2, knit 2—for 4 inches. Then put the work on to 3 needles—28 stitches on 2 and 24 stitches on the third, and knit round and round, still in the rib, until work measures 34 inches.

Knit 4 rounds plain. Then knit 6, knit 2 together, repeat to end of round. Knit 6 rounds plain. Knit 5, knit 2 together, repeat to end of round. Knit 5 rounds plain. Knit 4, knit 2 together, repeat to end of round. Knit 4 rounds plain. Knit 3, knit 2 together, repeat to end of round. Knit 3 rounds plain. Knit 2, knit 2 together, repeat to end of round. Knit 2 rounds plain. Knit 1, knit 2 together, repeat to end of round. Knit 1 round plain.

Next round : Knit every 2 together, then knit 2, slip the first knitted over the second ; continue until the last stitch, through which draw the wool, leaving a length of 4 inches or 5 inches to fasten off neatly with darning needle.

TWO VERY USEFUL COMFORTS FOR INVALIDS

BOOT FOR INJURED FOOT

MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool for one, or
4 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool for a pair.
1 Pair Knitting Needles, No. 9.
1½ yds. Tape.

TENSION.—6 stitches to 1 inch in width.

MEASUREMENTS.—Length of foot, 11 inches ; length of leg, 9 inches.

Cast on loosely 72 stitches and rib—knit 2, purl 2—for 8 rows.

Next row : *, Knit 2, make 1, knit 2 together, repeat from * to end of row. Rib 9 more rows, then knit 12 rows (6 ridges). Cast on 4 stitches at the beginning of the next and every following row until there are 128 stitches on the needle. Continue without further shaping until the work measures 8½ inches from the commencement. Cast off 4 stitches at the beginning of next 4 rows. Cast off remainder rather loosely.

Sew along sole and up front of boot, but leave the ribbed part open. Thread tape through holes at ankle.

BAG MITTEN FOR INJURED HAND

MATERIALS REQUIRED :—

2 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool for one, or
3 ozs. "Greenock" Service Wool or "Greenock" Super Service Wool for a pair.
1 Set Knitting Needles, No. 12.

Cast on 66 stitches (22 on each of 3 needles). Join round and rib—knit 1, purl 1—for 33 rounds.

Next round : *, Knit 5, increase in next stitch, repeat from * to end of round (77 stitches). Knit plain for 7 inches, then shape for top.

1st round : *, Knit 9, knit 2 together, repeat from * to end of round.

2nd and every alternate round : Knit plain.

3rd round : *, Knit 8, knit 2 together, repeat from * to end of round.

Continue thus, decreasing on every alternate round, having 1 stitch less between the decreasings each time until the round—knit 1, knit 2 together—has been completed.

Next round : Knit 2 together all round. Break wool, leaving a long end with which thread darning needle, slip through remaining stitches, draw up and fasten off securely.

Knit firmly to Tension given.

“GREENOCK” WOOLS

are the Best
for all

KNITTING PURPOSES

FOR HOME WEAR
or
NATIONAL SERVICE



Only obtainable at
our 420 Branches
— of the —

SCOTCHWOOL & HOSIERY STORES

OR DIRECT FROM
THE PROPRIETORS

FLEMING, REID & CO. LTD., The Worsted Mills, GREENOCK

SCOTCHWOOL & HOSIERY STORES

BRANCH ADDRESSES

SCOTLAND.

ABERDEEN—123 Union St.
47 George St.
ARBROATH—147 High St.
AYR—102 and 104 High St. (Old Scar Hotel Bldgs.)
COATBRIDGE—96 Main St.
COWDENBATH—220 High St.
DALRY (Ayrshire)—26 New St.
DUMBARTON—57 High St.
DUMFRIES—159 and 161 High St.
DUNDEE—52 Nethergate.
72 Murraygate.
DUNOON—Royal Bank Buildings,
66 John St.
DUNFERMLINE—20 Bridge St.
EDINBURGH—134a Princes St.
22 Home St.
37a and 39 Dalry Rd.
82 Newington Rd. (Salisbury Pl.).
10a Nicolson St.
319 Leith Walk.
Leith—16 Great Junction St.
ELGIN—147 High St.
GALKIRK—24 High St.
GALASHIELS—6 Channel St. (opp. G.P.O.).
GIRVAN—21 Dalrymple St.
GLASGOW—46-49 Argyll Arcade (off Buchanan St.), C.2.
315 and 317 Sauchiehall St., C.2.
157 Cowcaddens St., C.2.
179 New City Road, C.2.
275 Maryhill Rd., N.V.
641 Gt. Western Rd., Hillhead, W.2.
195 Byers Rd., W.2.
318 Dumbarton Rd., Partick, W.1.
673 Argyle St., Anderston, C.3.
828 Govan Rd., Govan, S.W.
54 Paisley Road West, S.W.
43 Kilmarnock Rd., Shawlands, S.1.
519 Victoria Rd., Crosshill, S.2.
553 Cathcart Rd., S.2.
14 Main St., Bridgeton, S.E.
34 Westmuir St., Parkhead Cross, E.
509 Duke St., E.
448 Springburn Rd., Springburn, N.
Clydebank—68 Glasgow Rd.
Rutherglen—104 Main St.
GREENOCK—33 W. Blackhall St.
119a Rue-end St.
130 Drumfrochar Rd.
HAMILTON—31 Cadzow St.
HAWICK—5 High St.
HELENSBURGH—17 W. Clyde St.
INVERNESS—44 High St.
KILMARNOCK—83 King St.
KIRKCALDY—65 High St.
LARGS—5 Tron Pl.
MONTROSE—Central Hotel Bldgs.,
120 High St.
MOTHERWELL—118 Brandon St.
OBAN—97 George St.
PAISLEY—39 High St., Y.M.C.A. Bldgs.
40 Wellmeadow St. (West End X).
PERTH—171 High St.
ROTHESAY—27 Montague St.
ST. ANDREWS—137 South St.
STIRLING—33-35 Murray Pl.
STRANRAER—7 George St.
TROON—37 Portland St.
WISHAW—49 Main St.

ENGLAND.

LONDON AND DISTRICT
Kensington, W.8—141 High St.
Bayswater, W.2—108 Westbourne Grove.
*100 Edgware Rd., W.2.
418 Harrow Rd., W.9.
Shepherd's Bush, W.12—152 Uxbridge Rd
*Hammersmith, W.6—129 King St.
Chiswick, W.4—106 High Rd.
Acton, W.3—92 High St.
Ealing, W.5—27 High St.
151 Brompton Rd., S.W.3.
Chelsea, S.W.3—114 King's Rd.
Walham Green, S.W.6—607 Fulham Rd.
Putney, S.W.15—65 High St.
Wandsworth, S.W.18—197 High St.
Wimbledon, S.W.19—43 Broadway.
Clapham Junction, S.W.11—257 Lavender Hill.
Tooting, S.W.17—266 Upper Tooting Rd.
Balham, S.W.12—65 High Rd.
Clapham Common, S.W.4—5 South Side.
Norbury, S.W.16—1499 London Rd.
Streatham, S.W.16—204 High Rd.
Brixton, S.W.9—16 Electric Ave.
*Elephant and Castle, S.E.1—139 Newington Causeway.
Camberwell, S.E.5—23 Camberwell Green
Eltham, S.E.9—91 High St.
Peckham, S.E.15—59 Rye Lane.
Lewisham, S.E.13—90 High St. (opp. Clock Tower)
Forest Hill, S.E.23—50 London Rd.
Penge, S.E.20—197 High St.
Woolwich, S.E.18—24 Powis St.
South Norwood, S.E.25—82 High St.
Stratford, E.15—178 The Grove.
Forest Gate, E.7—3 Woodgrange Rd.
Manor Park, E.12—288 High St., North.
Hackney, E.8—377 Mare St.
Walthamstow, E.17—252 Hoe St.
Islington, N.1—119 Upper St.
Stoke Newington, N.16—18 Stoke Newington Rd.
*Holloway, N.7—57 Seven Sisters' Rd.
Palmer's Green, N.13—391 Green Lanes.
Harringay, N.4—21 Grand Parade, Green Lanes.
Crouch End, N.8—50 The Broadway.
Muswell Hill, N.10—1 Princes Par.
Finchley, N.3—74 Ballards Lane, Church End.
North Finchley, N.12—835 High Rd.
Southgate, N.14—100 Chase Side.
Stamford Hill, N.16—62 Stamford Hill.
Hampstead, N.W.3—13-14 High St.
Kilburn, N.W.6—208 High Rd.
Hendon, N.W.4—35 Watford Way.
Willesden Green, N.W.2—1e Walm Lane.
*Cricklewood, N.W.2—123 The Broadway
Harlesden, N.W.10—69 High St.
*Camden Town, N.W.1—71 High St.
Golders Green, N.W.11—17 Golders Green Rd.
Kentish Town, N.W.5—191 Kentish Town Rd.
Barnet—152 High St.
Beckenham—200 High St.
Bexleyheath—3 Grand Parade.
Bromley—113 High St.
Croydon—95 North End.
Enfield—3 Church St.
Greenford—43 The Broadway, Ruislip Rd
Harrow on the Hill—340 Station Rd.

Hounslow—229 High St.
Ilford—171a High Rd. (opp. Town Hall).
Kingston on Thames—49 Clarence St.
***New Malden**—95 Malden Rd.
Richmond—26 Hill Rise.
Romford—57a South St.
Ruislip—132 High St.
Seven Kings—637 High Rd.
Southall—55 Broadway.
Sutton—199 High St.
Teddington—22 Broad St.
Thornton Heath—22 High St.
Twickenham—8 London Rd.
Uxbridge—196 High St.
Walton-on-Thames—43 High St.
Wembley—155 High Rd.
Worcester Park—86 Central Rd.

PROVINCIAL

ABERDARE—2a Canon St.
ABERTILLERY—33 Somerset St.
ACCRINGTON—97 Blackburn Rd.
ALDSHOT—36 Union St.
ALTRINCHAM—15 Stamford New Rd.
ANDOVER—75 High St.
ASHFORD (Kent)—1 Bank St.
ASHTON-UNDER-LYNE—200 Stamford St.
AYLESBURY—28 Market Square.
BARNBY—88b High St.
BARNSTAPLE—24 High St.
BARROW-IN-FURNESS—173 Dalton Rd.
BARRY DOCK—89 Holton Rd.
BASINGSTOKE—17a London St.
BATH—4 Cheap St.
BEDFORD—70 High St.
BERWICK-ON-TWEED—13 Marygate
BEVERLEY—14 Toll Gavel.
BEXHILL-ON-SEA—226 Devonshire Rd.
BIRMINGHAM—227 Grange Rd.
BIRMINGHAM—(3) & 5 Piccadilly Arcade,
New St. (2).
165a High St., Erdington.
43 Alcester Rd., S., King's Heath (14).
87 Villa Road, Handsworth (19).
BISHOPAUCKLAND—58 Newgate St.
BISHOP'S STORTFORD—19 Potter St.
BLACKBURN—43 Church St.
BLACKPOOL—6 Market St.
BOLTON—43 and 45 Knowsley St.
BOSTON—61 Market Pl.
BOURNEMOUTH—196 - 198 Old
Christchurch Rd.
Boscombe—638 Christchurch Rd.
BRADFORD—36 Darley St.
26 Manchester Rd.
BRAINTREE (Essex)—7 & 9 Great Sq.
BRENTWOOD—40 High St.
BRIDGWATER—18 Fore St.
BRIDLINGTON (Yorks.)—49 King St.
BRIGHTON—31 Commercial St.
BRIGHTON—169 Western Rd. (1).
13 London Rd. (1).
10 George St., Hove (3).
BRISTOL—30 Park St. (1).
23 Gloucester Rd., Bishopston (7).
*25 Castle St. (1).
76 East St., Bedminster (3).
BURNLEY—73 St. James' St.
BURTON-ON-TRENT—10 High St.
BURY—13 "The Rock."
BURY ST. EDMUNDS—32 Cornhill.

* Closed for duration of war.

SCOTCHWOOL & HOSIERY STORES

BUXTON—42 Spring Gardens.
CAMBRIDGE—22 St. Andrew's St.
CAMBERLEY—52 High St.
CANTERBURY—48 St. George's St.
CARDIFF—26 High St., Arcade.
 75 Albany Rd.
CARLISLE—41 English St.
CASTLEFORD (Yorks.)—89 Carlton St.
CHATHAM—127 High St.
CHELMSFORD—18 High St.
CHELTHAM—86 Promenade.
CHESTER—7 Northgate Row.
CHESTERFIELD—Victoria Bldgs.
 23 Knivesmith Gate.
CHICHESTER—77 East St.
***CLACTON-ON-SEA**—6 High St.
COLCHESTER—44 Head St. (nearly opp. Post Office).
COLWYN BAY—8 Station Rd.
COVENTRY—25 Corporation St.
COWES (I.O.W.)—20 High St.
CREWE—3 Earle St.
DARLINGTON—38 Northgate.
***DEAL**—54 High St.
DERBY—115 St. Peter's St.
DEVONPORT—34a Marlborough St.
DEWSBURY—9 Northgate.
DONCASTER—16 Baxtergate (corner of St. George's Gate).
DORKING—188 High St.
***DOVER**—54 Biggin St.
DOUGLAS (I.O.M.)—24 Strand St.
DUDLEY—215 High St.
DURHAM—5 Saddler St.
EASTBOURNE—65 Terminus Rd.
EAST GRINSTEAD—41 London Rd.
EASTLEIGH—19 Market St.
EPSOM—3 The Quadrant.
EVESHAM—67b High St.
EXETER—271 High St. (New London Inn Square Corner).
EXMOUTH—2 Parade Bldgs., Exeter Rd.
FALMOUTH—53a Church St. (opp. St. George's Hall).
FARNHAM (Surrey)—2 Town Hall Bldgs, The Borough.
***FOLKESTONE**—76 Sandgate Rd.
GAINSBOROUGH—19 Market St.
GATESHEAD—182 and 184 High St.
GILLINGHAM (Kent)—115a High St.
GLOUCESTER—12 The Oxeboode, King's Sq.
GOOLE—34 Boothferry Rd.
GOSPORT—130 High St.
GRANTHAM—8 High St.
GRAVESEND—24 and 25 New Rd.
GREAT YARMOUTH—9 Regent St.
GRIMSBY—22a Victoria St.
 17 Freeman St.
GUILDFORD—24 High St.
HALIFAX—9 Corn Market.
HARROGATE—25 Station Sq. (opp. Railway Station).
HAYWARDS HEATH—102 South Rd.
HASTINGS—43 Robertson St.
HEREFORD—17 St. Peter St. (opp. "The Old House").
HERNE BAY—147 Mortimer St.
HERTFORD (Herts.)—Corner House, 33 Maidenhead St.
HIGH WYCOMBE (Bucks.)—8a High St. (Red Lion Hotel Bldgs.).
HORSHAM (Sussex)—18 East St.
HUDDESFIELD—48 New St.
HULL—12 Saville St.
 *34 Prospect St.
 172 Hessele Rd.
 167 Holderness Rd.
IPSWICH—24 Westgate St.
***JERSEY**—ST. HELIER, C.I — 20 Queen St.
KENDAL—30 Stricklandgate.


KETTERING—30 High St.
KIDDERMINSTER—23 Vicar St.
KING'S LYNN—90 High St.
LANCASTER—41 Penny St.
LEAMINGTON SPA (Warwickshire)—74 Parade.
LEEDS—39 Boar Lane (1).
 3 Commercial St. (1) (a few doors from Briggate).
LEICESTER—96 Granby St.
LEIGH (Lancs.)—9 Bradshawgate.
LETHWORTH (Herts.)—6 Leys Ave
LEWES—61b High St.
LINCOLN—7 St. Peter at Arches, Silver St.
LIVERPOOL—15 Ranelagh St. (1).
 *192 Scotland Rd. (3).
 173 London Rd. (3).
Bootle—61 Stanley Rd. (20).
Walton—33 County Rd. (4).
Waterloo—135 South Rd. (22).
Wallasey—263 Liscard Rd.
LLANELLY—18a Stepany St.
LOWESTOFT—110 London Rd., N.
LUTON—17 Wellington St.
MACCLESFIELD—4 Mill St.
MAIDENHEAD—70 High St.
MAIDSTONE—61 Week St.
MANCHESTER—70 Market St. (1).
 363 Oxford Rd. (13).
 192 Stretford Rd. (15).
Chorlton-cum-Hardy—452 Wilbraham Rd.
MANSFIELD—32 Leeming St.
***MARGATE**—240 Northdown Rd., Cliftonville.
 *17 High St.
MERTHYR TYDFIL—132 High St.
MIDDLESBROUGH—74a Linthorpe Rd
MORECAMBE—42 Euston Rd.
NELSON (Lancs.)—17 Manchester Rd.
NEWARK—19 and 21 Stodman St.
NEWBURY—32a Northbrook St.
NEWCASTLE-ON-TYNE—Y.M.C.A. Bldgs, (cor. of Grainger St. and Blackett St. (1)).
Byker—143 Shields Road (6).
NEWPORT (I.O.W.)—33 High St.
NEWPORT (Mon.)—133 Commercial St.
NEWTON ABBOT—28 Courtenay St.
NORTHAMPTON—49 Gold St.
NORTH SHIELDS—19 Saville St.
NORWICH—42 London St.
NOTTINGHAM—38 & 40 Pelham St.
 16 Wheeler Gate.
OLDHAM—42 Yorkshire St.
ORPINGTON—4 Market Par., High St.
OXFORD—51 Cornmarket St.
PENARTH—21 Windsor Rd.
PENRITH—5 Middlegate.
PETERBOROUGH—10 Long Causeway.
PLYMOUTH—187 Union St.
PONTEFRACHT—Beastfair.
PORTSMOUTH—195 Commercial Rd., Landport.
 62a London Rd.
 *143 Fratton Rd. (nr. Arundel St.).
PRESTON—3 Cheapside.
PURLEY—928 Brighton Rd.
***RAMSGATE**—19 High St.
READING—27 Queen Victoria St. (close to Broad St.).
REDCAR—14 High St.
REDHILL—12 Station Rd.
REDRUTH (Cornwall)—24 Fore St.
RETFORD (Notts.)—57 Carolgate.
ROTHERHAM—16 High St.
ROCHDALE—77 Yorkshire St.
ROGBY—36 High St.
RYDE (I.O.W.)—28 High St.
SALE (Cheshire)—31 School Rd.
SALISBURY—7 Catherine St.

SCARBOROUGH—85 Westborough.
SCUNTHORPE (Lincs.)—171 High St.
SEVENOAKS—150 High St.
SHEerness—80 High St.
SHEFFIELD—8 Pinstone St. (1).
 *35 Snig Hill (3).
SHREWSBURY—3 High St.
SIDCUP—90 High St. (opp. P.O.).
SITTINGBOURNE—120 High St.
SKIPTON—7 Keighley Rd.
SLOUGH (Bucks.)—112 High St.
SOUTHAMPTON—1 Prospect Bldgs., Above Bar (close to the Junction) 195 Portswood Rd.
Shirley—413 Shirley Rd.
SOUTHEND-ON-SEA—104 High St.
SOUTHPORT—167 Lord St.
SOUTHSEA—43 Elm Grove.
SOUTH SHIELDS—95 King St.
SPALDING—1 Hall Pl.
STAFFORD—45a Greengate St.
ST. ALBANS—32 Chequer St.
ST. ANNES-ON-SEA—11 Garden St.
ST. HELENS—47 Church St.
STAINES—76 High St.
STOCKPORT—38 Little Underbank.
STOCKTON-ON-TEES—77 High St.
STROUD (Glos.)—34 Kendrick St.
SUNDERLAND—62-63 High St., W.
SUTTON COLDFIELD—86 The Parade.
SUTTON-IN-ASHFIELD—19 Outram St.
***SWANSEA**—25 Castle St.
SWINDON—38 Bridge St.
TAUNTON—33 North St.
TONBRIDGE (Kent)—24 High St.
TORQUAY—76 Fleet St.
TRURO (Cornwall)—9 St. Nicholas St.
TUNBRIDGE WELLS—3 High St.
WAKEFIELD—2 Kirkgate (opp. Cathedral).
WALSAL—38 Park St.
WALSLEY-ON-TYNE—34a High St., E.
WARRINGTON—37 Bridge St.
WATFORD—171 High St.
WELLINGBOROUGH—32 Market St
WEST BROMWICH—153 High St.
***WESTCLIFF-ON-SEA**—207 Hamlet Court Rd.
WEST HARTLEPOOL—Market Bldgs. Lynn St.
WESTON-SUPER-MARE—5 Meadow St.
***WEST WICKHAM**—85 High St.
WEYMOUTH—74 St. Mary St.
WHITEHAVEN—25 King St.
WHITLEY BAY—239 Whitley Rd.
WIGAN—41 Wallgate.
WINCHESTER—121 High St.
WINDSOR—14 Peascod St.
WISBECH—14 Market Pl.
WOKING—30 Chertsey Rd.
WOLVERHAMPTON—31 Queen Sq. (top of Victoria St.).
WORCESTER—38 High St.
WORKINGTON—42 Pow St.
WORKSOP—70 Bridge St.
WORTHING—74 Montague St.
WREXHAM—26 Regent St.
YEOVIL—96a Middle St.
YORK—19 Coney St.


IRELAND.

BALLYMENA—50-52 Church St.
BELFAST—38 Royal Ave.
LONDONDERRY—15a Ferryquay St.
DUBLIN—59 Grafton St., C.3.
 11 So. Great George's St. (Central Hotel Bldgs.), C.1.

* Closed for duration of war.



THE WORSTED MILLS, GREENOCK (HEADQUARTERS)



BRIDGEND MILLS, DALRY (BRANCH MILLS)

From the Mills to the Millions

"Greenock"

**KNITTING WOOLS
HOSIERY, UNDERWEAR
AND KNITWEAR**

*are supplied direct to the public
through the 420 Retail Branches
of our*



SCOTCH WOOL & HOSIERY STORES

PROPRIETORS

FLEMING, REID & CO. LTD.
The Worsteds Mills, GREENOCK

www.antiquepatterns.com WE ARE THE ONLY WORSTED SPINNERS AND HOSIERY MANUFACTURERS WHOSE GOODS ARE SOLD DIRECT TO THE PUBLIC