

COATS & CLARK'S

BOOK No. 106

29¢

Quick and Easy
BULKY KNITS
for the Family



Featuring **RED**  **HEART** Yarns



BEAT THE DRUM FOR BULKIES!


. . . bulky sweaters have taken the fashion world by storm! Men, women and children—all love to wear these comfortable cozy sweaters that have such interesting textures and fit so casually but so well.

Mothers make them for everyone in the family, young ladies whip them up for themselves and their best beaux. They're easy and extra fast to knit, they're smart and oh-so-warm to wear . . . pick up your needles, start right in and make a wonderful wardrobe of Bulkies!

WASHING INSTRUCTIONS for Bulky Sweaters:

Dissolve mild soap flakes in lukewarm water. Place garment in soapy water and squeeze very gently. Rinse several times in clear cool water without raising garment from water. Remove from water, supporting garment with both hands. Place on turkish towel to dry, patting into original shape. Allow to dry on towel.

**CAUTION: DO NOT WASH IN WASHING MACHINE
DO NOT USE DETERGENTS
DO NOT HANG UP TO DRY**



Cable Cardigan B-115 . . . Directions on page 8

Mock Cable Sweater with Boat Neck

B-116

Directions are given for Size 12. Changes for Sizes 14, 16, and 18 are in parentheses.

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B (2 oz. "Tangle-Proof" Pull-Out Skeins): 12 (12, 13, 14) skeins of No. 227 Canary Yellow.

Knitting Needles, 1 pair each of No. 9 and No. 13.

GAUGE: 3 sts make 1 inch; 4 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	12	14	16	18
Body Bust Size (In Inches)	32	34	36	38
Actual Knitting Measurements				
Bust	34	36	38	40
Width across back or front at underarm	17	18	19	20
Width across back or front above armhole shaping	12¾	13½	14¼	15
Length from shoulder to lower edge	21½	21¾	22½	22¾
Length of side seam	14	14	14½	14½
Length of sleeve seam	12½	13	13½	13½
Width across sleeve at upperarm	12¾	13¼	14	14½

Use Yarn Double Throughout

BACK . . . Starting at lower edge with No. 9 needles and 2 strands of yarn, cast on 52 (54, 58, 60) sts. Work in ribbing of k 1, p 1 for 1¼ inches, increasing if necessary on last row to 52 (55, 58, 61) sts. Change to No. 13 needles and work in pattern as follows: **1st row (Wrong side):** * K 1, p 2. Repeat from *

across, ending with k 1. **2nd row:** * P 1, knit the 2nd st on left-hand needle. do not slip st off needle, knit the first st on left-hand needle and slip both stitches off. Repeat from * across, ending with p 1. The last 2 rows constitute pattern. Work in pattern until piece measures 14 (14, 14½, 14½) inches in all, ending with first row.

To Shape Armholes: Bind off 4 sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until there remain 38 (41, 42, 45) sts. Work even until armhole measures 7½ (7¾, 8, 8¼) inches.

To Shape Shoulders: Bind off 4 (5, 5, 6) sts at beginning of the next 2 (4, 2, 4) rows; on Sizes 12 and 16 only, bind off 5 (6) sts at beginning of next 2 rows.

NECK FACING . . . 1st row: K across remaining 20 (21, 20, 21) sts. **2nd row:** P across, increasing 1 st at both ends of row. **3rd row:** K across, increasing 1 st at both ends of row. Bind off.

FRONT . . . Work exactly as for Back.

SLEEVES . . . Starting at lower edge with No. 9 needles, cast on 28 (28, 28, 30) sts. Work in ribbing of k 1, p 1 for 1¼ inches, increasing 1 st on last row on **Size 18 only**. Change to No. 13 needles and work in pattern, increasing 1 st at both ends of every 6th row thereafter until there are 38 (40, 42, 43) sts. Work straight until sleeve measures 12½ (13, 13½, 13½) inches in all.

To Shape Top: Bind off 4 sts at beginning
Continued on page 9



Easy-to-Knit Vest

B-117

Directions are given for Size 38; changes for Sizes 40, 42 and 44 are in parentheses.

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2-oz. folded skeins): 9 (9, 10, 10) skeins of No. 12 Black and 2 (2, 3, 3) skeins of No. 328 Beige.

Knitting needles, 1 pair each No. 8 and No. 10.

3 buttons.

GAUGE: Pattern St: 3½ sts make 1 inch; 6½ rows make 1 inch.
Stockinette St: 3½ sts make 1 inch; 5 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	38	40	42	44
Body Chest Size (In Inches)	38	40	42	44
Actual Knitting Measurements				
Chest (seamed)	40	42	44	46
Width across back at underarm	20	21	22	23
Width across back above armhole shaping (excluding borders)	14	14½	15	15½
Length from shoulder to lower edge	23	23¾	24	24¾
Length of side seam (excluding borders)	12½	13	13	13½

BACK . . . Starting at lower edge with No. 8 needles and Black, cast on 71 (73, 77, 81) sts. **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row:** P 1, * k 1, p 1. Repeat from * across. Repeat last 2 rows for 3¾ inches. Change to No. 10 needles and work as follows: **1st row (Wrong Side):** P across. Continue in stockinette st (k 1 row, p 1 row) until piece measures 12½ (13, 13, 13½) inches in all.

To Shape Armholes: Bind off 6 sts at be-

ginning of next 2 rows, then bind off 2 sts at beginning of next 4 rows. Dec 1 st at both ends of every other row until 49 (51, 53, 55) sts remain. Work even until piece measures 10½ (10¾, 11, 11¼) inches from first row of armhole shaping, ending with a p row.

To Shape Shoulders: Bind off 8 sts at beginning of next 4 (4, 2, 2) rows. **For Sizes 42 and 44 only:** Bind 9 (10) sts at beginning of next 2 rows. Change to No. 8 needles and work on remaining 17 (19, 19, 19) sts in p 1, k 1 ribbing for 5 rows. Bind off in ribbing.

RIGHT FRONT . . . Starting at lower edge with No. 8 needles and Black, cast on 34 (36, 38, 40) sts. Work in ribbing of k 1, p 1 for 3¾ inches. Change to No. 10 needles and p 1 row, if necessary increasing to 35 (37, 38, 40) sts. Now work in pattern as follows: **Drop Black, attach Beige. 1st row (front edge):** With Beige, k 1 (p 6, yarn in back, sl 2) 4 times; p 2 (4, 5, 6) sts, k — (—, —, 1) st. **2nd row:** With Beige p — (—, —, 1) st, k 2 (4, 5, 6) sts; (with yarn in front, sl 2, k 6) 4 times; p 1, drop Beige, pick up Black. **3rd row:** With Black, k across. **4th row:** With Black, p across. **5th row:** With Beige, p 3, (with yarn in back, sl 2, p 6) 4 times, sl — (1, 2, 2) sts, p — (1, 1, 3) sts. **6th row:** With Beige k — (1, 1, 3), with yarn in front sl — (1, 2, 2), (k 6, sl 2) 4 times; k 3. **7th and 8th rows:** Repeat 3rd and 4th rows. The first to 8th rows incl constitute pattern. Work in pattern until piece measures 7 inches in all, ending at front edge. Keeping continuity of pattern, dec 1 st at beginning of next row and every 2 (1¾, 2, 2) inches thereafter, 7 (9, 8, 8) more times and **at the same time** when piece measures 12½ (13, 13, 13½)

Continued on page 12



Mock Cable Cardigan with Ribbed Collar

B-115

The new long line in a cardigan, knitted in a simple stitch that works up fast and looks so smart

Note: This special cable pattern adjusts to accommodate 2 sizes.

Directions are given for Size 12-14. Changes for Size 16-18 are in parentheses.

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 234 (4 oz. "Tangle-Proof" Pull-Out Skeins): 10 (12) skeins of No. 403 Lt. Oxford. Knitting Needles, 1 pair each of No. 8 and No. 11.

Plastic Crochet Hook No. 6.

7 buttons.

GAUGE: 4 sts make 1 inch; 9 rows make 2 inches.

BLOCKING MEASUREMENTS:

Sizes (In Inches)	12-14	16-18
Body Bust Size	32-34	36-38
Actual Knitting Measurements		
Bust (seamed and buttoned)	36-38	40-42
Width across back at underarm	17½	20
Width across each front (excluding front border)	9	10¼
Length from shoulder to lower edge	23¼	24½
Length of side seam	15¼	15¾
Length of sleeve seam	19	20
Width across sleeve at upperarm	13½	14¾

Use Yarn Double Throughout

BACK . . . Starting at lower edge with No. 8 needles and 2 strands of yarn, cast on 70 (80) sts. Work in k 1, p 1 ribbing for 2 inches. Change to No. 11 needles and work in pattern as follows: **1st row (Wrong side):** K 1, * p 3, k 2. Repeat from * across, ending with k 1 (instead of k 2). **2nd row:** P 1, * k 3, p 2. Repeat from * across, ending with

p 1 (instead of p 2). **3rd row:** Repeat first row. **4th row:** P 1, * k the 3rd st on left-hand needle, do not slip off needle, k the first st on left-hand needle and slip off, k the 2nd st on left-hand needle and slip off, slip off the first knitted st (cable made), p 2. Repeat from * across, ending with p 1. The first to 4th rows incl constitute pattern. Work in pattern until piece measures 15¼ (15¾) inches in all, ending with an even row.

To Shape Armholes: Bind off 5 (6) sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until 52 (60) sts remain. Work straight until piece measures 8 (8¾) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 8 (10) sts at beginning of the next 2 rows. Bind off 9 (10) sts at beginning of the next 2 rows. Bind off remaining 18 (20) sts for back of neck.

LEFT FRONT . . . Starting at lower edge with No. 8 needles, cast on 47 (52) sts. Work in pattern as follows: **1st row (Wrong side):** P 11 for front border, * k 1, p 1. Repeat from * across, ending with k 1 on Size 16-18. **2nd row:** P 0 (1), * k 1, p 1. Repeat from * to last 11 sts, k 5, sl 1, k 5. Repeat last 2 rows until piece measures 2 inches in all, ending at front edge. Change to No. 11 needles and work in pattern as follows: **1st row:** P 11, * k 2, p 3. Repeat from * across, ending with k 1. **2nd row:** P 1, * k 3, p 2. Repeat from * to last 11 sts, k 5, sl 1, k 5. **3rd row:** Repeat first row. **4th row:** P 1, * make a cable, p 2. Repeat from * across to last 11 sts,

Continued on page 9

B-115 *Continued from page 8*

k 5, sl 1, k 5. The first to 4th rows incl constitute pattern. Work in pattern until piece measures same as Back to armhole shaping, ending at side edge with same pattern row as on Back.

To Shape Armhole: Bind off 5 (6) sts at beginning of next row. Dec 1 st at armhole edge every other row until 38 (42) sts remain. Work even until piece measures 5½ inches from first row of armhole shaping, ending at front edge.

To Shape Neck: P 11 and place on a stitch holder to be worked later, bind off next 6 sts for neck, work in pattern across row. Dec 1 st at neck edge every other row until 17 (20) sts remain. If necessary work straight until piece measures 8 (8¾) inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: 1st row: Bind off 8 (10) sts, complete row. 2nd row: Work across. 3rd row: Bind off remaining sts. Slip sts from stitch holder onto a No. 11 needle, attach yarn and continue border until piece measures 6 inches from first row of neck shaping. Bind off.

With pins mark the positions of 7 buttons evenly spaced on front border, having the first pin mark 1 inch up from lower edge and the last pin mark ½ inch down from neck edge.

RIGHT FRONT . . . Starting at lower edge with No. 8 needles, cast on 47 (52) sts. 1st row (Wrong side): K 0 (1), * p 1, k 1. Repeat from * across to last 11 sts, p 11. 2nd row: K 5, sl 1, k 5, * p 1, k 1. Repeat from * across, ending with p 0 (1). Repeat last 2 rows until piece measures 1 inch, ending at front edge. Make first set of buttonholes as follows: K 2, O, k 2 tog, k 1, sl 1, k 1, k 2 tog, O, k 2, work in pattern across row. On next row, work O as a stitch. Continue as for Left Front, reversing shaping and making 6 more sets of buttonholes on front border opposite each pin mark.

SLEEVES . . . Starting at cuff with No. 8 needles, cast on 32 (37) sts. Work in k 1, p 1 ribbing for 3 inches. Change to No. 11 needles and work in pattern as follows: 1st row (Wrong side): K 2, * p 3, k 2. Repeat from * across. Position of pattern is now established. Work in pattern, increasing 1 st at both ends of every 6th row until there are 54 (59) sts on needle. Work straight until piece measures about 19 (20) inches in all, ending with same pattern row as on Back before armhole shaping.

To Shape Top: Bind off 5 (6) sts at beginning of the next 2 rows. Dec 1 st at both ends of every other row until piece measures 5 (5¾) inches from first row of top shaping. Bind off 3 sts at beginning of next 4 rows. Bind off remaining sts.

COLLAR . . . Starting at lower edge with No. 8 needles, cast on 61 (65) sts. Work in ribbing of k 1, p 1 until piece measures 6 inches in all. Bind off in ribbing.

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. With right side of work facing, make 1 row of sc around neck edge, holding it in to fit. Sew on collar. Fold back borders and tack on wrong side. Sew borders to collar. Make buttonhole stitch around buttonholes. Sew buttons in place.

B-116 *Continued from page 4*

of next 2 rows. Dec 1 st at both ends of every 3rd row until top of sleeve measures 4½ (4¾, 5, 5¼) inches. Bind off 3 sts at beginning of the next 4 rows. Bind off remaining stitches.

Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Fold under front and back facings and tack to inside.

Raglan Sleeved Turtle Neck Sweater

B-118

Directions are given for Size 4. Changes for Sizes 6, 8, 10 and 12 are in parentheses.

Note: If a plain round neck is desired, bind off collar after it measures 1 inch.

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2 oz. folded skeins): 6 (7, 7, 8, 9) skeins of No. 835 Periwinkle.

Knitting Needles, 1 pair each of No. 8 and No. 11.

GAUGE: Stockinette st: 3 sts make 1 inch; 9 rows make 2 inches.

BLOCKING MEASUREMENTS:

Sizes	4	6	8	10	12
Body Chest Size (In Inches)	23	24	26	28	30
Actual Knitting Measurements					
Chest (seamed)	25	27	29	31	33
Width across back or front at underarm	12½	13½	14½	15½	16½
Length from shoulder to lower edge	15	16½	18	19½	20½
Length of side seam	9½	10½	11½	12½	13
Length of sleeve seam	11	12	13	14½	15½
Width across sleeve at upperarm	10¼	11	12	13	14

BACK . . . Starting at lower edge with No. 8 knitting needles, cast on 39 (41, 45, 49, 51) sts. **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row:** P 1, * k 1, p 1. Repeat from * across. Repeat first and 2nd rows until piece measures 2 (2, 2½, 2½, 2½) inches. Change to No. 11 needles and work in pattern as follows: **1st row:** K 16 (17, 19, 21, 22), (p 1, k 1) 3 times; p 1, k 16 (17, 19, 21, 22). **2nd row:** P 16 (17, 19, 21, 22), (k 1, p 1) 3 times; k 1, p to end

of row. **3rd and 4th rows:** Repeat first and 2nd rows. **5th row:** K 16 (17, 19, 21, 22), p 1, slip the next 2 sts onto a double-pointed needle and hold in back of work, k the next st, then p the k st and k the p st from the double-pointed needle, p 1, k 1, p 1, k to end of row. **6th row:** Repeat 2nd row. **7th row:** K 16 (17, 19, 21, 22), p 1, k 1, p 1, slip next 2 sts onto a double-pointed needle and hold in front of work, k the next st, twist the double-pointed needle and p the p st and k the k st from same needle, p 1, k to end of row. **8th row:** Repeat 2nd row. The 3rd to 8th rows incl constitute pattern. Work in pattern until piece measures in all 9½ (10½, 11½, 12½, 13) inches, ending with an even row.

To Shape Raglan Armhole: 1st row: K 1, sl 1, k 1, p.s.s.o., work in pattern across to within last 3 sts, k next 2 sts tog, k 1. **2nd row:** Work in pattern across. Repeat last 2 rows until there remain 13 (13, 13, 15, 15) sts, for back of neck, ending with an even row. Slip these sts on a stitch holder to be worked later for collar.

FRONT . . . Work exactly as for Back until there are 21 (21, 21, 25, 25) sts on needle above armhole shaping, ending with an even row.

To Shape Neck: 1st row: K 1, sl 1, k 1, p.s.s.o., k 4 (4, 4, 6, 6) sts, turn and work over this set of sts only as follows: **2nd row (Neck edge):** P 2 tog, p across. **3rd row:** K 1, sl 1, k 1, p.s.s.o., k across. **4th row:** For Sizes 4, 6 and 8: P across.

Continued on page 11



B-118 *Continued from page 10*

For Sizes 10 and 12: Repeat 2nd row. **For all sizes:** 5th and 7th rows: Repeat 3rd row. 6th row: P across. **For Sizes 10 and 12 only:** Repeat last 2 rows once. **For all Sizes:** Bind off remaining 2 sts.

Slip the center 7 sts onto a stitch holder to be worked later for collar. Attach yarn to next st and work other side to correspond.

SLEEVES . . . Starting at lower edge with No. 8 needles, cast on 21 (23, 25, 27, 29) sts. Work in ribbing of k 1, p 1 for 2 (2, 2½, 2½, 2½) inches. Change to No. 11 needles and work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of next row and every 8th (8th, 8th, 9th, 10th) row thereafter, until 31 (33, 37, 39, 41) sts are on needle. Work without increasing until

Continued on page 12

B-117 *Continued from page 6*

inches in all, ending at side edge, work as follows:

To Shape Armhole: Bind off 6 sts once. Bind off 2 sts at same edge on every other row twice, then dec 1 st at same edge every other row 1 (1, 2, 3) times. Continue in pattern, keeping armhole edge straight and making decreases on front edge as indicated until piece measures from first row of armhole shaping 10½ (10¾, 11, 11¼) inches, ending at armhole edge.

To Shape Shoulder: 1st row: Bind off 8 sts, complete row. **2nd row:** Work across in pattern. Bind off remaining stitches.

RIGHT FRONT BORDER . . . With right side facing, No. 8 needles and Black, starting at lower front corner pick up and knit 81 (83, 85, 87) sts along entire front edge. Work in ribbing of k 1, p 1 for 5 rows. Bind off loosely in ribbing.

With pins mark the position of 3 buttons, having the first pin mark 1 inch up from lower edge and 2 more 3 inches apart.

LEFT FRONT . . . Work as for Right Front until the ribbing and the first p row has been completed. There are 35 (37, 38, 40) sts on needle. Now work in pattern as follows: Drop Black, attach Beige. **1st row (Side edge):** With Beige k — (—, —, 1) st, p 2 (4, 5, 6) sts, (sl 2, p 6) 4 times, k 1. **2nd row:** With Beige, p 1, (k 6, sl 2) 4 times; k 2 (4, 5, 6) sts; p — (—, —, 1) st. **3rd row:** With Black, k across. **4th row:** With Black p across. **5th row:** With Beige p — (1, 1, 3), sl — (1, 2, 2), (p 6, sl 2) 4 times; p 3. **6th row:** With Beige, k 3, (sl 2, k 6) 4 times; sl — (1, 2, 2), k — (1, 1, 3). Drop Beige. **7th and 8th rows:** Repeat 3rd and 4th rows. Position of pattern is now established. Work as for Right Front, reversing shapings.

LEFT FRONT BORDER . . . With right side of work facing, No. 8 needles and Black, starting at shoulder edge pick up

and knit 81 (83, 85, 87) sts along entire front edge. Work in ribbing of k 1, p 1 for 2 rows. On 3rd row make a buttonhole opposite each pinmark—to make a buttonhole, k 2 tog, O. On next row, work O as a stitch. Work 1 more row of ribbing. Bind off in ribbing. Sew shoulder seams.

ARMBAND . . . With right side of work facing, No. 8 needles and Black, pick up and knit 83 (87, 89, 91) sts along entire armhole edge. Work in ribbing of k 1, p 1 for 5 rows. Bind off in ribbing. Work other armband to correspond.

Block lightly to measurements (do not press flat). Sew side seams. Work buttonhole stitch around buttonholes. Sew on buttons.

B-118 *Continued from page 11*

piece measures in all 11 (12, 13, 14½, 15½) inches, ending with a p row.

To Shape Top of Raglan Sleeve: Continue in stockinette st, decreasing 1 st at both ends of every k row as for Armhole shaping of Back until 5 sts remain, ending with a p row. Slip sts onto a stitch holder to be worked later.

COLLAR . . . With right side facing, No. 13 knitting pins, k the 5 sts from left sleeve stitch holder, pick up and k 7 (9, 9, 9, 11) sts along Left Front edge. Work in p 1, k 1 ribbing over next 7 sts from front stitch holder, pick up and k 7 (9, 9, 9, 11) sts along next front edge, k the 5 sts from next sleeve stitch holder and work in pattern across Back stitch holder. There are on needle 44 (48, 48, 50, 54) sts. Work in p 1, k 1 ribbing for 3½ (4, 4½, 5, 5½) inches. Bind loosely in ribbing.

Block to measurements. Sew side, sleeve and collar seams. Sew in sleeves.



Classic Cardigan B-119 . . . Directions on page 14

Classic V-Neck Cardigan B-119

Materials: COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B (2 oz. "Tangle-Proof" Pull-Out Skeins).

	Children's Sizes				Women's Sizes			
	4	6	8	10	10	12	14	16
No. 909 Scarlet Skeins	8	9	9	10	10	11	12	12
Knitting Needles, 1 pair each of No. 3 and No. 5. 5 buttons.								

GAUGE: 6 sts make 1 inch; 7 rows make 1 inch.

BLOCKING MEASUREMENTS:

Children's Sizes (In Inches)	Children's Sizes (In Inches)	Women's Sizes (In Inches)	Women's Sizes (In Inches)				
4	6	8	10	10	12	14	16

Body Chest Size	23	24	26	28	30	32	34	36
Actual Knitting Measurements Chest (buttoned)	25½	27½	29½	31½	33½	35½	37½	39½
Width across back at underarm	12½	13½	14½	15½	16½	17½	18½	19½
Width across each front at underarm	7	7½	8	8½	9	9½	10	10½
Width across back above armhole shaping	10½	11	12	12½	13	13½	14	14½
Length from shoulder to lower edge	15	16½	18	19½	20½	20¾	21¼	22¼
Length of side seam	10	11	12	13	13½	13½	14	14
Length of sleeve seam	11	12	13	14½	16½	17	17½	18
Width across sleeve at upperarm	10	11	11¾	12½	13	13¼	13½	14

BACK . . . Starting at lower edge with No. 3 knitting needles, cast on
Stitches75 81 87 93 99 105 111 117
 Work in ribbing as follows: **1st row:** K 1, * p 1, k 1. Repeat from * across. **2nd row:** P 1, * k 1, p 1. Repeat from * across. Repeat first and 2nd rows alternately until piece measures, ending with 2nd row,
Inches 2 2 2½ 2½ 3 3 3
 Change to No. 5 knitting needles and work in pattern as follows: **1st row:** K 3, * p 3, k 3. Repeat from * across. **2nd row:** Repeat 2nd row of ribbing. Repeat first and 2nd rows alternately until piece measures in all, ending with 2nd row of pattern
Inches10 11 12 13 13½ 13½ 14 14

To Shape Armholes: Keeping continuity of pattern, bind off
Stitches 3 4 4 5 6 6 7 7
 at the beginning of the next 2 rows. Dec 1 st at both ends of next row and every other row thereafter until
Stitches63 67 73 75 79 81 83 87
 remain. Work even until piece measures from first row of armhole shaping, ending with 2nd row of pattern
Inches 5 5½ 6 6½ 7 7¼ 7¾ 8¼

To Shape Shoulders: Bind off
Stitches 7 7 7 7 8 8 8 8
 at the beginning of the next
Rows 6 6 4 4 4 4 4 4
 Bind off
Stitches -- -- 8 8 7 7 --
 at the beginning of the next 2 rows. Bind off, for back of neck, remaining
Stitches21 25 29 31 33 35 37 39

Pocket Lining (Make 2) . . . Starting at lower edge with No. 5 needles, cast on
Stitches18 20 22 24 24 26 26 26
Continued on page 15

B-119 *Continued from page 14*

Work in stockinette st (k 1 row, p 1 row) for
Inches 3 3 3½ 3½ 3¾ 3¾ 3¾
 ending with a k row. Place each piece on a stitch holder
 to be worked later.

LEFT FRONT . . . Starting at lower edge with No. 3 needles,
 cast on

Stitches42 44 48 50 54 56 60 62
1st row: K 6 for front band, * p 1, k 1. Repeat from *
 across. **2nd row:** * P 1, k 1. Repeat from * across to
 within front band, k 6. Repeat first and 2nd rows alter-
 nately until piece measures, ending at side edge,
Inches 2 2 2½ 2½ 3 3 3 3
 and increasing at end of last row if necessary to
Stitches42 45 48 51 54 57 60 63

Change to No. 5 needles and work in pattern as follows:

1st row: K
Stitches — 3 — 3 — 3 — 3
 on all sizes p 3, * k 3, p 3. Repeat from * to within last
 9 sts, k 9. **2nd row:** K 6, * p 1, k 1. Repeat from * across.
 Repeat first and 2nd rows alternately until piece measures
Inches 4 4 5 5 5½ 5½ 5½ 5½
 in all, ending at side edge. **Next row:** Work in pattern on
Stitches 9 10 10 11 12 12 13 13
 Bind off loosely for pocket opening next
Stitches18 20 22 24 24 26 26 26
 work to end of row. **Following row:** Work across
Stitches15 15 16 16 18 19 21 24

Slip the sts of one pocket lining from stitch holder onto
 left-hand needle and work in pattern across these sts
 and complete row. Now continue to work in pattern
 until piece measures in all, ending at side edge,

Inches10 11 12 13 13½ 14 14

To Shape Armhole: Bind off
Stitches 3 4 4 5 6 6 7 7

at beginning of next row. Dec 1 st at same edge every
 other row until there remain

Stitches36 38 41 42 44 45 46 48

To Shape Neck: Keeping armhole edge straight, dec 1 st
 next to button band on next row and every other row
Times 5 6 7 7 9 12 14 16
 Dec 1 st next to buttonband every 3rd row until

Stitches27 27 28 28 29 29 29 30
 remain. If necessary, work even until piece measures
 from first row of armhole shaping, ending at armhole
 edge

Inches 5 5½ 6 6½ 7 7¼ 7¾ 8¼

To Shape Shoulder: Bind off

Stitches 7 7 7 7 8 8 8 8
 beginning of next row and every other row thereafter
Times 3 3 2 2 2 2 2 3

in all. On **Children's sizes 8 and 10** and **Women's sizes 10,**
12 and 14 work 1 more row. Bind off at the beginning
 of the next row

Stitches — — 8 8 7 7 7 —
 Continue in garter st (k each row) over remaining 6 sts
 for

Inches 1¼ 1½ 2 2 2¼ 2¼ 2½ 2½
 Bind off.

With pins mark the position of 5 buttons evenly spaced
 on button band, having the first pin mark ½ inch up
 from lower edge and the last pin mark in line with first
 decrease for Neck Shaping.

RIGHT FRONT . . . Starting at lower edge with No. 3
 needles, cast on

Stitches42 44 48 50 54 56 60 62

1st row: * K 1, p 1. Repeat from * across to within last
 6 sts, k 6 for buttonhole band. **2nd row:** K 7, * p 1, k 1.
 Repeat from * across. Repeat first and 2nd rows alter-
 nately until piece measures ½ inch, ending at front

Continued on page 33



Classic Round Neck Pullover B-120

For school or play, this easy stockinette pullover
fits the bill perfectly!

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2 oz. folded skeins): 6 (7, 7, 8, 8) skeins of No. 261 Maize.

Knitting Needles, 1 pair each of No. 8 and No. 11.

GAUGE: 3 sts make 1 inch; 9 rows make 2 inches.

BLOCKING MEASUREMENTS:

Sizes	4	6	8	10	12
Body Chest Size (In Inches)	23	24	26	28	30
Actual Knitting Measurements					
Chest (seamed)	25	27	29	31	33
Width across back or front at underarm	12½	13½	14½	15½	16½
Width across back or front above armhole shaping	10½	11	12	12½	13
Length from shoulder to lower edge	14	15½	17	18½	20
Length of side seam	9	10	11	12	13
Length of sleeve seam	11	12	13	14½	15½
Width across sleeve at upperarm	10	11	11½	12½	13

BACK . . . Starting at lower edge with No. 8 knitting needles, cast on 38 (42, 44, 48, 50) sts. Work in ribbing of k 1, p 1 for 2 (2, 2, 2½, 3) inches. Change to No. 11 needles and work in stock-

inette st (k 1 row, p 1 row) until piece measures 9 (10, 11, 12, 13) inches in all.

To Shape Armholes: Bind off 2 (2, 2, 3, 3) sts at beginning of next 2 rows. Dec 1 st at both ends of next row and every other row thereafter until 32 (34, 36, 38, 40) sts remain. Work without decreasing until piece measures from first row of armhole shaping 5 (5½, 6, 6½, 7) inches.

To Shape Shoulders: Bind off 5 (5, 5, 5, 6) sts at beginning of next 4 (4, 2, 2, 4) rows. Bind off at beginning of next 2 rows 0 (0, 6, 6, 0) sts. Place remaining 12 (14, 14, 16, 16) sts on a stitch holder to be worked later.

FRONT . . . Work exactly as for Back until piece measures from first row of armhole shaping 3 (3½, 3¾, 4, 4) inches.

To Shape Neck: K across the first 12 (13, 14, 14, 15) sts. Place on a stitch holder the remaining 20 (21, 22, 24, 25) sts. Turn and work over the first set of sts only, decreasing 1 st at neck edge on every other row until 10 (10, 11, 11, 12) sts remain. Work straight until piece measures 5 (5½, 6, 6½, 7) inches from first row of armhole shaping, ending at side edge.

To Shape Shoulder: 1st row: Bind off 5 (5, 5, 5, 6) sts, complete row. **2nd row:** P across. Bind off remaining sts.

Continued on page 17



Directions are given for Size 4. Changes for Sizes 6, 8, 10 and 12 are in parentheses.

B-120 *Continued from page 16*

Slip the last 12 (13, 14, 14, 15) sts from stitch holder onto needle. The center 8 (8, 8, 10, 10) sts remain on stitch holder. Attach yarn at neck edge and work other side of neck to correspond, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 8 needles, cast on 20 (22, 24, 26, 28) sts. Work in ribbing of k 1, p 1 for 2 (2, 2½, 2½, 3) inches. Change to No. 11 needles and work in stockinette st, increasing 1 st at both ends of next row and every 8th (8th, 8th, 10th, 10th) row thereafter until there are 30 (32, 34, 38, 40) sts. Work without increasing until piece measures 11 (12, 13, 14, 15) inches in all.

To Shape Top: Bind off at beginning of next 2 rows 2 (2, 2, 3, 3) sts. Dec 1 st at both ends of every other row until piece measures from first row of top shaping 2 (2½, 3, 3½, 4) inches. Bind off 3 sts at beginning of next 4 rows. Bind off remaining stitches.

NECKBAND . . . Sew left shoulder seam. With right side of work facing and No. 11 needles, pick up and knit around entire neck edge, including stitches on both stitch holders 42 (44, 48, 50, 52) sts. Work in ribbing of k 1, p 1 for ¾ (¾, ¾, 1, 1) inch. Bind off loosely in ribbing.

Block to measurements. Sew right shoulder, side and sleeve seams. Sew in sleeves.





Warm as Toast!

Hooded Scarf

B-121

8¼ x 72 inches (excluding fringe)

COATS & CLARK'S RED HEART KNITTING
WORSTED, 4 Ply, Art. E. 234, (4 oz.
"Tangle-Proof" Pull-Out Skeins): 2
skeins of No. 227 Canary Yellow.


Knitting Needles, 1 pair No. 5.

GAUGE: 5 sts make 1 inch; 7 rows make
1 inch.

Starting at narrow edge, cast on 42 sts.
1st row: K 2, * p 2, k 4. Repeat from *
across to last 4 sts, p 2, k 2. **2nd row:**
K 1, p 1, * k 2, p 4. Repeat from *
across to last 4 sts, k 2, p 1, k 1. **3rd and
4th rows:** Repeat first and 2nd rows. **5th
and 7th rows:** K 1, * p 4, k 2. Repeat
from * across to last 5 sts, p 4, k 1.
6th and 8th rows: K 5, * p 2, k 4. Repeat
from * across, ending with k 5 instead
of k 4. The first to 8th rows incl con-
stitute pattern. Continue in pattern until
20 patterns in all are completed. Piece
measures about 23 inches. Now work in
ribbing as follows: **1st row:** * K 1, p 1.
Repeat from * across, ending with k 2.
Repeat last row for 3 inches. Now work
17 patterns, 3 inches of ribbing, 20 pat-
terns. Bind off. Block.

Continued on page 19

No chance of chilly ears or frozen fingers with these quick-to-knit accessories!



See pages 13 and 14 for Cardigan and directions

B-121 *Continued from page 18*

HOOD . . . Fold scarf lengthwise in half. Starting at center fold sew corresponding edges to last ribbing row.

FRINGE . . . Cut a 5-inch strand of yarn. Double the strand to form a loop, insert hook in first st on narrow edge and draw loop through. Draw loose ends through loop and pull tightly. Make a fringe in every st across each narrow edge. Trim.

CORD . . . Cut 2 strands of yarn, each 12 inches long. Twist these strands tightly, then double and twist in opposite direction. Fasten ends securely.

TASSEL . . . Cut a cardboard 3½ inches square. Wind yarn 25 times around length. Break off. Draw a double strand under one end and tie securely. Cut opposite ends. Wind a strand several times around tassel, 1 inch below tied ends, and tie securely. Trim ends evenly. Sew tassel to one end of cord; sew to hood.

Cable Mittens

B-122

MEN'S, WOMEN'S AND CHILDREN'S SIZES

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 232 (1 oz. "Tangle-proof" Pull-Out Skeins): 2 skeins of No. 230 Yellow for the first 3 sizes, 3 skeins for the next 3 sizes and 4 skeins for the last 3 sizes.

Double-pointed Sock Needles, 1 set each of No. 3 and No. 5.

Continued on page 32

Two-Color Patterned Cardigan

B-123

Directions are given for Size 38. Changes for Sizes 40, 42, 44 and 46 are in parentheses.

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2 oz. folded skeins): 11 (11, 12, 13, 13) skeins of No. 405 Oxford and 8 (8, 9, 10, 10) skeins of No. 491 Pearl Grey.

Knitting Needles, 1 pair each of No. 8 and No. 10.

3 buttons.

GAUGE: 4 sts make 1 inch; 6 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	38	40	42	44	46
Body Chest Size (In Inches)	38	40	42	44	46
Actual Knitting Measurements					
Chest (buttoned)	41	43	45	47	49
Width across back at underarm	20½	21½	22½	23½	24½
Width across each front before neck shaping	10¾	11¼	11¾	12¼	12¾
Width across back above armhole shaping	16	16½	17	17½	18
Length from shoulder to lower edge	23½	24	24½	25	25½
Length of side seam	14½	14½	15	15	15½
Length of sleeve seam	19½	19½	20	20	20½
Width across sleeve at upperarm	15½	16	16½	17	17½

BACK . . . Starting at lower edge with No. 8 knitting needles and Oxford, cast on 82 (86, 90, 94, 98) sts and work in k 1, p 1 ribbing for 2 inches, ending with

2nd row. Drop Oxford. Change to No. 10 needles, attach Pearl Grey and work in pattern as follows: **1st row:** With Pearl Grey, * k 1, with yarn in back of work sl 1. Repeat from * across. **2nd row:** * K 1, p 1. Repeat from * across. Change to Oxford. **3rd and 4th rows:** With Oxford repeat first and 2nd rows. The last 4 rows constitute pattern. Work in pattern until piece measures 14½ (14½, 15, 15, 15½) inches in all.

To Shape Armholes: Bind off 5 (6, 7, 7, 8) sts at beginning of next 2 rows. Dec 1 st at beginning of every other row until 64 (66, 68, 70, 72) sts remain. Work straight until piece measures 9 (9½, 9½, 10, 10) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 5 sts at beginning of next 8 (8, 6, 6, 6) rows. Bind off 0 (0, 6, 7, 7) sts at beginning of next 2 rows. Bind off remaining 24 (26, 26, 26, 28) sts.

RIGHT FRONT . . . Starting at lower edge with No. 8 needles and Oxford, cast on 43 (45, 47, 49, 51) sts. **1st row:** K 5 (front band), * k 1, p 1. Repeat from * across. **2nd row:** * K 1, p 1. Repeat from * across to last 5 sts, k 5. Repeat last 2 rows for 2 inches, ending with 2nd row. Change to No. 10 needles and work in pattern as follows: **Note: When changing colors, always twist unused color around the other.** **1st row:** K 5, attach Pearl Grey and, with Pearl Grey, * k 1, sl 1. Repeat from * across. **2nd row:** * K 1, p 1. Repeat from * across to last 5 sts, drop Pearl Grey, pick up

Continued on page 31



Simple Pattern Stitch Jacket

B-124

Directions are given for Size 12. Changes for Sizes 14, 16 and 18 are in parentheses.

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B (2 oz. "Tangle-Proof" Pull-Out Skeins): 9 (9, 9, 10) skeins of No. 835 Periwinkle and 7 (7, 8, 8) skeins of No. 403 Lt. Oxford.

Knitting Needles, 1 pair each of No. 10 and No. 13.

7 buttons.

GAUGE: 3½ sts make 1 inch; 6 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	12	14	16	18
Body Bust Size (In Inches)	32	34	36	38
Actual Knitting Measurements				
Bust (seamed and buttoned)	36	38	40	42
Width across back at underarm	18	19	20	21
Width across back above armhole shaping	13½	14	14½	15
Width across each front at underarm (excluding border)	8¾	9¼	9¾	10¼
Length from shoulder to lower edge	22¾	23¾	24¼	25¼
Length of side seam	15	15½	15½	16
Width across sleeve at upperarm	13½	14	14½	15
Length of sleeve seam	13½	14	14½	14½

Use yarn double throughout.

BACK . . . Starting at lower edge with 2 strands of Periwinkle and No. 10 needles, cast on 63 (67, 71, 73) sts. Work in ribbing as follows: **1st row:** K 1,

* p 1, k 1. Repeat from * across. **2nd row:** P 1, * k 1, p 1. Repeat from * across. Repeat first and 2nd rows alternately 2 times more. Change to No. 13 needles and work in pattern as follows: Drop Periwinkle, attach 2 strands of Lt. Oxford. **1st row (Wrong side):** With Lt. Oxford, k 1, * yarn in back sl 1, k 1. Repeat from * across. **2nd row:** With Lt. Oxford, p 1, * k 1, p 1. Repeat from * across. Drop Lt. Oxford, pick up Periwinkle. **3rd and 4th rows:** With Periwinkle, repeat first and 2nd rows. The first to 4th rows incl constitute pattern. Work in pattern until piece measures 15 (15½, 15½, 16) inches in all.

To Shape Armholes: Bind off at beginning of the next 2 rows 4 (5, 5, 5) sts. Dec 1 st at both ends of every other row until 47 (49, 51, 53) sts remain. Work even until piece measures 7¾ (8¼, 8¾, 9¼) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 7 (7, 7, 8) sts at beginning of next 4 (2, 2, 4) rows. Bind off 0 (8, 8, 0) sts at beginning of next 0 (2, 2, 0) rows. Bind off remaining 19 (19, 21, 21) sts for back of neck.

LEFT FRONT . . . Starting at lower edge with Periwinkle and No. 10 needles, cast on 31 (33, 35, 37) sts. Work same as Back until piece measures in all 15 (15½, 15½, 16) inches ending on wrong side.

To Shape Armhole: Bind off at beginning of next row 4 (5, 5, 5) sts. Dec 1 st at armhole edge every other row until 23 (24, 25, 27) sts remain. Work even until

Continued on page 34



Two-Color Fair Isle Pullover

B-125

Directions are given for Size 4. Changes for Sizes 6, 8, 10 and 12 are in parentheses.

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B (2 oz. "Tangle-Proof" Pull-Out skeins): 4 (5, 5, 6, 6) skeins of No. 686 Paddy Green and 2 (2, 2, 3, 3) skeins of No. 679 Nile Green.

Knitting Needles, 1 pair each of No. 3 and No. 5.

Double-Pointed Sock Needles, 1 set No. 3.

GAUGE: Pattern: 6 sts make 1 inch; 7 rows make 1 inch.
Stockinette St: 11 sts make 2 inches; 7 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	4	6	8	10	12
Body Chest Size (In Inches)	23	24	26	28	30
Actual Knitting Measurements					
Chest	24	26	28	30	32
Width across back or front at underarm	12	13	14	15	16
Width across back or front above armhole shaping	10	10½	11½	12	12½
Length from shoulder to lower edge	13¾	15	16½	18	19½
Length of side seam	9	10	11	12	13
Length of sleeve seam	11	12	13	14	15
Width across sleeve at upperarm	9½	10¼	11	12	12½

Note: When changing colors, always twist the unused color around the other to prevent making holes, being careful not to pull yarn up too tightly. Pattern is worked in stockinette st (k 1 row, p 1 row).

BACK . . . Starting at lower edge with Paddy Green and No. 3 knitting needles, cast on 72 (78, 84, 90, 96) sts. Work in ribbing of k 1, p 1 for 2 (2, 2½, 2½, 3) inches. Change to No. 5 knitting needles and work in pattern as follows:
1st row: Knit across. **2nd row:** On Sizes 6 and 10, with Paddy Green, p 1; on all Sizes, attach Nile Green, * with Nile Green p 1, with Paddy Green p 1. Repeat from * across, ending to correspond with beginning. Drop Paddy Green.
3rd row: With Nile Green knit across. Break off Nile Green. **4th row:** With Paddy Green p across. Attach Nile Green. Starting with 5th row, follow chart until 22nd row has been completed. Repeat first to 22nd rows incl for pattern until piece measures 9 (10, 11, 12, 13) inches in all, ending with a p row.

To Shape Armholes: Continuing in pattern, bind off 4 (5, 5, 5, 6) sts at beginning of next 2 rows. Dec 1 st at both ends of next row and every other row thereafter until 60 (62, 68, 72, 76) sts remain. Work without decreasing until piece measures 4¾ (5, 5½, 6, 6½) inches from first row of armhole shaping, ending with a p row.


To Shape Shoulders: Bind off 6 (6, 5, 5, 5) sts at beginning of next 6 (6, 6, 8, 6) rows. Bind off 0 (0, 4, 0, 6) sts at beginning of next 0 (0, 2, 0, 2) rows. Place the remaining 24 (26, 30, 32, 34) sts on a stitch holder to be worked later for neckband.

FRONT . . . Work exactly as for Back until piece measures 2¾ (3, 3¼, 3¾, 4) inches from first row of armhole shaping, ending with a p row.

Continued on page 25

Beautiful Fair Isle patterns are once more becoming popular. This smart stockinette stitch pullover has a patterned back and front and solid color sleeves.

See CHART on page 29



B-125 *Continued from page 24*

To Shape Neck: Work in pattern across the first 22 (22, 24, 25, 26) sts. Place these sts on a stitch holder to be worked later. Work across next 16 (18, 20, 22, 24) sts. Place these sts on a stitch holder to be worked later for Neckband. Work across remaining 22 (22, 24, 25, 26) sts. Turn and work over this set of sts in pattern, decreasing 1 st at neck edge every other row until 18 (18, 19, 20, 21) sts remain. Work without decreasing until piece measures $4\frac{3}{4}$ (5, $5\frac{1}{2}$, 6, $6\frac{1}{2}$) inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: Bind off 6 (6, 5, 5, 5) sts at beginning of next row and every other row thereafter 3 (3, 3, 4, 3) times. **On Sizes 8 and 12,** Work 1 more row. Bind off remaining sts. Pick up 22 (22, 24, 25, 26) sts from stitch holder at opposite side. Work to correspond with other side, reversing shaping.

SLEEVES . . . Starting at lower edge with Paddy Green and No. 3 knitting needles,

cast on 34 (36, 38, 40, 42) sts. Work in ribbing of k 1, p 1 for 2 ($2\frac{1}{2}$, $2\frac{1}{2}$, $2\frac{1}{2}$, 3) inches. Change to No. 5 needles and work in stockinette st (k 1 row, p 1 row), increasing 1 st at both ends of next row and every 6th row thereafter until there are on needle 52 (56, 60, 66, 68) sts. Work without increasing until piece measures 11 (12, 13, 14, 15) inches in all, ending with a p row.

To Shape Top: Bind off 4 (5, 5, 5, 6) sts at beginning of next 2 rows. Dec 1 st at both ends of next row and every other row until 22 (22, 24, 26, 26) sts remain. Bind off 4 sts at beginning of next 4 rows. Bind off remaining sts.

NECKBAND . . . Sew shoulder seams. With Paddy Green and No. 3 double-pointed needles, starting at left shoulder, pick up and knit 74 (78, 82, 86, 90) sts around neck edge, including sts on stitch holders. Divide sts among 3 needles. Work in ribbing of k 1, p 1 for 1 inch. Bind off loosely in ribbing.

Block to measurements. Sew side and sleeve seams. Sew in sleeves.

Twisted Cable Ski Sweater

B-126

Directions are given for Size 38. Changes for Sizes 40-46 are in parentheses.

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2 oz. folded skeins): 19 (20, 21, 22, 23) skeins of No. 1 White.

Knitting Needles, 1 pair each of No. 8 and No. 10.

GAUGE: 4 sts make 1 inch; 4½ rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	38	40	42	44	46
Body Chest Size (In Inches)	38	40	42	44	46
Actual Knitting Measurements					
Chest	42	44	46	48	50
Width across front or back at underarm	21	22	23	24	25
Length from shoulder to lower edge	23	23½	24	24½	25
Length of side seam	14	14	14½	14½	15
Length of sleeve seam	19½	19½	20	20	20½
Width across sleeve at upperarm	15	15½	16	16½	17

BACK . . . Starting at lower edge with No. 8 knitting needles, cast on 84 (88, 92, 96, 100) sts. Work in ribbing of k 1, p 1 for 3½ (3½, 4, 4, 4) inches, decreasing if necessary on last row to 84 (88, 91, 96, 99) sts. Change to No. 10 needles and work as follows: **1st row:** P 2, k 6 (8, 8, 9, 9), p 2, * k 3, p 4, k 3, p 2, k 4 (4, 5, 6, 7), p 2. Repeat from * twice more, k 3, p 4, k 3, p 2, k 6 (8, 8, 9, 9), p 2. **2nd row:** K 2, p 6 (8, 8, 9, 9), k 2, * p 3, k 4, p 3, k 2, p 4 (4, 5, 6, 7), k 2. Repeat from * twice more, p 3, k 4, p 3, k 2, p 6 (8, 8, 9, 9), k 2. **3rd to 6th rows**

incl: Repeat first and 2nd rows alternately. **7th row:** P 2, k 6 (8, 8, 9, 9), p 2, * slip next 3 sts on a double-pointed needle and hold in **front** of work, p next 2 sts, k the 3 sts from double-pointed needle, slip next 2 sts on a double-pointed needle and hold in **back** of work, k 3, p the 2 sts from double-pointed needle, p 2, k 4 (4, 5, 6, 7), p 2. Repeat from * across to last 8 (10, 10, 11, 11) sts, k 6 (8, 8, 9, 9), p 2. **8th row:** K 2, p 6 (8, 8, 9, 9), k 4, * p 6, k 4, p 4 (4, 5, 6, 7), k 4. Repeat from * across to last 8 (10, 10, 11, 11) sts, p 6 (8, 8, 9, 9), k 2. **9th row:** P 2, k 6 (8, 8, 9, 9), * p 4, slip next 3 sts on double-pointed needle and hold in **back** of work, k 3, k the 3 sts from double-pointed needle, p 4, k 4 (4, 5, 6, 7). Repeat from * across, ending as before. **10th row:** Repeat 8th row. **11th row:** P 2, k 6 (8, 8, 9, 9), p 2, * slip next 2 sts on a double-pointed needle and hold in **back** of work, k 3, p the 2 sts from double-pointed needle, slip next 3 sts on double-pointed needle and hold in **front** of work, p 2, k the 3 sts from double-pointed needle, p 2, k 4 (4, 5, 6, 7), p 2. Repeat from * across, ending as before. **12th row:** Repeat 2nd row. **13th to 20th rows incl:** Repeat first and 2nd rows alternately. The 7th to 20th rows incl constitute pattern. Work in pattern until piece measures 14 (14, 14½, 14½, 15) inches in all.

To Shape Armholes: Bind off 4 (5, 5, 6, 6) sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until 68 (70, 71, 74, 77) sts remain. Continue in pattern until piece measures 9 (9½, 9½, 10, 10) inches from first row of armhole shaping.

Continued on page 27


B-126 *Continued from page 26*

To Shape Shoulders: Bind off 7 (7, 8, 8, 8) sts at beginning of next 4 rows. Bind off 8 (8, 7, 7, 8) sts at beginning of next 2 rows; slip remaining 24 (26, 25, 28, 29) sts on a stitch holder to be worked later for back of neck.

FRONT . . . Work exactly as for Back until piece measures 6 (6½, 6½, 7, 7) inches from first row of armhole shaping.

To Shape Neck: Work in pattern to within 14 (16, 15, 18, 19) center sts. Slip sts just worked onto stitch holder to be worked later for Left Neck. Work across center sts and slip these sts onto another stitch holder to be worked later for collar, work to end of row. Work over last set of sts only, decreasing 1 st at neck edge on every other row 5 times in all. Continue straight until piece measures same as Back to shoulder shaping. Shape Right Shoulder exactly as for Left Shoulder of Back. Slip sts from Left Neck stitch holder onto needle, attach yarn and work to correspond to Right Front, reversing shaping.

SLEEVES . . . Starting at lower edge with No. 8 needles, cast on 32 (34, 36, 36, 38) sts. Work in ribbing of k 1, p 1 for 3½ (3½, 4, 4, 4) inches, increasing 2 (0, 1, 2, 1) sts evenly spaced on last row. There are 34 (34, 37, 38, 39) sts on needle. Change to No. 10 needles and work as follows: **1st row:** K 1 (1, 2, 2, 2) sts, p 2; k 3, p 4, k 3 (the last 10 sts constitute cable); p 2, k 4 (4, 5, 6, 7), p 2 (panel); k 3, p 4, k 3 (the last 10 sts constitute cable); p 2, k 1 (1, 2, 2, 2) sts. Pattern is now established. Work in pattern, increasing 1 st



at both ends of every 5th (4th, 4th, 4th, 4th) row until there are 60 (62, 65, 66, 69) sts on needle—there are 2 cables on each sleeve, the increases are in the panels. Work straight until piece measures 19½ (19½, 20, 20, 20½) inches in all.

To Shape Top: Bind off 4 (5, 5, 6, 6) sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until piece measures 5 (5½, 5½, 6, 6) inches from first row of armhole shaping. Bind off 2 sts at beginning of next 4 rows. Bind off remaining sts. Sew one shoulder seam.

COLLAR . . . With right side facing and No. 8 needles, pick up and k 72 (74, 76, 78, 80) sts around entire neck edge, including sts on stitch holders. Work in k 1, p 1 ribbing for 6½ (7, 7½, 8, 8) inches. Bind off loosely in ribbing.

Block to measurements. Sew side and sleeve seams. Sew in sleeves. Sew collar and shoulder seams.

Brioche Stitch Pullover with Round Neck

B-127

Directions are given for Size 10. Changes for Sizes 12, 14 and 16 are in parentheses.

COATS & CLARK'S RED HEART KNITTING WORSTED, 4 Ply, Art. E. 230-B (2 oz. "Tangle-Proof" Pull-Out Skeins): 8 (9, 10, 11) skeins of No. 227 Canary Yellow.

Knitting Needles, 1 pair each of No. 4 and No. 6.

GAUGE: 6 sts make 1¼ inches; 11 rows make 1 inch.

BLOCKING MEASUREMENTS:

Sizes	10	12	14	16
Body Bust Size (In Inches)	31	32	34	36
Actual Knitting Measurements				
Bust	35	36	38	40
Width across back or front at underarm	17½	18	19	20
Width across back or front above armhole shaping	12½	13	13½	14
Length from shoulder to lower edge	21¼	22	23	24
Length of side seam	14	14½	15	15½
Length of sleeve seam	16½	17	17½	18
Width across sleeve at upperarm	13	13½	14	14½

BACK . . . Starting at lower edge with No. 6 needles, cast on 82 (86, 90, 98) sts. **1st row:** K 2, * p 2, k 2. Repeat from * across. **2nd row:** P 2, * k 2, p 2. Repeat from * across. Repeat first and 2nd rows alternately for 1 inch, increasing 1 (0, 2, 0) sts on last row. Work in pattern over 83 (86, 92, 98) sts as follows: **1st row:** K 1, * O, sl 1 as if to purl, k 2 tog. Repeat from * across,

ending with k 1. Repeat first row until piece measures 14 (14½, 15, 15½) inches in all.

To Shape Armholes: Bind off 6 sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until 61 (64, 66, 68) sts remain. Work straight until piece measures 7¼ (7½, 8, 8½) inches from first row of armhole shaping.

To Shape Shoulders: Bind off 4 sts at beginning of next 10 (8, 6, 6) rows. Bind off 5 sts at beginning of next 0 (2, 4, 4) rows. Slip remaining 21 (22, 22, 24) sts onto a stitch holder for back of neck.

FRONT . . . Work exactly the same as Back until piece measures 5¼ (5¼, 5¾, 6) inches from first row of armhole shaping.

To Shape Neck: Work across 36 (38, 39, 40) sts. Slip last 11 (12, 12, 12) sts worked onto a stitch holder for front of neck; complete row. Work over this last set of sts only, decreasing 1 st at neck edge on every row until 20 (21, 22, 22) sts remain. Work without decreasing until piece measures 7¼ (7½, 8, 8½) inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: Bind off 4 sts on next row and every other row 5 (4, 3, 3) times; then 5 sts 0 (once, twice, twice). Attach yarn to other side of neck edge and work to correspond.

SLEEVES . . . Starting at lower edge with No. 4 needles, cast on 40 (40, 44, 44) sts. Work in k 2, p 2 ribbing for 3½ inches, increasing 7 (7, 6, 6) sts evenly

Continued on page 29

B-127 *Continued from page 28*

spaced on last row. Change to No. 6 needles and work in pattern as for Back over these 47 (47, 50, 50) sts, increasing 1 st at both ends of one row every 1¼ inches until there are 63 (65, 68, 70) sts. Work straight until piece measures 16½ (17, 17½, 18) inches in all.

To Shape Top: Bind off 6 sts at beginning of next 2 rows. Dec 1 st at both ends of every 4th row until 29 (29, 32, 32) sts remain. Bind off 3 sts at beginning of next 6 rows. Bind off remaining sts.

NECKBAND . . . Sew right shoulder seam. With right side facing and No. 4 needles, pick up and knit 34 (35, 37, 38) sts along left front neck edge to front stitch holder; k across the sts on holder; pick up and knit 34 (35, 37, 38) sts along right front neck edge to shoulder




seam, k across the sts on back stitch holder. Work in k 2, p 2 ribbing over these 100 (104, 108, 112) sts for 1 inch. Bind off loosely in ribbing.

Block. Sew side, left shoulder and sleeve seams. Sew in sleeves.

CHART FOR PULLOVER B-125 . . . PAGE 24

22ND
ROW



X PADDY GREEN
O NILE GREEN

SIZES 4 6 8 10 12

Block Stitch Pullover with Boat Neck

B-128

COATS & CLARK'S RED HEART "TURBO-KNIT," 2 Ply, Art. E. 274 (2 oz. folded skeins): 8 (8, 9, 10, 11) skeins of No. 491 Pearl Grey.

Knitting Needles, 1 pair each of No. 8 and No. 11.

GAUGE: 7 sts make 2 inches; 9 rows make 2 inches.

BLOCKING MEASUREMENTS:

Sizes	4	6	8	10	12
Body Chest Size (In Inches)	23	24	26	28	30
Actual Knitting Measurements					
Chest	25	27	29	31	33
Width across back or front at underarm	12½	13½	14½	15½	16½
Width across back or front above armhole shaping	10½	11	12	12½	13
Length from shoulder to lower edge	15	16½	18	19½	20½
Length of side seam	10	11	12	13	13½
Length of sleeve seam	11	12	13	14½	15½
Width across sleeve at upperarm	10	11	11½	12½	13

BACK . . . Starting at lower edge with No. 8 knitting pins, cast on 44 (48, 52, 52, 56) sts. Work in k 2, p 2 ribbing for 2 (2, 2½, 2½, 2½) inches, increasing 1 st at both ends of last row on Sizes 10 and 12 only. Change to No. 11 knitting pins and work in pattern as follows: **1st row:** K 1 (3, 5, 6, 4), p 2, * k 6, p 2. Repeat from * across, ending with k 1 (3, 5, 6, 4). **2nd row (Right Side):** P 1 (3, 5, 6, 4), k 2, * p 6, k 2. Repeat from * across, ending with p 1 (3, 5, 6,

4). **3rd and 4th rows:** Repeat first and 2nd rows. **5th row:** K 5 (0, 1, 2, 0), p 2 (1, 2, 2, 2), * k 6, p 2. Repeat from * across, ending with k 5 (6, 1, 2, 0), p 0 (1, 0, 0, 0). **6th row:** P 5, (0, 1, 2, 0), k 2 (1, 2, 2, 2), * p 6, k 2. Repeat from * across, ending with p 5 (6, 1, 2, 0), k 0 (1, 0, 0, 0). **7th and 8th rows:** Repeat 5th and 6th rows. The first to 8th rows incl constitute pattern. Work in pattern until piece measures 10 (11, 12, 13, 13½) inches in all.

To Shape Armholes: Bind off 3 (3, 3, 3, 4) sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until 36 (38, 42, 44, 46) sts remain. Work without decreasing until piece measures from first row of armhole shaping 5 (5½, 6, 6½, 7) inches. Bind off loosely.

FRONT . . . Work exactly as for Back.

SLEEVES . . . Starting at lower edge with No. 8 knitting pins, cast on 24 (24, 24, 28, 28) sts. Work in k 2, p 2 ribbing for 2 (2, 2½, 2½, 2½) inches. Change to No. 11 knitting pins and work in pattern as follows: **1st row:** K 3 (3, 3, 5, 5), p 2, * k 6, p 2. Repeat from * across, ending with k 3 (3, 3, 5, 5). Pattern is now established. Work in pattern, increasing 1 st at both ends on every 5th row until 36 (38, 40, 44, 46) sts are on needle. Work without increasing until piece measures 11 (12, 13, 14½, 15½) inches in all.

To Shape Top: Bind off at beginning of next 2 rows 3 (3, 3, 3, 4) sts. Dec 1 st at both ends of every other row until piece measures 2¼ (2¾, 3, 3½, 4) inches from first row of top shaping.


Continued on page 31

Directions are given for Size 4. Changes for Sizes 6, 8, 10 and 12 are in parentheses.

B-128 Continued from page 30

Bind off 3 sts at beginning of next 4 rows. Bind off remaining sts.

Block to measurements. Sew shoulder seams for 2½ (2½, 3, 3, 3½) inches. Sew side and sleeve seams. Sew in sleeves. On Front and Back, turn under 1 inch at center of neck edge and tack in place.



B-123 Continued from page 20

Oxford, and with Oxford k 5. **3rd and 4th rows:** With Oxford, repeat first and 2nd rows. Repeat last 4 rows until piece measures 8 inches in all, ending at side edge.

To Shape V Neck: Next row: Work in pattern to within 2 sts before front band, work next 2 sts together, k 5. Continue in pattern, decreasing 1 st within front band every 11th (10th, 10th, 10th, 9th) row thereafter, 9 (10, 10, 10, 11) times in all

At Same Time

when piece measures 14½ (14½, 15, 15, 15½) inches in all, ending at side edge, work as follows:

To Shape Armhole: 1st row: Bind off 5 (6, 7, 7, 8) sts, work across. Dec 1 st at side edge every other row 4 (4, 4, 5, 5) times in all. Keeping side edge straight and decreasing at front edge as indicated, work until piece measures same

as Back to Shoulder shaping, ending at side edge.

To Shape Shoulder: Bind off 5 sts at beginning of next row and every other row 4 (4, 3, 3, 3) times. Bind off 0 (0, 6, 7, 7) sts at same edge. Slip remaining 5 sts on a stitch holder to be worked later.

With pins mark the position of 3 buttons evenly spaced on Band, having the first pin mark 1 inch up from lower edge, and the last one in line with first decrease at neck edge.

LEFT FRONT . . . Starting at lower edge with Oxford and No. 8 needles, cast on 43 (45, 47, 49, 51) sts. **1st row:** * P 1, k 1. Repeat from * across to last 5 sts, k 5 for front band. **2nd row:** K 5, * p 1, k 1. Repeat from * across. Repeat last 2 rows for 1 inch, ending at front edge. **Next row:** K 2, bind off 1 st, k 2, work in pattern across. **Following row:** Work

Continued on page 35

Cable Mittens B-122

Continued from page 19

GAUGE: 5½ sts make 1 inch; 8 rnds make 1 inch.

BLOCKING MEASUREMENTS:

Measurements around Palm		(In Inches)						
5	5½	6	6½	7	7½	8	8½	9

RIGHT MITTEN . . . Starting at cuff with No. 5 needles, cast on

Stitches28 30 32 36 38 40 44 46 48

Divide sts among 3 needles and join, being careful not to twist sts. Change to No. 3 needles and work in ribbing of k 1, p 1 for

Inches 1¼ 2 2 2½ 2½ 3 3 3 3 increasing 1 st on last rnd if necessary to

Stitches28 31 33 36 39 41 44 47 49

Change to No. 5 needles and work as follows: **1st rnd:** K

Stitches17 19 21 23 25 27 29 31 33

p 1, k 2, p 2, k 2, p 1, k

Stitches 3 4 4 5 6 6 7 8 8

2nd, 3rd and 4th rnds: Repeat first rnd. **5th rnd:** K

Stitches17 19 21 23 25 27 29 31 33

p 1, sl next 2 sts on a spare double-pointed needle and hold in front of work, k next 2 sts, p next 2 sts, k the 2 sts from spare needle, p 1, k to end of rnd. **6th to 14th rnds incl:** Repeat first rnd. The 5th to 14th rnds incl constitute pattern. Work in pattern until piece measures from last rnd of ribbing

Inches 1¾ 2 2 2¼ 2½ 2¾ 3 3 3

Thumb Opening: Next rnd: Slip next

Stitches ... 5 5 6 6 7 7 8 8

onto a safety pin to be worked later, cast on

Stitches ... 5 5 6 6 7 7 8 8

to replace the sts on safety pin, complete rnd. Continue in pattern until piece measures from last rnd of ribbing

Inches 3½ 4½ 5 5½ 5½ 6 6 6½ 7

or to tip of little finger.

To Shape Tip: 1st rnd: Place a marker on needle, sl 1, k 1, p.s.s.o., k

Stitches ...10 11 13 14 15 17 18 19 21

k 2 tog (Palm), place a marker on needle, sl 1, k 1, p.s.s.o., work in pattern across to within last 2 sts, k 2 tog (Back). **2nd rnd:** Work in pattern around, slipping markers. Continue in this manner, decreasing 1 st after and before each marker on every other rnd until

Stitches ...16 15 17 16 19 21 20 23 25

remain. **Next rnd:** Work in pattern, decreasing 1 st in center of — **Back Palm** — **Back Palm** — **Back Palm** Place the sts of Palm on one needle and the sts of Back on another needle and weave or sew sts together.

THUMB . . . Slip sts from safety pin onto a No. 5 needle, with another needle pick up the same amount of sts along cast-on edge. Attach yarn to first needle, k around, picking up 1 st between each needle on each side, then divide sts evenly among 3 needles. There are

Stitches ...12 12 14 14 16 16 18 18

K around until thumb measures

Inches 2 2 2 2¼ 2¼ 2¼ 2½ 2½ or reaches ¼ inch from tip.

To Shape Tip: 1st rnd: * K 2 tog, k 1. Repeat from * around. **2nd rnd:** K around. **3rd rnd:** * K 2 tog. Repeat from * around. Break off, leaving an 8-inch length of

Continued on page 33

B-122 *Continued from page 32*

yarn. Thread this yarn into a needle and draw through remaining sts. Pull up tight and fasten on wrong side.

LEFT MITTEN . . . Work as for Right Mitten until ribbing has been completed. There are

Stitches28 31 33 36 39 41 44 47 49

Change to No. 5 needles and work as follows: K

Stitches 3 4 4 5 6 6 7 8 8

p 1, k 2, p 2, k 2, p 1, k

Stitches17 19 21 23 25 27 29 31 33

Work as for Right Mitten to within Thumb Opening.

Next rnd: Work in pattern around to last

Stitches 5 5 6 6 7 7 8 8 8

Slip these sts onto a safety pin to be worked later, cast on

Stitches 5 5 6 6 7 7 8 8 8

to replace sts on safety pin, complete rnd. Complete as for Right Mitten.

B-119 *Continued from page 15*

edge. **Next row:** K 2, bind off 2 sts for buttonhole, k 3 and work to end of row. **Following row:** Work in ribbing as established, casting on 2 sts over the bound-off sts. (Make a buttonhole in same manner opposite each of next 4 pin marks.) Continue to work in ribbing as established until piece measures in all, ending at front edge, **Inches** 2 2 2½ 2½ 3 3 3 3 at the same time increasing at side edge on last row **Stitches** 1 — 1 — 1 — 1 — 1

Change to No. 5 needles and work in pattern as follows:

1st row: K 9, * p 3, k 3. Repeat from * across. **2nd row:** Repeat first row of ribbing. Continue to work in pattern until piece measures in all, ending at front edge

Inches 4 4 5 5 5½ 5½ 5½ 5½

Next row: Work across

Stitches15 15 16 16 18 18 19 21 24

Bind off loosely for pocket next

Stitches18 20 22 24 24 26 26 26

work to end of row. **Following row:** Work across to bound-off sts, slip sts from stitch holder onto left-hand needle and work in pattern across these sts and complete row. Continue as for Left Front, reversing shapings.

SLEEVES . . . Starting at lower edge with No. 3 needles, cast on

Stitches33 33 39 39 39 41 41 41

Work in ribbing as for Back until piece measures

Inches 2 2 2½ 2½ 3 3 3

increasing 1 st on Sizes 12, 14 and 16 at end of last row.

Change to No. 5 needles and work in pattern, increasing

1 st at both ends of every 4th row until there are

Stitches61 65 71 75 79 80 82 84

Work without increasing until piece measures in all

Inches11 12 13 14½ 16½ 17 17½ 18

To Shape Top: Bind off

Stitches 3 4 4 5 6 6 7 7

at the beginning of the next 2 rows. Dec 1 st at both ends of next row and every other row thereafter until

Stitches43 43 45 45 46 46 46

remain. Bind off 5 sts at the beginning of the next

Rows 4 4 6 6 6 6 6 6

Bind off remaining sts.

Pocket Band (Make 2) . . . Starting at narrow end with

No. 5 needles, cast on 6 sts. Work in garter st for

Inches 3 3½ 3¾ 4 4 4¼ 4¼

Bind off.

Block pieces to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew narrow ends of neckband together and sew in place. Sew pocket linings in place. Sew pocket bands along top edge of pockets. Make buttonhole st around buttonholes. Sew on buttons.

Pattern Stitch

Jacket B-124

Continued from page 22

armhole measures $3\frac{1}{4}$ ($3\frac{1}{2}$, $3\frac{3}{4}$, 4) inches, ending at front edge.

To Shape Neck: Note: Place a marker at beginning of next row to indicate start of neck shaping. Dec 1 st at neck edge every other row until there remain 14 (15, 15, 16) sts. Work without decreasing until piece measures $7\frac{3}{4}$ ($8\frac{1}{4}$, $8\frac{3}{4}$, $9\frac{1}{4}$) inches from first row of armhole shaping, ending at armhole edge.

To Shape Shoulder: 1st row: Bind off 7 (7, 7, 8) sts, complete row. **2nd row:** Work across. Bind off remaining sts.

RIGHT FRONT . . . Work as for Left Front, reversing shaping.

SLEEVES . . . Starting at lower edge with Periwinkle and No. 10 needles, cast on 31 (33, 35, 37) sts. Work in ribbing as for Back for 6 rows. Change to No. 13 needles and work in pattern, increasing 1 st at both ends of every 8th row until there are on needle 47 (49, 51, 53) sts. Work even until Sleeve measures in all 13 (14, 14, 14) inches.

To Shape Top: Bind off at beginning of next 2 rows 4 (5, 5, 5) sts. Dec 1 st at both ends of every 3rd row until 25 (25, 27, 29) sts remain, then dec 1 st at both ends of every other row until piece measures $4\frac{3}{4}$ (5, $5\frac{1}{4}$, $5\frac{1}{2}$) inches from first row of top shaping. Bind off 4 sts at beginning of next 2 rows. Bind off remaining sts.

COLLAR (Left Half) . . . Starting at center back with Periwinkle cast on 17 sts. Work in pattern for 7 ($7\frac{1}{2}$, $8\frac{1}{4}$, $8\frac{3}{4}$)

inches, ending on right side of work. **Next row:** Work in pattern, decreasing last st (outer edge). Work 2 rows without decreasing. Dec 1 st at both ends of next row. Continue to work in pattern, decreasing 1 st at outer edge every 3rd row and **at the same time** decreasing 1 st at opposite edge (neck edge) every 6th row until all sts are worked off. **Right Half:** With Lt. Oxford and right side of work facing, pick up 17 sts along the cast-on sts. Work in pattern as for Left Half, reversing shaping. **Border:** With right side of work facing using Periwinkle and No. 10 needles, pick up 101 (105, 111, 115) sts along outer edge. Work in ribbing as for Back for 5 rows. Bind off loosely in ribbing.

BUTTON BAND . . . With right side of Left Front facing, Periwinkle and No. 10 needles, starting at marker at beginning of neck shaping, pick up and knit 80 (84, 86, 90) sts across entire front edge. Work in ribbing of k 1, p 1 for 5 rows. Bind off in ribbing.

With pins mark the position of 7 buttons, having the first pin mark 1 inch down from marker and last pin mark 1 inch up from lower edge.

BUTTONHOLE BAND . . . Working along Right Front edge from lower edge to marker at start of neck shaping, work as for Button Band until 2 rows of ribbing have been completed. **Next row:** Make a buttonhole opposite each pin mark. *To make a buttonhole*, work 2 sts tog, O. **Following row:** Work O as a stitch. Work 1 more row of ribbing. Bind off in ribbing.

FINISHING . . . Block to measurements. Sew side, shoulder and sleeve seams. Sew in sleeves. Sew collar in place, easing in neck edge to fit. Sew ends of collar border to corresponding front edge bands. Work buttonhole st around buttonholes. Sew on buttons.

Patterned Cardigan

B-123 *Continued from page 31*

in pattern across, casting on 1 st on front band to replace the bound-off st—buttonhole made. Continue as before until piece measures 2 inches in all, ending at side edge. Drop Oxford, attach Pearl Grey, change to No. 10 needles and work as follows: **1st row:** With Pearl Grey, * sl 1, k 1. Repeat from * across to last 5 sts, attach another ball of Oxford and, with Oxford, k 5. **2nd row:** With Oxford k 5, change color, with Pearl Grey, * p 1, k 1. Repeat from * across. **3rd and 4th rows:** With Oxford repeat first and 2nd rows, changing yarn before and after front band. Pattern is now established. Work as for Right Front, reversing shapings and making buttonholes in line with pinmarks.

SLEEVES . . . Starting at lower edge with Oxford and No. 8 needles, cast on 32 (32, 34, 36, 38) sts. Work in k 1, p 1 ribbing for 3 (3, 3½, 3½, 4) inches. Change to No. 10 needles and work in pattern as for Back, increasing 1 st at both ends of next row and every 6th row thereafter until there are 62 (64,

66, 68, 70) sts. Work straight until piece measures 19½ (19½, 20, 20, 20½) inches in all.

To Shape Top: 1st row: Bind off 5 (6, 7, 7, 8) sts at beginning of next 2 rows. Dec 1 st at both ends of every other row until 22 (20, 20, 18, 16) sts remain. Bind off 2 sts at beginning of next 4 rows. Bind off remaining sts.

POCKET (Make 2) . . . Starting at lower edge with Oxford and No. 10 needles, cast on 21 sts and attach Pearl Grey. Work in pattern as for Back until piece measures 4 inches. Change to No. 8 needles and, with Oxford, work in k 1, p 1 ribbing for 1 inch. Bind off in ribbing.

Block to measurements. Sew shoulder seams. Slip the 5 sts of one band from stitch holder to No. 10 needle and work in garter st (k each row) until piece reaches to center of Back neck edge. Bind off. Work other band the same way. Sew bound-off edges together. Sew band to Back neck edge. Sew side and sleeve seams. Sew in sleeves. Sew pockets in place. Sew buttons to correspond with buttonholes. Work buttonhole st around buttonholes.

ABBREVIATIONS

k	knit	rnd	round
p	purl	p.s.s.o.	pass slipped stitch over knit stitch
inc	increase	sc	single crochet
sl	slip	incl	inclusive
dec	decrease	O	yarn over
tog	together		
st	stitch		

* (asterisk) . . . Repeat the instructions following the asterisk as many times as specified.

Repeat instructions in parentheses as many times as specified. For example: "(K 1, O, p 3) 4 times" means to make whatever is in parentheses 4 times in all.

COATS & CLARK'S

BOOK No. 106

29¢

Quick and Easy
BULKY KNITS
for the Family



Featuring **RED**  **HEART** Yarns