


# ARAN Fisherman SWEATERS



- to Knit
- for men
  - women
  - children



No. 8402  
(Page 10)

No. 8410  
(Page 23)

a collection of  
**ARAN PATTERNS** in  
*Bear Brand*  
**FLEISHER'S**  
*Bucilla*  
**YARNS**

**CARDIGAN (Shown on Page 3)—Sizes 34-36, 38-40, 42-44**  
**PULLOVER (Shown on Front Cover)—Sizes 34-36, 38-40, 42-44**

Instructions are for Pullover and Cardigan

Size 34-36, changes for sizes 38-40 and 42-44 are in parentheses.

**MATERIALS:** BUCILLA "WOOL and SHETLAND WOOL", 2 oz. balls

or BEAR BRAND or FLEISHER'S

Machine Washable WINSOM,  
2 oz. skeins

	Size 34-36	Size 38-40	Size 42-44
Pullover —	8 balls	9 balls	10 balls
Cardigan —	10 balls	10 balls	11 balls

	Size 34-36	Size 38-40	Size 42-44
Pullover —	8 skeins	9 skeins	10 skeins
Cardigan —	10 skeins	10 skeins	11 skeins

**"BOYE" OR "DIANA" NEEDLES:** 1 pair Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 5.

Hook, Size G to twist cables.

**GAUGE:** Size 8 Needles—Aran Pattern—6 sts=1 inch      7 rows = 1 inch

Size 8 Needles—Double Seed St—11 sts = 2 inches      7 rows = 1 inch

To check gauge, see page 31.

**ARAN PATTERN NO. 1—83 sts**

**Row 1**—wrong side—\* P 1, \* k 3, p 2, k 1, p 2, k 3 \*; † p 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1; repeat between \*'s once † \*\*; repeat between †'s once, p 1.

**Row 2**—\*\* K 1, \* p 3, slip next 3 sts to hook and hold at back of work, k next 2 sts, slip the p st from hook to left needle and p this st, k 2 sts from hook, p 3 \*; † k 1, p 1, work a "3-in-1" st as follows: p 3 tog. but do not drop sts from left needle, k same 3 sts tog. inserting needle through front of sts, do not drop sts from left needle, p same 3 sts tog. and drop from left needle; p 1, k 1, p 1, slip next 2 sts to hook and hold at back of work, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook and hold at front of work, k next 2 sts, k 2 sts from hook — a double cable twist —; p 1, k 1, p 1, work a "3-in-1" st on next 3 sts as before, p 1, k 1; repeat between \*'s once † \*\*; repeat between †'s once, k 1.

**Row 3**—Same as row 1.

**Row 4**—\*\* K 1, \* p 2, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 2 \*; † k 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1; repeat between \*'s once † \*\*; repeat between †'s once, k 1.

**Row 5**—\*\* P 1, \* k 2, p 2, k 3, p 2, k 2 \*; † p 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1; repeat between \*'s once † \*\*; repeat between †'s once, p 1.

**Row 6**—\*\* K 1, \* p 1, slip next p st to hook and hold at back, k 2, p st from hook, p 3, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1 \*; † k 1, p 1, work a "3-in-1"

st on next 3 sts, p 1, k 1, p 1, slip next 2 sts to hook and hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook and hold at front, k next 2 sts, k 2 sts from hook—a double cable twist —, p 1, k 1, p 1, work a "3-in-1" st on next 3 sts, p 1, k 1, repeat between \*'s once † \*\*; repeat between †'s once, k 1.

**Row 7**—\*\* P 1, \* k 1, p 2, k 5, p 2, k 1 \*; † p 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1; repeat between \*'s once † \*\*; repeat between †'s once, p 1.

**Row 8**—\*\* K 1, \* p 1, k 2, p 5, k 2, p 1 \*; † k 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1; repeat between \*'s once † \*\*; repeat between †'s once, k 1.

**Row 9**—Same as row 7.

**Row 10**—\*\* K 1, \* p 1, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 3, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 1 \*; † k 1, p 1, work "3-in-1" st, p 1, k 1, p 1, work a double cable twist on next 8 sts, p 1, k 1, p 1, work "3-in-1" st, p 1, k 1; repeat between \*'s once † \*\*; repeat between †'s once, k 1.

**Row 11**—\*\* P 1, \* k 2, p 2, k 3, p 2, k 2 \*; † p 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1; repeat between \*'s once † \*\*; repeat between †'s once, p 1.

**Row 12**—\*\* K 1, \* p 2, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, slip next p st to hook and hold at back, k 2, p st from hook, p 2, \*; † k 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1; repeat between \*'s once † \*\*; repeat between †'s once, k 1.

Repeat these 12 rows for pat.

**ARAN PATTERN NO. 2—59 sts**

**Row 1**—wrong side—\* P 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1 \*; k 3, p 2, k 1, p 2, k 3; repeat between \*'s once.

**Row 2**—\* K 1, p 1, work a "3-in-1" st on next 3 sts, p 1, k 1, p 1, slip next 2 sts to hook and hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook and hold at front, k next 2 sts, k 2 sts from hook, p 1, k 1, p 1, work "3-in-1" st on next 3 sts, p 1, k 1 \*; p 3, slip next 3 sts to hook and hold at back, k next 2 sts, slip the p st from hook to left needle and p this st, k 2 sts from hook, p 3; repeat between \*'s once.

**Row 3**—Same as row 1.

**Row 4**—\* K 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1 \*; p 2, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 2; repeat between \*'s once.

**Row 5**—\* P 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1. p 1, k 1, p 3, k 1, p 1 \*; k 2, p 2, k 3, p 2, k 2; repeat between \*'s once.

**Row 6**—\* K 1, p 1, work "3-in-1" st on next 3 sts, p 1, k 1, p 1, slip next 2 sts to hook and hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook and hold at front, k next 2 sts, k 2 sts from hook, p 1, k 1, p 1, work "3-in-1" st on next 3 sts, p 1, k 1 \*; p 1, slip next p st to hook and hold at back, k 2, p st from hook, p 3, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1; repeat between \*'s once.

**Row 7**—\* P 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1 \*; k 1, p 2, k 5, p 2, k 1; repeat between \*'s once.

(Continued on Page 23)



**Style No. 8413**

Instructions are for size 32-34, changes for size 36-38 are in parentheses.

**MATERIALS:** BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 28 (32) ozs.  
or BUCILLA SHAMROCK, 2 oz. balls; 14 (16) balls.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 9—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 6.

**GAUGE:** Larger Size Needles — Pattern — 11 sts = 2 inches 7 rows = 1 inch  
Seed St — 9 sts = 2 inches To check gauge, see page 31.

MEASUREMENTS FOR BLOCKING:	To fit	32-34 in.	36-38 in.
		Bust	Bust
At bustline, buttoned . . . . .	inches	41½	44½
Width of back at underarm . . . . .	inches	20½	21½
Width of sleeve at underarm . . . . .	inches	14	15½

**BACK**—With size 6 needles, cast on 103 (111) sts.

**Ribbing—Row 1**—P 1, \* k 1, p 1; repeat from \* to end.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to end.

Repeat these 2 rows 3 times, increasing 1 st on last row in 51st (55th) st for center cable; 104 (112) sts. Begin pat.

**Pattern—Row 1** — wrong side — With larger needles, work k 1, p 1 for seed st on 15 (19) sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; place a marker before next st for beg. of panel pat., k 2, work 5 sts in next st by knitting in front, back, front, back and front of next st for beg. of popcorn, k 2, p 2, k 1, p 2, k 2, work 5 sts in next st for popcorn as before, k 2, place another marker on needle for end of 15-st panel; repeat between \*'s once †; p 8 for center cable; repeat between †'s once; work 15 (19) seed sts of k 1, p 1 to end.

**Row 2**—Work 15 (19) seed sts, † \* p 1, with yarn at back slip 1 st as to p, p 1, p 3 sts tog., do not drop from needle, k same 3 sts tog. then p same 3 sts tog. once more all in front of sts, drop all sts from needle, a 3-in-1 st, p 1, with yarn at back, slip 1 as before, p 1 \*; slip marker, p 2, with yarn at back, slip next 4 sts to right hand needle, k in back loop of next st, then slip the 4 sts from right needle over last k st, one by one, to complete popcorn; p 2, slip next 3 sts to hook, hold sts at front, k next 2 sts, slip p st from hook and p this st, k 2 sts from hook, p 2, complete popcorn as before, p 2, slip marker; repeat between \*'s once †; slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook—a double cable —; repeat between †'s once, work 15 (19) seed sts.

**Row 3**—Work 15 (19) seed sts, † \*

k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*, slip marker, k 5, p 2, k 1, p 2, k 5, slip marker; repeat between \*'s once †, p 8; repeat between †'s once; work seed st to end.

**Row 4**—Work 15 (19) seed sts, † \* p 1, with yarn at back, slip 1, p 1, k 3, p 1, slip 1, p 1 \*; slip marker, p 4, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 4, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end.

**Row 5**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 4, p 2, k 3, p 2, k 4, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 6**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, work 3-in-1 st on next 3 sts, p 1, slip 1, p 1 \*; slip marker, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 3, slip next 2 sts to hook, hold at front, p 1 st, k 2 sts from hook, p 3, slip marker; repeat between \*'s once †; slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook; repeat between †'s once, work seed st to end.

**Row 7**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 3, p 2, k 2, work 5 sts in next st for popcorn, k 2, p 2, k 3, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 8**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, k 3, p 1, slip 1, p 1 \*; slip marker, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, complete popcorn as before, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, slip marker; repeat between \*'s once †; k 8; repeat

between †'s once, work seed st to end.

**Row 9**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 2, p 2, k 7, p 2, k 2, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 10**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, work 3-in-1 st on next 3 sts, p 1, slip 1, p 1 \*; slip marker, p 1, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 7, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end.

**Row 11**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 1, p 2, k 2, work 5 sts in next st for popcorn, k 3, work 5 sts in next st, k 2, p 2, k 1, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 12**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, k 3, p 1, slip 1, p 1 \*, slip marker, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, complete popcorn, p 3, complete popcorn, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end.

**Row 13**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, p 2, k 11, p 2, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 14**—Work 15 (19) seed sts † \* p 1, slip 1, p 1, work 3-in-1 st on next 3 sts, p 1, slip 1, p 1 \*, slip marker, k 2, p 11, k 2, slip marker; repeat between \*'s once †; slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook; repeat between †'s once, work seed st to end.

(Continued on Next Page)

**Style No. 8413**

(Continued from Page 4)

**Row 15**—Work 15 (19) seed sts; † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, p 2, k 3, work 5 sts in next st for popcorn, k 3, work 5 sts in next st, k 3, p 2, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 16**—Work 15 (19) seed sts; † \* p 1, slip 1, p 1, k 3, p 1, slip 1, p 1 \*; slip marker; slip 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 2, complete popcorn, p 3, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, slip marker; repeat between \*'s once †; k 8, repeat between †'s once, work seed st to end.

**Row 17**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 1, p 2, k 9, p 2, k 1, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.


**Row 18**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, work 3-in-1 st on next 3 sts, p 1, slip 1, p 1 \*; slip marker, p 1, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 7, slip p st to hook, hold at back, k next 2 sts, p st from hook, p 1, slip marker; repeat between \*'s once †; slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook; repeat between †'s once, work seed st to end.

**Row 19**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 2, p 2, k 3, work 5 sts in next st for popcorn, k 3, p 2, k 2, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 20**—Work 15 (19) seed sts; † \* p 1, slip 1, p 1, k 3, p 1, slip 1, p 1 \*; slip marker, p 2, slip 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 2, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end.

**Row 21**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 3, p 2, k 5, p 2, k 3, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

(Continued on Page 30)



**Style No. 8404**

Instructions are for Man's Pullover Size 40-42, changes for Woman's Pullover, Size 34-36 and Child's Pullover, Size 10-12 are in parentheses.

**MATERIALS:** BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 32 (24-20) ozs.  
or BUCILLA SHAMROCK, 2 oz. balls; 16 (12-10) balls.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 4.

**GAUGE:** Larger Size Needles — 11 sts = 2 inches  
To check gauge, see page 31.

7 rows = 1 inch

**MEASUREMENTS FOR BLOCKING:**

To fit	40-42 in. Chest	34-36 in. Chest	30-32 in. Chest
At chest .....	44 inches	39½	34



**Style No. 8404** (Continued from Page 6)

**BACK**—With size 4 needles, cast on 120 (108-92) sts. Work k 1, p 1 ribbing for 4 (3½-3) ins., increasing 1 st at end of last row; 121 (109-93) sts.

**Pattern — Row 1** — wrong side — With larger needles, work k 1, p 1 for 15 (11-3) sts for seed st; \* p 1, k 1, p 8, k 1, p 1, k 1, p 5 (3-3), k 1, p 1, k 1, p 8, k 1, p 1 \*, k 1, p 1 for 5 sts for seed st, place marker on needle for beg. of center panel of 19 sts, p 1, k 3, work 5 sts in next st by knitting in front, back, front, back and front of next st;

k 2, p 2, k 1, p 2, k 2, work 5 sts in next st as before, k 3, p 1, place 2nd marker on needle for end of panel, work k 1, p 1 for 5 sts for seed st; repeat between \*'s once, work k 1, p 1 for seed st to end.

**Row 2**—Work k 1, p 1 for 15 (11-3) sts for seed st, \* k 1, p 1; slip next 2 sts to hook, hold at back of work, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at front of work, k next 2 sts, k 2 sts from hook—a double cable twist, p 1, k 1, p 7 (5-5) sts, k 1, p 1,

work double cable twist on next 8 sts, p 1, k 1 \*, work k 1, p 1 for 5 sts for seed st, slip marker to right needle, k 1, p 3, yarn to back; slip next 4 sts to right needle, k in back loop of next st, then slip the 4 sts slipped to right needle over the last st knitted—this completes popcorn; p 2, slip next 3 sts to hook, hold at front of work, k next 2 sts, slip p st from hook to left needle and p this st, k 2 sts from hook, p 2, slip next 4 sts to right needle and complete popcorn as before; p 3, k 1, slip marker to right needle; work k 1, p 1 for 5 sts for seed st; repeat between \*'s once, work k 1, p 1 to end.

**Row 3**—Work same as row 1 to first marker, slip marker to right needle, p 1, k 6, p 2, k 1, p 2, k 6, p 1, slip marker to right needle, beg. from 2nd marker, complete as for row 1.

**Row 4**—Work seed st for 15 (11-3) sts, \* k 1, p 1, k 8, p 1, k 1, p 1, k 5 (3-3), p 1, k 1, p 1, k 8, p 1, k 1 \*, work 5 sts seed st, slip marker; k 1, p 5, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 5, k 1, slip marker; work 5 sts in seed st; repeat between \*'s once, work seed st to end.

**Row 5**—Work same as row 1 to first marker, slip marker, p 1, k 5, p 2, k 3, p 2, k 5, p 1, slip marker, beg. from 2nd marker, complete as for row 1.

**Row 6**—Same as row 4 to first marker, slip marker; k 1, p 4, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 3, slip next 2 sts to hook, hold in front, p 1 st, k 2 sts from hook, p 4, k 1, slip marker, work 5 sts in seed st, k 1, p 1, k 8, p 1, k 1, p 1, k 5 (3-3), p 1, k 1, p 1, k 8, p 1, k 1, work seed st to end.

Repeating last 6 rows of pat. on 51 (45-37) sts on each side of 19 sts of center panel between markers, work pat. on center 19 sts as follows:

**Pattern for 19 center panel sts—Row 7**—Work 51 (45-37) sts; slip marker, p 1, k 4, p 2, k 2, work 5 sts in next st as before for popcorn, k 2, p 2, k 4, p 1, slip marker; work 51 (45-37) sts.

**Row 8**—Work 51 (45-37) sts; slip marker, k 1, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, complete popcorn as before, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 3, k 1, slip marker; work 51 (45-37) sts.

**Row 9**—Work 51 (45-37) sts; slip marker, p 1, k 3, p 2, k 7, p 2, k 3, p 1, slip marker; work 51 (45-37) sts.

(Continued on Page 27)



**Style No. 8415**

Instructions are for size 38-40, changes for size 42-44 are in parentheses.

**MATERIALS:** BUCILLA Machine Washable MULTI-CRAFT, 2 oz. skeins 16 (17)  
 or BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
 or BUCILLA KNITTING WORSTED, 32 (36) ozs.

**"BOYE" OR "DIANA" NEEDLES:** Size 11—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
 Size 9.  
 Hook, Size G

**GAUGE:** Size 11 Needles — 1 repeat of pattern—31 sts = 7 ins.      9 rows = 2 ins.  
 Seed st—3 sts = 1 in.      9 rows = 2 ins.      To check gauge, see page 31.

**MEASUREMENTS FOR BLOCKING:**

Chest .....	42 (46) inches.
Back at underarm .....	21 (23) inches.
Sleeve at underarm .....	16 (17) inches.

**NOTE:** Use 1 strand MULTI-CRAFT or 2 strands WIN-KNIT or KNITTING WORSTED.

**Back**—With size 9 needles, cast on 79 (85) sts.

**Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* across row.

**Row 2**—P 1, \* k 1, p 1; repeat from \* across row.

Repeat these 2 rows for ribbing until 5 rows from beg., end on wrong side.

**Inc. row**—Work 12 (14) sts in ribbing, inc. 1 st in next st as to p, by purling in front and in back loop of st, work 19 sts in ribbing, inc. 1 st in next st as before, work 13 (15) sts in ribbing, inc. 1 st in next st as before, work 19 sts in ribbing, inc. 1 st in next st as before, work ribbing to end; 83 (89) sts.

**Pattern Row 1**—wrong side—With size 11 needles, work p 1, k 1 alternately across 8 (10) sts for seed st; \* k 1, p 1, k 1, p 4, k 1, p 1, k 4, p 2, k 1, p 2, k 4, p 1, k 1, p 4, k 1, p 1, k 1 \*; work k 1, p 1 alternately across next 5 (7) sts for seed st stripe; repeat between \*'s once, work k 1, p 1 alternately to end for seed st.

**Row 2**—Work p 1, k 1 alternately across 8 (10) sts for seed st; \* p 1, k 1, p 1, sl next 2 sts to hook and hold at front of work, k next 2 sts, k 2 sts from hook—a "4-st" cable twist—, p 1, k 1, p 4, sl next 3 sts to hook and hold at back of work, k next 2 sts, sl p st from hook to left hand needle and p this st, then k 2 sts from hook—a "5-st" cable twist, p 4, k 1, p 1, twist cable on next 4 sts as for "4-st" cable twist,

p 1, k 1, p 1 \*; work k 1, p 1 alternately across next 5 (7) sts for seed st stripe; repeat between \*'s once, work k 1, p 1 alternately across last 8 (10) sts for seed st.

**Row 3**—P 1, k 1 alternately across 8 (10) sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 4, p 2, k 1, p 2, k 4, p 1, k 1, p 4, k 1, p 1, k 1 \*; k 1, p 1 alternately across 5 (7) sts; repeat between \*'s once, k 1, p 1 alternately across last 8 (10) sts.

**Row 4**—P 1, k 1 alternately across 8 (10) sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 3, sl next p st to hook and hold at back, k next 2 sts, p st from hook, p 1, sl next 2 sts to hook and hold at front, p 1, k 2 from hook, p 3, k 1, p 1, k 4, p 1, k 1, p 1 \*; k 1, p 1 alternately across 5 (7) sts; repeat between \*'s once, k 1, p 1, alternately across last 8 (10) sts.

**Row 5**—P 1, k 1 alternately across 8 (10) sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 3, p 2, k 3, p 2, k 3, p 1, k 1, p 4, k 1, p 1, k 1 \*; k 1, p 1 alternately across 5 (7) sts; repeat between \*'s once, k 1, p 1 alternately across last 8 (10) sts.

**Row 6**—Work 8 (10) seed sts as before; \* p 1, k 1, p 1, twist cable on next 4 sts as for "4-st" cable twist, p 1, k 1, p 2, sl next p st to hook and hold at back, k 2, p st from hook, p 3, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 2, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 7**—Work 8 (10) seed sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 2, p 2, k 5, p 2, k 2, p 1, k 1, p 4, k 1, p 1, k

1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 8**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 1, sl next p st to hook and hold at back, k next 2 sts, p st from hook, p 5, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 9**—Work 8 (10) seed sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 1, p 2; k 7, p 2, k 1, p 1, k 1, p 4, k 1, p 1, k 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 10**—Work 8 (10) seed sts; \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 5, sl next p st to hook and hold at back, k 2, p st from hook, p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.


**Row 11**—Work 8 (10) seed sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 2, p 2, k 5, p 2, k 2, p 1, k 1, p 4, k 1, p 1, k 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 12**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 2, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 3, sl next p st to hook and hold at back, k 2, p st from hook, p 2, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

(Continued on Page 26)







Instructions are for size 38, changes for sizes 42 and 46 are in parentheses.

**MATERIALS:** BUCILLA Machine Washable MULTI-CRAFT, 2 oz. skeins; 13 (14-16)  
or BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 28 (28-32) ozs.

**"BOYE" OR "DIANA" NEEDLES:** 1 pair Size 11— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 9.  
Hook, Size G (5).

**GAUGE:** Size 11 Needles — 13 sts = 4 inches 17 rows = 4 inches  
To check gauge, see page 31.

MEASUREMENTS FOR BLOCKING:	To fit	38 in. Chest	42 in. Chest	46 in. Chest
At chest, buttoned . . . . .	inches	40	44	48
Width of back at underarm . . . . .	inches	20	22	24
Width of sleeves at underarm . . . . .	inches	16	17	18

**NOTE:** Use 1 strand MULTI-CRAFT or 2 strands WIN-KNIT or KNITTING WORSTED.

Panel Pattern is a multiple of 19 sts.

**Row 1**—right side—P 3, k 1, p 3, slip next st to hook, hold at front, p 1, k 1 from hook, p 1, slip next st to hook, hold at back, k 1, p 1 from hook, p 3, k 1, p 3.

**Row 2**—K 3, p 1, k 4, p 3, k 4, p 1, k 3.

**Row 3**—P 1, work a popcorn in next st as follows: work 4 sts in next st by knitting in front, back, front, back of st; \* pass the 2nd st on right needle over first st and drop from needle; repeat from \* twice, p 1, k 1, p 3, slip next st to hook and hold at back, k 1, k 1 from hook, p 1, slip next st to hook and hold at front, k 1, k 1 from hook, p 3, k 1, p 1, work popcorn in next st, p 1.

**Row 4**—K 3, p 1, k 3, p 1, k 1, p 1, k 1, p 1, k 3, p 1, k 3.

**Row 5**—P 3, k 1, p 2, slip next st to hook, hold at back, k 1, p 1 from hook, k 1, p 1, k 1, slip next st to hook, hold at front, p 1, k 1 from hook, p 2, k 1, p 3.

**Row 6**—K 3, p 1, k 2, p 2, k 1, p 1, k 1, p 2, k 2, p 1, k 3.

**Row 7**—P 1, popcorn in next st, p 1, k 1, p 1, slip next st to hook, hold at back, k 1, k 1 from hook, p 1, k 1, p 1, k 1, p 1, slip next st to hook, hold at front, k 1, k 1 from hook, p 1, k 1, p 1, popcorn in next st, p 1.

**Row 8**—K 3, p 1, \* k 1, p 1; repeat from \* 5 times, k 3.

**Row 9**—P 3, k 1, slip next st to hook, hold at back, k 1, p 1 from hook, k 1, p 1, k 1, p 1, k 1, p 1, k 1, slip next st to hook, hold at front, p 1, k 1 from hook, k 1, p 3.

**Row 10**—K 3, p 3, k 1, p 1, k 1, p 1, k 1, p 1, k 1, p 3, k 3.

**Row 11**—P 1, work popcorn in next st, p 1, k 1, slip next st to hook, hold at front, p 1, k 1 from hook—a front twist—, k 1, \* p 1, k 1; repeat from \* twice, slip next st to hook, hold at back, k 1, p 1 from hook—a back twist—, k 1,

p 1, work popcorn in next st, p 1.

**Row 12**—Same as row 8.

**Row 13**—P 3, k 1, p 1, work a front twist in next 2 sts, p 1, k 1, p 1, k 1, p 1, work a back twist in next 2 sts, p 1, k 1, p 3.

**Row 14**—Same as row 6.

**Row 15**—P 1, work popcorn in next st, p 1, k 1, p 2, work front twist in next 2 sts, k 1, p 1, k 1, work a back twist in next 2 sts, p 2, k 1, p 1, work popcorn in next st, p 1.

**Row 16**—Same as row 4. Repeat these 16 rows for pat.

**BACK**—With size 9 needles, cast on 65 (71-77) sts.

**For size 38 and 46 only—Ribbing—Row 1**—wrong side—P 1, \* k 1, p 1; repeat from \* to end.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to end.

Repeat these 2 rows until 9 (17) rows—about 2 (3) ins.—from beg., end with row 1.

**For size 42 only—Ribbing—Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* to end.

**Row 2**—P 1, \* k 1, p 1; repeat from \* to end.

Repeat these 2 rows until 13 rows—about 2½ ins.—from beg., end with row 1.

**Pattern—Row 1**—For all sizes—right side—With size 11 needles, k 6 (8-10) sts, \* place a marker on needle for beg. of panel pat., work pat. row 1 on next 19 sts, place a marker on needle for end of panel pat. \*; k 15 (17-19) sts; repeat between \*'s once, k 6 (8-10) sts.

**Row 2**—P to first marker, \* slip marker, work pat. row 2 to next marker, slip marker \*, p to next marker; repeat between \*'s once, p 6 (8-10) sts.

Continue to work 2 pat. panels on the 19 sts between markers and stockinette st on the 15 (17-19) sts between panels and on the 6 (8-10) sts at each side until 59 (55-51) rows above ribbing, end with pat. row 11 (7-3)—about

15½ ins. from lower edge. Mark for underarm.

**Armholes**—Bind off 2 (3-3) sts at beg. of each of next 2 rows. Work 1 row even.

**Dec. row**—K 2 tog., work to within 2 sts of end, slip, k and pass. Repeat dec. row every 2nd row twice; 55 (59-65) sts. Work even until 36 (40-44) rows—about 8½ (9½-10½) ins.—above underarm marker, end with pat. row 15.

**Shoulder Shaping**—Bind off 6 (7-9) sts at beg. of each of next 2 rows, binding off in pat. but omit twist st when binding off; bind off 7 sts at beg. of each of next 4 rows. Bind off 15 (17-19) sts for neck.

**LEFT FRONT**—With size 9 needles, cast on 36 (39-42) sts.

**For size 38 and 46 only—Ribbing—Row 1**—wrong side—\* K 1, p 1; repeat from \* to end.

**Row 2**—\* K 1, p 1; repeat from \* to within 6 sts of end, k 2, p 1, k 1, p 1, k 1 for front border, having 5 sts of seed st and 1 st of stockinette st at inner edge. Repeat these 2 rows 1 (3) times, end with row 2 at front edge.

**For size 42 only—Ribbing—Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* to end.

**Row 2**—P 1, \* k 1, p 1; repeat from \* to within 6 sts of end; k 2, p 1, k 1, p 1, k 1 for front border. Repeat last 2 rows twice, end with row 2 at front edge.

**Buttonhole rows**—For all sizes—K 1, p 1, bind off 2 sts in pat., work to end. Cast on 2 sts over buttonhole on next row. Continue ribbing for 3 (5-7) rows more end with row 1.

**Pattern—Row 1**—right side—With size 11 needles, k 11 (14-17) sts, place a marker on needle for beg. of panel pat., work pat. row 1 on next 19 sts, place a marker on needle for end of panel pat., work 6 sts of border as before.

**Row 2**—Work 6 sts of border, slip marker, work pat. row 2 on next 19 sts, slip marker, p 11 (14-17) sts.

(Continued on Page 29)

**Style No. 8411**

Instructions are for size 10-12, changes for size 14-16 are in parentheses.

- MATERIALS:** BUCILLA Machine Washable MULTI-CRAFT  
 2 oz. skeins; 14 (16) skeins  
 or BEAR BRAND or FLEISHER'S TWIN-PAK  
 Machine Washable WIN-KNIT  
 or BUCILLA KNITTING WORSTED, 28 (32) ozs.

- "BOYE" or "DIANA" NEEDLES:** 1 pair Size 10½  
 —OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
 1 pair Size 8.  
 Hook, Size G.  
 Steel Hook, Size 00 for Buttons.  
 5 Plastic Rings 1 ½ in. diameter

- GAUGE:** Size 10½ Needles —  
 Pattern Panel — 31 sts = 6½ inches  
 10 rows = 2 inches  
 Seed St — 15 sts = 4 inches

To check gauge, see page 31.

MEASUREMENTS FOR BLOCKING:	32½-34 in.	36-38 in.
	Bust	Bust
At bustline with 2 in. overlap . . . . .	38 inches	42 inches
Width of back at underarm . . . . .	18 inches	20 inches
Width of each front at underarm . . . . .	11 inches	12 inches
Width of sleeves at underarm . . . . .	14 inches	15 inches

**NOTE:** Use 1 strand MULTI-CRAFT or 2 strands WIN-KNIT or KNITTING WORSTED.

**BACK**—With size 8 needles, cast on 75 (83) sts.

**Row 1**—wrong side—P 1, \* k 1, p 1; repeat from \* to end.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to end.

**Row 3**—Same as row 1.

**Inc. row**—right side—Work ribbing on 11 (15) sts, \* inc. 1 st in next st, work k 1, p 1 ribbing for 19 sts, inc. 1 st in next st \*, work k 1, p 1 ribbing on next 11 sts; repeat between \*'s once, work ribbing to end; 79 (87) sts.

With size 10½ needles, begin pat.

(Continued on Page 28)



## Style No. 8406

Size 34-36

**MATERIALS:** BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 28 ozs.  
or BUCILLA SHAMROCK, 2 oz. balls, 14 balls.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 4.  
Hook Size F.

**GAUGE:** Larger Size Needles — 11 sts = 2 inches      7 rows = 1 inch  
To check gauge, see page 31.

**MEASUREMENTS FOR BLOCKING:**

At bustline, buttoned, 41 inches  
Width of back at underarm, 17½ inches  
Width of sleeves at underarm, 16 inches

**BACK**—With size 4 needles, cast on 97 sts for facing. P 1 row, k 1 row for 10 rows.

**Turning ridge**—K 1 row from wrong side inserting needle in back of sts. K 1 row. Begin pat.

**Pattern—Row 1** — wrong side — With larger needles, p 1, k 1, p 1, k 1, p 1, k 1; † p 1, k 3, work 5 sts in next st by knitting loosely in front, back, front, back and front of next st, k 2, p 2, k 1, p 2, k 2, work 5 sts in next st as before, k 3, p 1, †; k 1, p 1, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1, k 1, p 1, k 1, p 1, k 1 \*; repeat between \*'s once, repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 2**—K 1, then k 1, p 1, k 1, p 1, k 1, for seed st stripe, † k 1, p 3, with yarn at back of work, slip next 4 sts to right hand needle without knitting them, k in back loop of next st then slip each of the 4 slipped sts on right hand needle separately over last k st to complete popcorn, p 2, slip next 3 sts to hook and hold at front of work, k next 2 sts, slip the p st from hook to left hand needle and p this st, then k 2 sts from hook, p 2, slip next 4 sts to right hand needle, k in back loop of next st, slip 4 slipped sts over last st as before to complete popcorn, p 3, k 1 †; k 1, p 1, k 1, p 1, k 1, for seed st stripe; \* k 1, p 1, slip next 3 sts to hook and hold at back of work, k next 3 sts, k 3 sts from hook, slip next 3 sts to hook and hold at front of work, k next 3 sts, k 3 sts from hook—double cable twist—, p 1, k 1; then k 1, p 1, k 1, p 1, k 1 for seed st stripe \*; repeat between \*'s once; then repeat between †'s once, k 1, p 1, k 1, p 1, k 1 for seed st stripe, k 1.

**Row 3**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 6, p 2, k 1, p 2, k 6, p 1 †; k 1, p 1, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1, k 1, p 1, k 1, p 1, k 1 \*; repeat between \*'s once; then repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 4**—K 2, p 1, k 1, p 1, k 1, † k 1, p 5, slip next p st to hook, hold at back of work, k next 2 sts, p st from hook,

p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 5, k 1 †; k 1, p 1, k 1, p 1, k 1, \* k 1, p 1; k 12, p 1, k 1, then k 1, p 1, k 1, p 1, k 1 \*; repeat between \*'s once; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 5**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 5, p 2, k 3, p 2, k 5, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 6**—K 2, p 1, k 1, p 1, k 1, † k 1, p 4, slip next p st to hook, hold at back, k 2, p st from hook, p 3, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 4, k 1, †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 7**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 4, p 2, k 2, work 5 sts in next st for popcorn as in row 1, k 2, p 2, k 4, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 8**—K 2, p 1, k 1, p 1, k 1, † k 1, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, with yarn at back, slip next 4 sts to right hand needle without knitting them, k in back loop of next st, complete popcorn as in row 2, p 2, slip next 2 sts to hook and hold at front, p 1, k 2 from hook, p 3, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 2 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 9**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 3, p 2, k 7, p 2, k 3, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 10**—K 2, p 1, k 1, p 1, k 1, † k 1, p 2, slip next p st to hook, hold at back, k 2, p st from hook, p 7, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 11**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 2, p 2, k 2, work 5 sts in next st for popcorn, k 3, work 5 sts in next st for popcorn, k 2, p 2, k 2, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 12**—K 2, p 1, k 1, p 1, k 1, † k 1, p 1, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, complete popcorn as before, p 3, complete popcorn, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 13**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 1, p 2, k 11, p 2, k 1, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 14**—K 2, p 1, k 1, p 1, k 1, † k 1, p 1, k 2, p 11, k 2, p 1, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 2 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 15**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 1, p 2, k 3, work 5 sts in next st for popcorn, k 3, work 5 sts in next st for popcorn, k 3, p 2, k 1, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 16**—K 2, p 1, k 1, p 1, k 1, † k 1, p 1, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 2, complete popcorn, p 3, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 1, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 17**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 2, p 2, k 9, p 2, k 2, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

(Continued on Next Page)

**Style No. 8406**

(Continued from Page 12)

**Row 18**—K 2, p 1, k 1, p 1, k 1, † k 1, p 2, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 7, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 19**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 3, p 2, k 3, work 5 sts in next st for popcorn, k 3, p 2, k 3, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 20**—K 2, p 1, k 1, p 1, k 1, † k 1, p 3, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 2, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 3, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 2 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 21**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 4, p 2, k 5, p 2, k 4, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 22**—K 2, p 1, k 1, p 1, k 1, † k 1, p 4, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 4, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

**Row 23**—P 1, k 1, p 1, k 1, p 1, k 1, † p 1, k 5, p 2, k 3, p 2, k 5, p 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 3 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 1, p 1.

**Row 24**—K 2, p 1, k 1, p 1, k 1, † k 1, p 5, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 1, slip next p st to hook, hold at back, k 2, p st from hook, p 5, k 1 †; k 1, p 1, k 1, p 1, k 1; repeat between \*'s of row 4 twice; repeat between †'s once, k 1, p 1, k 1, p 1, k 2.

Repeat these 24 rows of pat. 4 times more. Repeat pat. row 1 once more, end on wrong side—about 17 ins. above turning ridge. Mark for underarm.

(Continued on Page 20)



## Style No. 8414

Instructions are for size 32-34, changes for sizes 36-38 and 40-42 are in parentheses.

**MATERIALS:** BUCILLA Machine Washable MULTI-CRAFT  
or BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 36 (36-40) ozs.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 8.

**GAUGE:** Size 10 Needles —  
Pattern — 5 sts = 1 inch  
Seed St — 7 sts = 2 inches  
11 rows = 2 inches

To check gauge, see page 31.

**MEASUREMENTS FOR BLOCKING:**

	To fit	32-34 in. Chest	36-38 in. Chest	40-42 in. Chest
At chest .....	inches	36	41	44
Width of back at underarm .....	inches	18	20½	22
Width of sleeves at underarm .....	inches	15½	17	19

**NOTE:** Use 1 strand MULTI-CRAFT or 2 strands WIN-KNIT or KNITTING WORSTED.

**BACK**—With size 8 needles, cast on 67 (75-79) sts.

**Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* to end.

**Row 2**—Work k 1, p 1 across first 11 (15-17) sts for seed st; place a marker for beg. of center panel; k 1, \* p 1, k 1; repeat from \* 21 times, place another marker after last st for end of panel, work k 1, p 1 across last 11 (15-17) sts for seed st. Carry up markers. Repeat last 2 rows twice.

**Row 7**—Same as row 1.

**Inc. row**—Work 11 (15-17) sts for seed st stripe; † k next st inserting needle down into row below and knitting through both loops, p 1, k 1, p 1, inc. 1 st in each of next 2 sts as to k, k 1, p 1, k 1 st in row below as before; \* p 1, k 1, inc. 1 st in each of next 5 sts as to k, k 1, p 1, k 1 st in row below, p 1, k 1, p 1, inc. 1 st in each of next 2 sts as to k, k 1, p 1, k 1 st in row below \* †; repeat between \*'s once; work 11 (15-17) sts in seed st; 83 (91-95) sts.

**Pattern—Row 1**—wrong side—With size 10 needles, work 11 (15-17) sts in seed st; \* p 1, k 1 \*; repeat between \*'s 5 times; p 12, k 1; repeat between \*'s 6 times; p 12, k 1; repeat between \*'s 5 times, p 1; work 11 (15-17) sts in seed st.

**Row 2**—Work 11 (15-17) sts in seed st; † k 1 st in row below, p 1, \* slip next 2 sts to hook and hold at back of work, k next st, slip the p st from hook to left hand needle and p this st, then k st from hook, p 1 \*, repeat between \*'s, once, k 1 st in row below; p 1, \*\* slip next 2 sts to hook and hold at back of work, k next 2 sts, k 2 sts from hook \*\*, repeat between \*\*'s twice, p

1 †; repeat between †'s once; k 1 st in row below, p 1, repeat between \*'s twice, k 1 st in row below; work 11 (15-17) sts in seed st.

**Row 3**—Same as row 1.

**Row 4**—Work 11 (15-17) sts in seed st; † k 1 st in row below, p 1, k 1, p 1, \* slip next 2 sts to hook and hold at back of work, k next st, slip the p st from hook to left hand needle and p this st, then k st from hook, p 1 \*, k 1, p 1, k 1 st in row below; p 1, k 2, \*\* slip next 2 sts to hook and hold at front of work, k next 2 sts, k 2 sts from hook \*\*, repeat between \*\*'s once, k 2, p 1 †; repeat between †'s once; k 1 st in row below, p 1, k 1, p 1, repeat between \*'s once, k 1, p 1, k 1 st in row below; work 11 (15-17) sts in seed st.

Repeat these 4 rows for pat. Work in pat. until 16 ins. from beg. Mark for underarm.

**Armholes**—Bind off 8 (10-10) sts at beg. of each of next 2 rows for underarm; 67 (71-75) sts. Work even until armholes measure 6½ (7¼-8) ins. above marker, end on right side.

**Neck and Shoulder Shaping**—Work 25 (27-27) sts, place on holder for one side; work 17 (17-21) sts, place on holder for neck; work to end. Keeping armhole edge even, dec. 1 st at neck edge every row 6 times, work even until 8 (8¾-9½) ins. above marker; bind off 19 (21-21) sts for shoulder. Beg. at neck edge, finish other side to correspond.

**FRONT**—Work same as back.

**SLEEVES**—With size 8 needles, cast on 37 (37-41) sts.

**Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* across row.

**Row 2**—P 1, \* k 1, p 1; repeat from \* across row.

Repeat these 2 rows until 3 (3½-4) ins. from beg., end on wrong side.

**Inc. row**—Work k 1, p 1 across first 5 (5-7) sts for seed st, place a marker before next st for beg. of center pat.; repeat between †'s of inc. row of back once, place marker after last st for end of center pat.; work 5 (5-7) sts in seed st; 46 (46-50) sts.

**Pattern—Row 1**—With size 10 needles, work 5 (5-7) sts in seed st; \* p 1, k 1 \*; repeat between \*'s 5 times, p 12, k 1; repeat between \*'s 5 times, p 1; work 5 (5-7) sts in seed st.

**Row 2**—right side—Work 5 (5-7) sts in seed st; repeat between †'s of pat. row 2 of back once, k 1 st in row below, p 1; repeat between \*'s of pat. row 2 of back twice, k 1 st in row below, work 5 (5-7) sts in seed st.

**Row 3**—Same as row 1.

**Row 4**—Work 5 (5-7) sts in seed st; repeat between †'s of pat. row 4 of back once, k 1 st in row below, p 1, k 1, p 1; repeat between \*'s of pat. row 4 once, k 1, p 1, k 1 st in row below, work 5 (5-7) sts in seed st. Repeat last 4 rows for pat.

Work even until 11 (9-11) rows above inc. row. Inc. 1 st each side on next row. Continue pat. on center 36 sts and seed st each side, working increased sts in seed st; repeat incs. each side every 12th (10th-8th) row 3 (5-7) times; 54 (58-66) sts. Work even until 11 (12-13) ins. above cuff, or 2 ins. less than desired length to underarm, end on wrong side. Inc. 1 st each side on next row; repeat incs. every 2nd row 5 times; 66 (70-78) sts. Work 1 row even, end on wrong side. Place a marker at each side for underarm. Work 2 (2½-3) ins. above marker. Bind off in seed st 5 (7-7) sts at beg. of each of next 2 rows; 5 (5-7) sts at beg. of each of next 4 rows. Bind off 36 sts in pat.

(Continued on Page 25)



Instructions are for size 12-14, changes for size 16-18 are in parentheses.

**MATERIALS:** BUCILLA "WOOL and SHETLAND WOOL", 2 oz. balls.  
or BEAR BRAND or FLEISHER'S Machine Washable  
WINSOM, 2 oz. skeins

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 6.  
Steel Hook, Size 00.

**GAUGE:** Size 8 Needles — 6 sts = 1 inch      15 rows = 2 inches  
To check gauge, see page 31.

**MEASUREMENTS FOR BLOCKING:**

	To fit	34-36 in. Bust	38-40 in. Bust
At bustline, buttoned . . . . .	inches	38½	43½
Width of back at underarm . . . . .	inches	17½	20½
Width of sleeves at underarm . . . . .	inches	14	16

Size 12-14	Size 16-18
9 balls	10 balls
9 skeins	10 skeins

**BACK**—With size 6 needles, cast on 89 (105) sts.

**Row 1**—wrong side—P 1, \* k 1, p 1; repeat from \* to end.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to end.

Repeat last 2 rows until 2 ins. from beg., end on wrong side.

**Inc. row**—Work ribbing on 13 (17) sts, \* inc. 1 st as to k in each of next 3 sts, work k 1, p 1 ribbing on next 11 (13) sts, inc. 1 st in each of next 2 sts, k 1, inc. 1 st in each of next 2 sts, work k 1, p 1 ribbing on next 11 (13) sts \*; repeat between \*'s once, inc. 1 st in each of next 3 sts, work k 1, p 1 ribbing to end; 106 (122) sts.

**Pattern—Row 1**—wrong side—With size 8 needles, work k 1, p 1 across first 9 (13) sts for seed st; \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work k 1, p 1 across next 3 (5) sts for seed st; k 1, p 1, k 4, p 2, k 1, p 2, k 4, p 1, k 1; work k 1, p 1 across next 3 (5) sts for seed st \*; repeat between \*'s once; repeat between †'s once; work k 1, p 1 across last 9 (13) sts for seed st.

**Row 2**—Work k 1, p 1 across 9 (13) sts for seed st stripe; \* † p 1, k next st—inserting needle down into row below and knitting through both loops, p 1, slip next 2 sts to hook and hold at front of work, k next 2 sts, then k 2 sts from hook, slip next 2 sts to hook and hold at back of work, k next 2 sts, then k 2 sts from hook, p 1, k 1 st in row below as before, p 1 †; work k 1, p 1 across next 3 (5) sts for seed st, p 1, k 1 st in row below, p 4, slip next 3 sts to hook and hold at back of work, k next 2 sts, slip the p st from hook to left hand needle and p this st, then k 2 sts from hook, p 4, k 1 st in row below, p 1; work k 1, p 1 across next 3 (5) sts for seed st \*; repeat between \*'s once; repeat between †'s once; work k 1, p 1 across last 9 (13) sts for seed st.

**Row 3**—Work 9 (13) sts in seed st, \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st, k 1, p 1, k 4, p 2, k 1, p 2, k 4, p 1, k 1, work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 4**—Work 9 (13) sts in seed st, \* † p 1, k 1 in row below, p 1, k 8, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st, p 1, k 1 in row below, p 3, slip next p st to hook, hold at back of work, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 3, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 5**—Work 9 (13) sts in seed st; \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st, k 1, p 1, k 3, p 2, k 3, p 2, k 3, p 1, k 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 6**—Work 9 (13) sts in seed st, \* † p 1, k 1 in row below, p 1, k 8, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st, p 1, k 1 in row below, p 2, slip next p st to hook, hold at back, k 2, p st from hook, p 1, work a popcorn in next st as follows: k 1, p 1, k 1, p 1, k 1 all in one st, \*\* slip 2nd st on right hand needle over last st; repeat from \*\* 3 times more; p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 7**—Work 9 (13) sts in seed st; \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st, k 1, p 1, k 2, p 2, k 5, p 2, k 2, p 1, k 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 8**—Work 9 (13) sts in seed st; \* † p 1, k 1 in row below, p 1, slip next 2 sts to hook and hold at back, k 2, k 2 from hook, slip next 2 sts to hook and hold at front, k 2, k 2 from hook, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st, p 1, k 1 in row below, p 1, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 1, work a popcorn in next st, p 1, work a popcorn in next st, p 1, slip next 2 sts to hook and hold at front, p 1, k 2 from hook, p 1, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 9**—Work 9 (13) sts in seed st; \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st, k 1, p 1, k 1, p 2, k 7, p 2, k 1, p 1, k 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 10**—Work 9 (13) sts in seed st; \* † p 1, k 1 in row below, p 1, k 8, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st, p 1, k 1 in row below, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, work a popcorn in next st, p 2, slip next p st to hook, hold at back, k 2, p st from hook, p 1, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 11**—Work 9 (13) sts in seed st, \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st; k 1, p 1, k 2, p 2, k 5, p 2, k 2, p 1, k 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 12**—Work 9 (13) sts in seed st; \* † p 1, k 1 in row below, p 1, k 8, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st; p 1, k 1 in row below, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 3, slip next p st to hook, hold at back, k 2,

(Continued on Next Page)



*(Continued from Page 16)*

p st from hook, p 2, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 13**—Work 9 (13) sts in seed st; \* † k 1, p 1, k 1, p 8, k 1, p 1, k 1 †; work 3 (5) sts in seed st; k 1, p 1, k 3, p 2, k 3, p 2, k 3, p 1, k 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st.

**Row 14**—Work 9 (13) sts in seed st; \* † p 1, k 1 in row below, p 1, k 8, p 1, k 1 in row below, p 1 †; work 3 (5) sts in seed st; p 1, k 1 in row below, p 3, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, slip next p st to hook, hold at back, k 2, p st from hook, p 3, k 1 in row below, p 1; work 3 (5) sts in seed st \*; repeat between \*'s once; repeat between †'s once; work 9 (13) sts in seed st. Repeat these 14 rows for pat. until 12 ins. above ribbing, end on wrong side. Mark for underarm.

**Armholes**—Bind off 9 (13) sts at beg. of each of next 2 rows for underarm; 88 (96) sts.

Work even until armholes measure 7 (8) ins. above marker.

**Shoulders**—With care to keep pat., bind off 9 (10) sts at beg. of each of next 6 rows. Bind off 34 (36) sts.

**LEFT FRONT**—With size 6 needles, cast on 55 (63) sts.

**Row 1**—wrong side—K 1, p 1, k 1, p 1, k 1 for seed st, place a marker after last st for end of front border; work k 1, p 1 ribbing on next 50 (58) sts.

**Row 2**—Work k 1, p 1 ribbing to marker; k 1, p 1, k 1, p 1, k 1 for seed st border.


Repeat last 2 rows until 2 ins. from beg., end on wrong side.

**Inc. row**—Work k 1, p 1 ribbing on 13 (17) sts; repeat between \*'s of inc. row of back once, inc. 1 st in each of next 3 sts, k 1, p 1, k 1, p 1; work seed st on last 5 sts for border; 65 (73) sts.

**Pattern—Row 1**—wrong side—With size 8 needles, work k 1, p 1 across first 5 sts for seed st border; repeat between \*'s of pat. row 1 of back once; repeat between †'s of pat. row 1 once; work k 1, p 1 across last 9 (13) sts for seed st.

**Row 2**—Work k 1, p 1 across 9 (13) sts for seed st; repeat between \*'s of pat. row 2 once; repeat between †'s of pat. row 2 once; work k 1, p 1 across last 5 sts for seed st.

*(Continued on Page 21)*



**Style No. 8400 (Left)**

Instructions are for size 12-14, changes for size 16-18 are in parentheses.

**MATERIALS:** BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 24 (28) ozs.  
or BUCILLA SHAMROCK, 2 oz. balls; 12 (14) balls.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 7—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 4.  
Hook, Size G.

**GAUGE:** Larger Size Needles — 5 sts = 1 inch  
To check gauge, see page 31.

8 rows = 1 inch

**MEASUREMENTS FOR BLOCKING:**

To fit	34-36 in. Bust	38-40 in. Bust
At bustline, buttoned . . . . . inches	39	43
Width of back at underarm . . . . . inches	18½	20½
Width of sleeves at underarm . . . . . inches	16	17

**BACK**—With larger needles, cast on 89 (101) sts.

**Seed St Pattern**—Row 1—wrong side—P all sts.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

**Row 3**—P all sts.

**Row 4**—P 1, \* k 1, p 1; repeat from \* across row. Repeat these 4 rows for pat. Work until 16 rows from beg., end on right side with pat. row 4.

**Inc. row**—P 8 (12), \* inc. 1 st in next st, p 4, inc. 1 st in next st, p 7, inc.

1 st in next st, p 4, inc. 1 st in next st, p 8 (10) \*; repeat between \*'s twice, end last repeat p 8 (12); 101 (113) sts.

**Cable and Seed St Stripe Pattern**—Row 1—right side—Work seed st pat. on first 8 (12) sts as before, \* p 1, k 6, p 1, k 7, p 1, k 6, p 1, work seed st pat. on next 8 (10) sts; \* repeat between \*'s twice, end last repeat work seed st on 8 (12) sts. *Note*—Be careful to follow seed st pat. as established.

**Row 2**—P 8 (12), \* k 1, p 6, k 1, p 7,

k 1, p 6, k 1, p 8 (10) \*; repeat between \*'s twice, end last repeat p 8 (12). Repeat last 2 rows twice.

**Row 7**—cable twist row—Work 8 (12) sts in seed st, \* p 1, slip next 3 sts to crochet hook, hold at back of work, k next 3 sts, k 3 sts from hook—cable twist, p 9, twist cable on next 6 sts as before, p 1, work 8 (10) sts in seed st \*; repeat between \*'s twice, end last repeat work seed st on 8 (12) sts.

(Continued on Page 22)

**Style No. 8401 (Right)**

Instructions are for size 38-40, changes for size 42-44 are in parentheses.

**MATERIALS:** BEAR BRAND or FLEISHER'S TWIN-PAK Machine Washable WIN-KNIT  
or BUCILLA KNITTING WORSTED, 24 (28) ozs.  
or BUCILLA SHAMROCK, 2 oz. balls; 12 (14) balls.

**"BOYE" or "DIANA" NEEDLES:** 1 pair Size 7—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.  
1 pair Size 3.  
Hook, Size G.

**GAUGE:** Larger Size Needles — 5 sts = 1 inch  
To check gauge, see page 31.

8 rows = 1 inch

**MEASUREMENTS FOR BLOCKING:**

To fit	38-40 in. Chest	42-44 in. Chest
At chest . . . . . inches	43	46
Width of sleeves below underarm . . . . . inches	16	17

**BACK**—With size 3 needles, cast on 120 (128) sts. Work k 2, p 2 ribbing for 3½ ins.

**Next row**—K 2 tog., continue ribbing until there are 59 (63) sts on needle, k 2 tog. for center st, finish row increasing 1 st in last st; 119 (127) sts.

**Pattern**—Row 1 — right side — With larger needles, k 1, p 1 for 4 (8) sts, \* p 1, k 6, p 1, k 8, p 1, k 6, p 1 \*; k 1, p 1 for 8 sts; repeat between \*'s once; k 6,

p 1, k 8, p 1, k 6, p 1; k 1, p 1 for 8 sts; repeat between \*'s once, k 1, p 1 for 4 (8) sts.

**Row 2**—P 1, k 1 for 4 (8) sts; \* k 1, p 6, k 1, p 8, k 1, p 6, k 1 \*; p 1, k 1 for 8 sts; repeat between \*'s once; p 6, k 1, p 8, k 1, p 6, k 1; p 1, k 1 for 8 sts; repeat between \*'s once; p 1, k 1 for 4 (8) sts.

Repeat rows 1 and 2 twice.

**Row 7**—K 1, p 1 for 4 (8) sts; p 1, slip next 3 sts to crochet hook, hold at back of work, k next 3 sts, k 3 sts from hook—cable twist—, p 10, work cable twist on next 6 sts, p 1; k 1, p 1 for 8 sts; p 1, work cable twist, p 10, work cable twist, p 1; work cable twist, p 10, work cable twist, p 1; k 1, p 1 for 8 sts; p 1, work cable twist, p 10, work cable twist, p 1; k 1, p 1 for 4 (8) sts.

(Continued on Page 31)





**Style  
No. 8406**

(Continued  
from  
Page 13)

**Armholes**—Bind off 6 sts at beg. of each of next 2 rows for underarm with care to keep pat. Work even until armholes measure about 8 ins. above underarm, end on wrong side with pat. row 12.

**Shoulders**—With care to keep pat., bind off 12 sts at beg. of each of next 4 rows; 37 sts.

**Final row**—Bind off 1 st, \* with 1 st on right needle, p 2 tog., slip first st on right needle over 2nd st to bind off \*; repeat between \*'s 5 times, bind off next 9 sts; repeat between \*'s 6 times, bind off remaining sts; 25 sts bound off with 6 sts decreased in each cable stripe.

**LEFT FRONT**—With size 4 needles, cast on 61 sts for facing. P 1 row, k 1 row for 10 rows. K 1 row from wrong side inserting needle in back of sts for turning ridge. K 1 row casting on 15 sts at end of row for border and facing; 76 sts. Begin pat.

**Row 1**—wrong side—With larger needles, k 7 sts for facing, p 1 for turning st, k 1, p 1, k 1, p 1, k 1, p 1, k 1, for front border, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 1 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once.

**Row 2**—\* K 1, p 1, twist double cable on next 12 sts as before, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 2 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, k next st for turning st, k 7 for garter st facing.

**Row 3**—K 7, p 1, k 1, p 1, k 1, p 1, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 3 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once.

**Row 4**—\* K 1, p 1, k 12, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 4 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, k turning st, k 7.

**Row 5**—K 7, p 1, k 1, p 1, k 1, p 1, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1 \*;

k 1, p 1, k 1, p 1, k 1; repeat between †'s of row 5 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once.

**Row 6**—\* K 1, p 1, k 12, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 6 on back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, p 1, k 1, k turning st, k 7.

**Row 7**—K 7, p 1, k 1, p 1, k 1, p 1, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of row 7 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once.

**Row 8**—\* K 1, p 1, twist cables on next 12 sts, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 8 on back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, p 1, k 1, k turning st, k 7. Continue in this way following pat. between †'s on back and twisting cables every 6th row until same number of rows as on back, end on wrong side with pat. row 1. Mark for underarm.

**Armhole**—Bind off 21 sts at beg. of row for underarm, work to end; 55 sts. Work even keeping pat. until about 6 ins. above marker, end on right side with pat. row 20.

**Neck and Shoulder Shaping**—Bind off 17 sts for neck edge, finish row. Work 1 row even. Bind off 6 sts from neck edge, finish row. Dec. 1 st at neck edge every row 8 times; 24 sts. Work even until armhole measures about 8 ins. above marker, end on wrong side with pat. row 13. Bind off 12 sts from armhole edge, finish row. Work 1 row even. Bind off 12 sts.

**RIGHT FRONT**—With size 4 needles, cast on 61 sts for facing. P 1 row, k 1 row for 10 rows. K 1 row from wrong side inserting needle in back of sts for turning ridge, cast on 15 sts at end of row for border and facing; 76 sts. K 1 row.

**Row 1**—wrong side—With larger needles, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 1 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, p 1 for turning st, k 7 for facing.

**Row 2**—K 7 for garter st facing, k 1 for turning st, k 1, p 1, k 1, p 1, k 1, p 1, k 1; \* k 1, p 1, twist double cable on next 12 sts, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 2 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once.

**Row 3**—\* P 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between

†'s of pat. row 3 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1, p 1, k 1, p 1, k 1, p turning st, k 7.

Work pat. to correspond to left front working buttonholes on next 2 rows as follows:

**Buttonhole rows**—K 2, bind off 3 sts for buttonhole, work until 5 sts from buttonhole, bind off 3 sts, finish row.

On following row, cast on 3 sts over each buttonhole. Continue to correspond to left front repeating buttonholes every 25th and 26th row until 7 sets of buttonholes in all, shaping armhole, neck and shoulder at opposite sides.

**SLEEVES**—With size 4 needles, cast on 52 sts. Work k 1, p 1 ribbing for 3 ins. **Inc. row**—Inc. 1 st in first st, p 1, k 1, p 1, \* k 2, inc. 1 st in next st \*; repeat between \*'s twice, work next 9 sts in ribbing, p, increasing 1 st in each of next 8 sts, work next 8 sts in ribbing, repeat between \*'s 3 times, work ribbing on last 5 sts; 67 sts.

**Pattern—Row 1**—wrong side—With larger needles, k 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 1 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1.

**Row 2**—K 1, p 1, k 1, \* k 1, p 1, twist double cable on next 12 sts, p 1, k 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 2 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1.

**Row 3**—K 1, p 1, k 1, \* p 1, k 1, p 12, k 1, p 1 \*; k 1, p 1, k 1, p 1, k 1; repeat between †'s of pat. row 3 of back once, k 1, p 1, k 1, p 1, k 1; repeat between \*'s once, k 1, p 1, k 1. Continue pat. in this way for 4 more rows. Inc. 1 st each side of next row. Working increased sts in seed st, repeat inc. each side every 8th row 5 times; every 12th row 5 times; 89 sts. Work even until about 16 ins. above ribbing, end on wrong side with pat. row 17. Place a marker at each side for underarm. Work 14 rows even. Bind off 14 sts at beg. of each of next 2 rows.

**Next row**—Bind off 1 st, \* k 2 tog., slip first st on right needle over 2nd st to bind off \*; repeat between \*'s 5 times, bind off 1 more st; work until 33 sts on right needle, bind off next st; repeat between \*'s 6 times, Fasten off last st. Break yarn. Join yarn and bind off remaining sts.

**COLLAR**—With size 4 needles, cast on 107 sts for neck edge.

**Row 1**—P 1, \* k 1, p 1; repeat from \* to end.

(Continued on Next Page)

**Style No. 8406** (Continued from Page 20)

**Row 2**—right side—K 1, \* p 1, k 1; repeat from \* to end.

Repeat these 2 rows until 2 ins. from beg. With larger needles, continue ribbing until 5½ ins. from beg., end on wrong side.

**Buttonhole rows**—K1, p 1, k 1, bind off next 3 sts for buttonhole, work ribbing to within 6 sts of end, bind off 3 sts, finish row.

On following row, cast on 3 sts over each buttonhole. Work in ribbing until 6½ ins. from beg. Bind off loosely in ribbing.

**FINISHING**—Sew side and shoulder seams. Sew sleeve seams from lower edge to underarm markers. Sew in sleeves with seam at center underarm, sewing side edge of sleeves left free to sts bound off for underarm. Turn up facing on lower edge and hem to wrong

side. Turn facing of fronts to wrong side and hem. Sew border and facing of fronts tog. at lower edge. From right side, work 1 row sc around neck edge, working through both thicknesses on front borders. From right side, work 1 row slip st on side edges of collar. Sew on collar with side edges of collar at center of front borders. Work buttonholes on collar in blanket st. Work buttonholes on front through both thicknesses. Block, see page 31.



**Style No. 8407**

(Continued from Page 17)

**Row 3**—Work 5 sts in seed st; repeat between \*'s of pat. row 3 once; repeat between †'s of pat. row 3 once; work seed st on remaining 9 (13) sts.

**Row 4**—Work 9 (13) sts in seed st; repeat between \*'s of pat. row 4 once; repeat between †'s of pat. row 4 once; work seed st on remaining 5 sts. Continue pat. in this way until same length as back to armhole, end on wrong side at underarm edge. Mark for underarm.

**Armhole**—Bind off 9 (13) sts at beg. of row for underarm, work to end; 56 (60) sts. Work even keeping pat. until 6 (7) ins. above marker, end on right side.

**Neck and Shoulder Shaping**—Bind off 19 (20) sts at beg. of next row for neck edge, finish row. Dec. 1 st at neck edge every row 10 times, at the same time, shaping shoulder as for right side of back when armhole is same length. Mark position of 7 buttons evenly spaced on left front, having first button ½ (¾) in. from lower edge and last button 2 rows below neck edge.

**RIGHT FRONT**—With size 6 needles, cast on 55 (63) sts.

**Row 1**—wrong side—Work p 1, k 1 ribbing to within 5 sts of end, place marker before next st for beg. of front border, work k 1, p 1 to end for seed st border.

**Row 2**—K 1, p 1, k 1, p 1, k 1; work ribbing of p 1, k 1 on remaining sts. Repeat last 2 rows until 3 (5) rows from beg.

**Buttonholes**—Next row—Work 2 sts, bind off 2 sts for buttonhole, finish as for row 2.

On following row, cast on 2 sts over bound-off sts. Continue to correspond to left front until 2 ins. from beg., end on wrong side.

**Inc. row**—Work 5 sts in seed st; p 1, k 1, p 1, k 1; repeat between \*'s of inc. row of back once, inc. 1 st in each of next 3 sts, work k 1, p 1 ribbing on last 13 (17) sts; 65 (73) sts.

**Pattern—Row 1**—wrong side—With size 8 needles, work k 1, p 1 across first 9 (13) sts for seed st; repeat between \*'s of pat. row 1 of back once; repeat between †'s of pat. row 1 once, work k 1, p 1 across last 5 sts for seed st.

**Row 2**—Work 5 sts in seed st; repeat between \*'s of pat. row 2 once; repeat between †'s of pat. row 2 once; work k 1, p 1 across last 9 (13) sts for seed st. Continue to correspond to left front, repeating buttonholes opposite markers, shaping armhole, neck and shoulder at opposite side.

**SLEEVES**—With size 6 needles, cast on 42 (48) sts. Work k 1, p 1 ribbing for 3 ins., increasing 15 (21) sts evenly across last row; 57 (69) sts.

**Pattern—Row 1**—wrong side—With size 8 needles, work k 1, p 1 across first 3 (7) sts for seed st; repeat between \*'s of pat. row 1 of back once; repeat between †'s of pat. row 1 once; work k 1, p 1 across last 3 (7) sts for seed st.

**Row 2**—Inc. 1 st in first st, work p 1, k 1 across next 2 (6) sts for seed st; repeat between \*'s of pat. row 2 of back once; repeat between †'s of pat. row 2 of back once; work k 1, p 1 across next 2 (6) sts for seed st, inc. 1 st in last st; 59 (71) sts.

**Row 3**—Work p 1, k 1 across first 4 (8) sts; repeat between \*'s of pat. row 3 once; repeat between †'s of pat. row 3 once, work k 1, p 1 across last 4 (8) sts.

Continue pat. on center 51 (55) sts and seed st each side, working increased sts in seed st; repeat inc. each side every 12th row 7 times; every 2nd row 5 times; 83 (95) sts. Work even until 14½ ins. above ribbing with 16 (20) seed sts each side of center pat. Place a marker at each side for underarm. Work even until 16 (17) ins. above ribbing, end with pat. row 10 (2) on right side. Bind off in pat.

**COLLAR**—With size 8 needles, cast on 97 (105) sts for outer edge of collar. Work seed st for 8 rows for border, inc 1 st at center of last row; 98 (106) sts.

**Pattern—Row 1**—wrong side—Work 5 sts seed st; repeat between \*'s of pat. row 1 of back twice; repeat between †'s of pat. row 1 once, work 5 sts seed st.

Continue to work pat. as for back with 5 sts each side in seed st for front border until there are 28 rows of pat. above border.

**Dec. row**—Work pat., decreasing 2 sts in each of the 6 seed st stripes; work 1 row of pat. with 2 sts less in each seed st stripe. Bind off.

**FINISHING**—Sew side and shoulder seams. Sew sleeve seams from lower edge to underarm markers. Sew in sleeves with seam at center underarm, sewing side edge of sleeves left free to sts bound off for underarm. Sew on collar with front edges of collar at center of front borders. From right side, work 1 row sc on each front edge and on neck to joining of collar, keeping an even edge and working 3 sc in corner. Work buttonholes in blanket st. Block, see page 31. Make a small buttonloop on right front at neck edge. Sew small button on left front opposite loop.



**Style  
No. 8400**

(Continued  
from  
Page 18)

**Row 8**—Same as row 2. Repeat these 8 rows for pat.

Work even in pat. until 11 ins. above inc. row, end on wrong side. Mark for underarm.

**Armholes**—Bind off 8 (12) sts at beg. of each of next 2 rows for underarm; 85 (89) sts. Work even until armholes measure about 8 (8½) ins. above underarm marker, end on wrong side.

**Shoulders**—Bind off 9 (10) sts at beg. of each of next 4 rows; 9 sts at beg. of each of next 2 rows; place remaining 31 sts on holder for neckband.

**LEFT FRONT**—With larger needles, cast on 66 (72) sts.

**Seed St Pattern—Row 1**—P all sts.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to within 25 sts of end; k 12 for front band, with yarn at back, slip next st as to p for turning st, k 12 for facing.

**Row 3**—P all sts.

**Row 4**—P 1, \* k 1, p 1; repeat from \* to within 25 sts of end; k 12, slip turning st as before, k 12.

Repeat these 4 rows until 16 rows from beg.

**Inc. row**—wrong side—P 25, inc. 1 st in next st, p 4, inc. 1 st in next st, p 8 (10), inc. 1 st in next st, p 4, inc. 1 st in next st, p 7, inc. 1 st in next st, p 4, inc. 1 st in next st, p 8 (12); 72 (78) sts.

**Cable and Seed St Stripe Pattern—Row 1**—Work 8 (12) sts in seed st pat., p 1, k 6, p 1, k 7, p 1, k 6, p 1, work 8 (10) sts in seed st pat., p 1, k 6, p 1, k 12, slip 1, k 12.

**Row 2**—P 25, k 1, p 6, k 1, p 8 (10), k 1, p 6, k 1, p 7, k 1, p 6, k 1, p 8 (12).

Repeat last 2 rows twice.

**Row 7—cable twist row**—Work 8 (12) sts in seed st pat., p 1, twist cable on next 6 sts, p 9, twist cable on next 6 sts, p 1, work 8 (10) sts in seed st pat., p 1, twist cable on next 6 sts, p 1, k 12, slip 1, k 12.

**Row 8**—Same as row 2. Repeat these 8 rows for pat.

Work even in pat. until same length as back to underarm, end on wrong side. Mark for underarm.

**Armhole**—Bind off 8 (12) sts for underarm; 64 (66) sts. Work even until 6 (6½) ins. above underarm, end on right side.

**Neck and Shoulder Shaping**—Work 29 sts and place on holder for neck; finish row; 35 (37) sts. Work 1 row even. Bind off 2 sts at beg. of next row for neck edge; finish row. Bind off 2 sts from neck edge every 2nd row 3 times more; 27 (29) sts. Work even until armhole is same length as on back, end at shoulder edge. Bind off 9 (10) sts at beg. of rows worked from shoulder edge twice; 9 sts once.

Mark position of 6 buttons on left front, having first button on 7th row from lower edge, top button 2 rows below sts left on holder for neck edge, remaining 4 buttons evenly spaced between.

**RIGHT FRONT**—With larger needles, cast on 66 (72) sts.

**Seed St Pattern—Rows 1 and 3**—P all sts.

**Row 2**—K 12 for facing, with yarn at back, slip next st as to p for turning st, k 12 for front band; k 1, \* p 1, k 1; repeat from \* to end.

**Row 4**—K 12, slip 1, k 12; p 1, \* k 1, p 1; repeat from \* to end.

Repeat rows 1 and 2 once. Repeat row 1 again.

**Row 8—buttonhole row**—K 4, bind off 4 sts for buttonhole, k until 4 sts from buttonhole, slip turning st, k 4, bind off 4 sts for buttonhole, k until 4 sts from 2nd buttonhole; finish row.

**Row 9**—P, casting on 4 sts over each buttonhole.

Continue to correspond to left front until 16 rows from beg.

**Inc. row**—wrong side—P 8 (12), inc. 1 st in next st, p 4, inc. 1 st in next st, p 7, inc. 1 st in next st, p 4, inc. 1 st in next st, p 8 (10), inc. 1 st in next st, p 4, inc. 1 st in next st, p 25; 72 (78) sts.

**Cable and Seed St Stripe Pattern—Row 1**—K 12, slip 1, k 12, p 1, k 6, p 1, work 8 (10) sts in seed st pat., p 1, k 6, p 1, k 7, p 1, k 6, p 1, work 8 (12) sts in seed st.

**Row 2**—P 8 (12), k 1, p 6, k 1, p 7, k 1, p 6, k 1, p 8 (10), k 1, p 6, k 1, p 25.

Repeat last 2 rows twice.

**Row 7—cable twist row**—K 12, slip 1, k 12, p 1, twist cable on next 6 sts, p 1, work 8 (10) sts in seed st pat., p 1, twist cable on next 6 sts, p 9, twist cable on next 6 sts, p 1, work 8 (12) sts in seed st pat.

**Row 8**—Same as row 2.

Continue pat. in this way, working to correspond to left front, repeating sets of buttonholes opposite markers and binding off for armhole at opposite side. Work until there are 4 rows less than on left front to neck edge, end at front edge. Work 6th set of buttonholes on next 2 rows. Work 2 rows even, end at front edge.

**Neck and Shoulder Shaping**—Bind off first 12 sts, work until 17 sts from bound-off sts; place these 17 sts on holder for neck, finish row. Work 1 row even. Bind off 2 sts at beg. of next row for neck edge, finish row. Complete to correspond to left front. Sew shoulder seams.

**NECKBAND AND FACING**—Beg. at right front edge, from right side, slip 17 sts of right neck edge from holder to size 4 needle, join yarn and from right side, with same needle, pick up and k 15 sts on right neck edge to shoulder seam; beg. at left front edge, slip 29 sts of neck and 31 sts of back to free size 4 needle, then from right side, with first needle, k across 31 sts of back, pick up and k 15 sts on left neck edge, *work pat.* across 17 sts of neck, bind off last 12 sts loosely. Break yarn; 95 sts.

Join yarn in last st on needle and p 1 row.

**Short Rows—Row 1**—Slip 1 as to p, k 87; turn.

**Row 2**—Slip 1 as to p, p 80; turn.

**Row 3**—Slip 1, k 73; turn.

**Row 4**—Slip 1, p 66; turn.

**Row 5**—Slip 1, k 59; turn.

**Row 6**—Slip 1, p 52; turn.

**Row 7**—Slip 1, k 73 sts to end of needle.

**Row 8**—K 95 sts inserting needle in back loop of sts for turning ridge.

**Row 9**—Slip 1, k 73; turn.

**Row 10**—Slip 1, p 52; turn.

**Row 11**—Slip 1, k 59; turn.

**Row 12**—Slip 1, p 66; turn.

**Row 13**—Slip 1, k 73; turn.

**Row 14**—Slip 1, p 80; turn.

**Row 15**—Slip 1, k 87.

**Row 16**—P 95 sts. Bind off as to k.

**SLEEVES**—With size 4 needles, cast on 45 (47) sts.

**Ribbing—Row 1**—P 1, \* k 1, p 1; repeat from \* across row.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

Repeat these 2 rows until 3 ins. from beg., end with row 2.

**Style No. 8400** (Continued from Page 22)

**Inc. row**—wrong side—P 1, inc. 1 st in next st, p 2, inc. 1 st in next st, p 9, inc. 1 st in next st, p 2, inc. 1 st in next st, p 4 (5), inc. 1 st in next st, p 4 (5), inc. 1 st in next st, p 2, inc. 1 st in next st, p 9, inc. 1 st in next st, p 2, inc. 1 st in next st, p 1; 54 (56) sts.

**Cable and Seed St Stripe Pattern—Row 1**—With larger needles, p 1, k 6, p 1, k 7, p 1, k 6, p 1; \* k 1, p 1, \*; repeat between \*'s 3 (4) times more for seed st pat., p 1, k 6, p 1, k 7, p 1, k 6, p 1.

**Row 2**—K 1, p 6, k 1, p 7, k 1, p 6, k 1, p 8 (10), k 1, p 6, k 1, p 7, k 1, p 6, k 1.

**Row 3**—P 1, k 6, p 1, k 7, p 1, k 6, p 1; \* p 1, k 1 \*; repeat between \*'s

3 (4) times for seed st, p 1, k 6, p 1, k 7, p 1, k 6, p 1.

**Row 4**—Same as row 2.

Repeat rows 1 and 2 once.

**Row 7 — cable twist row** — P 1, twist cable on next 6 sts, p 9, twist cable on next 6 sts, p 1; work 8 (10) sts in seed st, p 1, twist cable on next 6 sts, p 9, twist cable on next 6 sts, p 1.

**Row 8**—Same as row 2.

Continue in pat., increasing 1 st each side of next row. With care to work increased sts in pat., repeat inc. each side every 3/4 in. 14 (10) times; every 1/2 in. 4 (10) times; 92 (98) sts. Work even until about 17 1/2 ins. from beg.

Mark each side for underarm. Work 1 1/2 (2 1/4) ins. even. Bind off.

**FINISHING**—Sew underarm seams. Sew sleeve seams up to underarm markers, leaving 1 1/2 (2 1/4) ins. free at top. Sew in sleeves sewing 1 1/2 (2 1/4) ins. left free at each side to sts bound off at underarm and bound-off edge of sleeve to armhole edge. Fold front facings to wrong side at turning st and hem. Turn neckband facing to wrong side at turning ridge and hem, weaving top of front facings to adjoining edge of neckband facing. Finish buttonholes in blanket st, working through both thicknesses. Sew open ends of front band and facing tog. at lower edge of fronts. Block, see page 31.

**Style No. 8410** (Continued from Page 2)

**Row 8**—\* K 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1 \*; p 1, k 2, p 5, k 2, p 1; repeat between \*'s once.


**Row 9**—Same as row 7.

**Row 10**—\* K 1, p 1, work "3-in-1" st, p 1, k 1, p 1, work double cable twist on next 8 sts, p 1, k 1, p 1, work "3-in-

1" st, p 1, k 1 \*; p 1, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 3, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 1; repeat between \*'s once.

**Row 11**—\* P 1, k 1, p 3, k 1, p 1, k 1, p 8, k 1, p 1, k 1, p 3, k 1, p 1 \*; k 2, p 2, k 3, p 2, k 2; repeat between \*'s once.

**Row 12**—\* K 1, p 1, k 3, p 1, k 1, p 1, k 8, p 1, k 1, p 1, k 3, p 1, k 1 \*; p 2, slip next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, slip next p st to hook and hold at back, k 2, p st from hook, p 2; repeat between \*'s once. Repeat these 12 rows for pat.



**Man's or Woman's V-Neck Pullover No. 8410**

**MEASUREMENTS FOR BLOCKING:**

	To fit	34-36 in. Chest	38-40 in. Chest	42-44 in. Chest
At chest .....	inches	38 1/2	42 1/2	45 1/2
Width of back at underarm .....	inches	19 1/4	21 1/4	22 3/4
Width of sleeves at underarm .....	inches	13 1/2	15	16

**BACK**—With size 5 needles, cast on 111 (123-131) sts.

**Ribbing—Row 1**—P 1, \* k 1, p 1; repeat from \* across row.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

Repeat these 2 rows until 9 rows from beg.

**Row 10—Inc. row**—right side—Working ribbing as for row 2, work first 15 (21-25) sts; place marker on needle for beg. of Aran Pattern, work 23 sts, inc. 1 st in next st, work 33 sts, inc. 1 st in next st, work 23 sts, place marker on needle for end of Aran Pattern, work ribbing to end; 113 (125-133) sts. Begin pat.

See page 4 for Aran Pattern No. 1.

**Row 1**—With size 8 needles, p 1, \* k 1, p 1 \*; repeat between \*'s to marker, slip marker from left to right needle; work row 1 of Aran Pattern No. 1; slip marker as before; p 1, repeat between \*'s to end.

**Row 2**—P 1, \* k 1, p 1 \*; repeat between \*'s to marker, slip marker; work row 2 of Pattern No. 1; slip marker, p 1, repeat between \*'s to end.

**Row 3**—K 1, \* p 1, k 1 \*; repeat between \*'s to marker, slip marker; work row 3 of Pattern No. 1; slip marker, k 1, repeat between \*'s to end.

**Row 4**—K 1, \* p 1, k 1 \*; repeat between \*'s to marker, slip marker, work

row 4 of Pattern No. 1; slip marker, k 1, repeat between \*'s to end.

**Row 5**—P 1, \* k 1, p 1 \*; repeat between \*'s to marker, slip marker, work row 5 of Pattern No. 1; slip marker, p 1, repeat between \*'s to end.

Continue in this way, carrying up markers and working Pattern No. 1 on center 83 sts between markers and **double seed st—as for last 4 rows**—on 15 (21-25) sts at each side. Work even until 101 rows—about 14 1/2 ins. above ribbing, end with pat row 5. Mark for underarm.

**Armholes**—Bind off 4 (6-6) sts at beg. of each of next 2 rows for underarm. Dec 1 st each side of next row. Repeat

(Continued on Next Page)

**V-Neck Pullover No. 8410** (Continued from Page 23)

dec. each side every 2nd row 7 times; 89 (97-105) sts. Work even until armholes measure 9 (9½-10) ins. above underarm marker, end on wrong side.

**Shoulders**—Bind off 7 (8-9) sts at beg. of each of next 4 rows; 7 (8-8) sts at beg. of each of next 4 rows; 33 (33-37) sts.

**Next row**—right side—With size 5 needles, k.

**NECK RIBBING—Row 1**—P 1, \* k 1, p 1; repeat from \* across row.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

Repeat these 2 rows until there are 7 rows ribbing. Bind off in ribbing.

**FRONT**—Same as back until 1 row less than back to underarm, end on right side with pat. row 4.

*Note:* When shaping V-Neck follow pat. whenever possible.

**Dividing row**—Work 54 (60-64) sts and place them on holder for right half of front; work next 5 sts and slip them on holder for neck ribbing; finish row; 54 (60-64) sts for left half. Mark for underarm.

**Left Half of Front—Row 1**—Bind off 4 (6-6) sts for underarm, work pat. to within 3 sts of neck edge, k 2 tog., k 1.

Dec. 1 st at armhole edge every 2nd row 8 times, **at the same time**, repeat dec. at neck edge every 4th row 13 (13-15) times, shaping shoulder as for right shoulder of back when armhole is same length.

**Right Half of Front—Row 1**—With size 8 needles, take up sts of right half and beg. at neck edge, k 1, slip, k and pass, work to end.

**Row 2**—Bind off 4 (6-6) sts for underarm, finish row.

Complete to correspond to left half.

**NECK RIBBING** — With size 5 needle, beg. at top, from right side, pick up and k 47 (49) sts on left neck edge, from wrong side, slip 5 sts from holder to free size 5 needle and work to first needle as follows: k 2 tog., k 1 and mark for center st, slip, k and pass; pick up and k 47 (49) sts on right neck edge; 97 (101) sts.

† **Row 2**—P 1, \* k 1, p 1 \* repeat between \*'s to within 1 st of marked center st, p 3 center sts, p 1, repeat between \*'s to end.

**Row 3**—\* K 1, p 1; repeat from \* to within 2 sts of center st, k 2 tog., k center st, slip, k and pass, † p 1, k 1; repeat from † to end.

**Row 4**—\* P 1, k 1; repeat from \* to within 1 st of center st, p 3, † k 1, p 1; repeat from † to end.

**Row 5**—K 1, \* p 1, k 1 \*; repeat between \*'s to within 2 sts of center st, k 2 tog., k center st, slip, k and pass, k 1; repeat between \*'s to end.

Repeat rows 2, 3 and 4 once. Bind off in ribbing †.

**SLEEVES**—With size 5 needles, cast on 43 (45-49) sts. Work ribbing as on back until 2½ ins. for Woman's; 4 ins. for Man's, end with row beg. and ending with p 1. Work 1 more row ribbing, increasing 22 (24-24) sts evenly across; 65 (69-73) sts. Begin pat.

**Row 1**—With size 8 needles, p 1, k 1 alternately for 3 (5-7) sts; place marker on needle, work row 1 of Aran Pattern No. 2, place marker on needle; work p 1, k 1 alternately to end.

**Row 2**—P 1, k 1 alternately to marker, slip marker, work row 2 of Pattern No. 2, slip marker, work p 1, k 1 alternately to end.

**Row 3**—K 1, p 1 alternately to marker, slip marker, work row 3 of Pattern No. 2, slip marker, work k 1, p 1 alternately to end.


**Row 4**—K 1, p 1 alternately to marker, work row 4 of Pattern No. 2, slip marker, work k 1, p 1 alternately to end.

**Row 5**—P 1, k 1 alternately to marker, work row 5 of Pattern No. 2, slip marker, work p 1, k 1 alternately to end.

Continue in this way, carrying up markers and working Pattern No. 2 on center 59 sts between markers and **double seed st—as for last 4 rows**—on 3 (5-7) sts at each side. Work until 15 rows above ribbing. Working inc. sts in double seed st, inc. 1 st each side of next row. Repeat inc. each side every 12th (10th-8th) row 3 (3-6) times; every 14th (10th-10th) row 3 (5-3) times; 79 (87-93) sts. Work even until 101 rows—about 14½ ins. above ribbing for Woman's; 113 rows—about 16 ins. above ribbing for Man's, end with pat. row 5. Bind off 4 (6-6) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 12 (13-14) times; every row 5 times. Bind off 4 sts at beg. of each of next 4 rows. Bind off remaining 19 (21-25) sts.

**FINISHING**—Sew underarm and sleeve seams. Sew shoulder seams, sewing edges of neck ribbing tog. Sew in sleeves. Block, see page 31.

**Man's or Woman's Cardigan No. 8410**



**MEASUREMENTS FOR BLOCKING:**

	To fit	34-36 in. Chest	38-40 in. Chest	42-44 in. Chest
At chest, buttoned . . . . . inches		39	43	46
Width of back at underarm . . . . . inches		19¼	21¼	22¾
Width of sleeves at underarm . . . . . inches		13½	15	16

**BACK**—Work same as back of Pullover to shoulders; 89 (97-105) sts.

**Shoulders**—Bind off 8 (9-10) sts at beg. of each of next 6 rows. Bind off remaining 41 (43-45) sts for back of neck.

**Note:** Make buttonholes on Right Front for Woman's Cardigan; on Left Front for Man's Cardigan.

**RIGHT FRONT** — With size 5 needles, cast on 71 (77-81) sts. Work ribbing as on back of Pullover for 5 rows for

Woman's cardigan; 9 rows for Man's cardigan, end with row beg. and ending with p 1.

**First set of Buttonholes for Woman's Cardigan only — Row 6 — Continuing**  
(Continued on Next Page)



**Cardigan No. 8410** (Continued from Page 24)

ribbing, work 3 sts, bind off 3 sts for buttonhole, work until 8 sts from buttonhole, bind off 3 sts, finish row.

**Row 7**—Work ribbing, casting on 3 sts over each buttonhole.

Work 2 more rows ribbing.

**For Man's or Woman's Cardigan—Row 10—Inc. row**—Work 32 sts in ribbing, inc. 1 st in next st, work ribbing to end; 72 (78-82) sts.

See page 4 for Aran Pattern No. 1.

**PATTERN—Row 1**—With size 8 needles, p 1, k 1 alternately for 15 (21-25) sts, place marker on needle; repeat between \*\*'s of row 1 of Aran Pattern No. 1 once, p 1, place marker on needle, k 9 for facing.

**Row 2**—K 9, slip marker; repeat between \*\*'s of row 2 of Pattern No. 1 once, k 1, slip marker; p 1, k 1 alternately to end.

**Row 3**—K 1, p 1 alternately to marker, slip marker; repeat between \*\*'s of row 1 of Pattern No. 1, p 1, slip marker, k 9.

**Row 4**—K 9, slip marker; repeat between \*\*'s of row 4 of Pattern No. 1, k 1, slip marker; k 1, p 1 alternately to end.

**Row 5**—P 1, k 1 alternately to marker, slip marker; repeat between \*\*'s of row 5 of Pattern No. 1, p 1, slip marker, k 9.

Continue in this way, carrying up markers; working pat. between markers, double seed st on 15 (21-25) sts at side and knitting 9 sts of facing.

**For Man's Cardigan only**—Work until 101 rows above ribbing, end at front edge with pat. row 5.

**For Woman's Cardigan only**—Work until 19 rows above ribbing, end on wrong side with pat. row 7.

**2nd set of Buttonholes**—K 3, bind off 3 sts for buttonhole, work until 8 sts from buttonhole, bind off 3 sts, finish row.

Cast on 3 sts over each buttonhole in next row.

Continue in this way, repeating buttonholes every 23rd and 24th row until there are 5 sets of buttonholes in all; work until 101 rows above ribbing, end at front edge with pat. row 5.

**Next row—For Man's or Woman's Cardigan**—Work 21 sts, slip, k and pass for neck dec., finish row. Mark for underarm.

**Note:** When decreasing for neck edge follow pat. whenever possible.

**Armhole**—Bind off 4 (6-6) sts for armhole, finish row. Dec. 1 st at armhole edge on next row. Work 1 row even.

**Next row**—Work 21 sts, slip, k and pass for neck dec., work across row, dec. 1 st at armhole edge.

Repeat dec. at armhole edge every 2nd row 6 times more; at the same time, repeat neck dec. every 4th row 13 (14-15) times, shaping shoulder as for left shoulder of back when armhole is same length. Work even on remaining 21 sts, working 11 sts in pat. and 9 sts in garter st as before until about  $2\frac{3}{4}$  (2 $\frac{3}{4}$ -3) ins., or desired length to center back of neck when slightly stretched. Break yarn, slip sts to holder.

**LEFT FRONT**—With size 5 needles, cast on 71 (77-81) sts. Work ribbing as on back of Pullover for 5 rows for **Man's Cardigan**; 9 rows for **Woman's Cardigan**, end with row beg. and ending with p 1.

**First set of Buttonholes for Man's Cardigan only—Row 6**—Continuing ribbing, work to within 17 sts of end, bind off 3 sts for buttonhole, work until 8 sts from buttonhole, bind off 3 sts, finish row.

**Row 7**—Work ribbing, casting on 3 sts over each buttonhole.

Work 2 more rows ribbing.

**For Man's or Woman's Cardigan—Row 10—Inc. row**—Work ribbing to within 33 sts of end, inc. 1 st in next st, work ribbing to end; 72 (78-82) sts.

**PATTERN—Row 1**—With size 8 needles, k 9 for facing, place marker on needle,

repeat between \*\*'s of row 1 of Aran Pattern No. 1 once, p 1, place marker on needle, work p 1, k 1 alternately to end.

**Row 2**—P 1, k 1 alternately to marker, slip marker; repeat between \*\*'s of row 2 of Pattern No. 1 once, k 1, slip marker, k 9.

**Row 3**—K 9, slip marker; repeat between \*\*'s of row 1 of Pattern No. 1, p 1, slip marker; work k 1, p 1 alternately to end.

**For Woman's Cardigan only**—Continue to correspond to right front until 101 rows above ribbing, end on wrong side with pat. row 5. Mark for underarm.

**For Man's Cardigan only**—Continue to correspond to right front until 19 rows above ribbing, end on wrong side.

**For Man's Cardigan only—2nd set of Buttonholes**—Work to within 17 sts of end, keeping pat., bind off 3 sts for buttonhole, work until 8 sts from buttonhole, bind off 3 sts, finish row. Cast on 3 sts over each buttonhole in next row.

Continue to correspond to right front, repeating buttonholes every 23rd and 24th row until there are 5 sets of buttonholes in all, work until 101 rows above ribbing, end on wrong side with pat. row 5. Mark for underarm.

**For Man's or Woman's Armhole**—Bind off 4 (6-6) sts for underarm, work to within 23 sts of end, k 2 tog. for neck dec., finish row. Complete to correspond to right front.

**SLEEVES**—Same as for Pullover.

**FINISHING**—Sew underarm, sleeve and shoulder seams. Weave sts on holders tog. neatly at back of neck. Sew inner edge of neckband to back of neck, holding neck edge in to fit band. Turn 9 sts of facing to wrong side, matching buttonholes and hem. Sew in sleeves. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 31.



**Style  
No. 8414**

(Continued  
from  
Page 14)

**FRONT NECK RIBBING**—With size 8 needles, from right side, pick up and k 15 sts on shaped neck edge; take up and work p 1, k 1 ribbing across 17 (17-21) sts from holder, pick up and k 15 sts on other side of neck edge; 47 (47-51) sts.

**Row 1**—P 1, \* k 1, p 1; repeat from \* across row.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

Repeat these 2 rows until there are 9 rows from beg. Bind off loosely in ribbing. Work **Back Neck Ribbing** in same way.

**FINISHING**—Sew shoulder seams, sewing edges of neck ribbing tog. Sew underarm seams. Sew sleeve seams from lower edge to underarm markers. Sew in sleeves with seam at center underarm, sewing side edges of sleeves left free to sts bound off for underarm. Steam lightly, see page 31.



**Style  
No. 8415**

(Continued  
from  
Page 8)

**Row 13**—Work 8 (10) seed sts; \* k 1, p 1, k 1, p 4, k 1, p 1, k 3, p 2, k 3, p 2, k 3, p 1, k 1, p 4, k 1, p 1, k 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 14**—Work 8 (10) seed sts; \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 3, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, sl next p st to hook and hold at back, k 2, p st from hook, p 3, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 15**—Same as row 1.

**Row 16**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 4, twist cable on next 5 sts as for "5-st" cable twist, p 4, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 17**—Same as row 3.

**Row 18**—Work 8 (10) seed sts; \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 3, sl next p st to hook and hold at back, k next 2 sts, p st from hook, p 1, sl next 2 sts to hook and hold at front, p 1, k 2 from hook, p 3, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 19**—Same as row 5.

**Row 20**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 2, sl next p st to hook and hold at back, k 2, p st from hook, p 3, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 2, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 21**—Same as row 7.

**Row 22**—Work 8 (10) seed sts; \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1, sl next p st to hook and hold at back, k next 2 sts, p st from hook, p 5, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 23**—Same as row 9.

**Row 24**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 1, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook; p 5, sl next p st to hook and hold at back, k 2, p st from hook, p 1, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 25**—Same as row 11.

**Row 26**—Work 8 (10) seed sts; \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 2, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 3, sl next p st to hook and hold at back, k 2, p st from hook, p 2, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

**Row 27**—Same as row 13.

**Row 28**—Work 8 (10) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 3, sl next 2 sts to hook and hold at front, p 1, k 2 sts from hook, p 1, sl next p st to hook and hold at back, k 2, p st from hook, p 3, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 5 (7) seed sts; repeat between \*'s once, work seed st to end.

Repeat these 28 rows for pat. Work even in pat. until 67 rows—about 15 ins.—above inc. row, end with pat. row 11. Mark for underarm.

**Armholes**—With care to keep pat., bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 4 times; 67 (71) sts. Work even until 40 (44) rows—about 9 (10) ins.—above underarm marker, end on wrong side.

**First Shoulder, Row 1**—right side—With care to keep pat. bind off 6 (7) sts, work in pat. until 14 sts on right needle; sl next 27 (29) sts to holder for neck ribbing, leaving re-

maining 20 (21) sts at back of needle for other shoulder. Turn, work 14 sts of first shoulder.

**Row 3**—Bind off 7 sts, finish row. Work 1 row even. Bind off remaining 7 sts. Beg. at neck edge, work other shoulder to correspond, binding off at beg. of rows worked from wrong side.

**Neck Ribbing**—From wrong side, sl the 27 (29) sts from holder to size 9 needle. From right side, beg. at shoulder, with free size 9 needle pick up and k 6 sts on right neck edge, k 27 (29) sts, pick up and k 6 sts on left neck edge; 39 (41) sts.

**Row 1**—right side when turtle neck is turned over—K 1, \* p 1, k 1; repeat from \* across row.

**Row 2**—P 1, \* k 1, p 1; repeat from \* across row.

Repeat these 2 rows until 30 rows ribbing in all. Bind off loosely in ribbing.

**Front**—Same as back.

**Sleeves**—With size 9 needles, cast on 35 (35) sts.

**Row 1**—wrong side—P 1, \* k 1, p 1; repeat from \* across row.

**Row 2**—K 1, \* p 1, k 1; repeat from \* across row.

Repeat these 2 rows until 11 rows ribbing in all.

**Inc. Row**—K 1, inc. 1 st in next st as to p, by purling in front and in back loop of st, k 1, inc. 1 st in next st as before, k 1, p 1, k 1, p 1, k 1, inc. 1 st in next st, k 1, p 1, k 1, inc. 1 st in each of next 2 sts as to p, p 1, k 1, p 1, k 1, p 1, inc. 1 st in each of next 2 sts as to p, k 1, p 1, k 1, inc. 1 st in next st, k 1, p 1, k 1, p 1, k 1, inc. 1 st in next st, k 1, inc. 1 st in next st, k 1; 45 (45) sts.

**Pattern Row 1**—wrong side—With size 11 needles, work p 1, k 1 alternately across 7 sts for seed st; repeat between \*'s of pat. row 1 of back once; p 1, k 1 alternately across remaining 7 sts for seed st.

**Row 2**—Work p 1, k 1 alternately across 7 sts for seed st; repeat between \*'s of pat. row 2 of back once; work p 1, k 1 alternately across last 7 sts for seed st.

(Continued on Next Page)

**Style No. 8415** (Continued from Page 26)

**Row 3**—Work p 1, k 1 alternately across 7 sts; repeat between \*'s of pat. row 3 of back once; p 1, k 1 alternately across last 7 sts.

Continue in pat. as established, working pat. on center 31 sts as given between \*'s of pat. for back, and seed st at each side until 15 (9) rows above inc. row. With care to keep pat., inc. 1 st each side of next

row. Working inc. sts in seed st, repeat inc. each side every 12th (10th) row 3 (4) times; every 10th (8th) row 2 (3) times; 57 (61) sts.

Work even until 81 rows—about 18 ins.—above inc. row, end with pat. row 25. Bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 7 (9) times.

Work 1 row even after last dec. row; 35 (33) sts. Bind off 4 sts at beg. of next 4 rows. Bind off remaining sts.

**Finishing**—Sew side and sleeve seams. Sew shoulder seams, sewing ends of neck ribbing tog. so that seam will be on wrong side when collar is turned over. Sew in sleeves, matching seams at underarm. Steam lightly, see page 31.



**Style  
No. 8404**

(Continued  
from  
Page 6)

**Row 10**—Work 51 (45-37) sts; k 1, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 7, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, k 1; work 51 (45-37) sts.

**Row 11**—Work 51 (45-37) sts; p 1, k 2, p 2, k 2, work 5 sts in next st, k 3, work 5 sts in next st, k 2, p 2, k 2, p 1; work 51 (45-37) sts.

**Row 12**—Work 51 (45-37) sts; k 1, p 1, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, complete popcorn, p 3, complete popcorn, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, k 1; work 51 (45-37) sts.

**Row 13**—Work 51 (45-37) sts; p 1, k 1, p 2, k 11, p 2, k 1, p 1; work 51 (45-37) sts.

**Row 14**—Work 51 (45-37) sts; k 1, p 1, k 2, p 11, k 2, p 1, k 1; work 51 (45-37) sts.

**Row 15**—Work 51 (45-37) sts; p 1, k 1, p 2, k 3, work 5 sts in next st, k 3, work 5 sts in next st, k 3, p 2, k 1, p 1; work 51 (45-37) sts.

**Row 16**—Work 51 (45-37) sts; k 1, p 1, slip next 2 sts to hook, hold at front, p next st, k 2 from hook, p 2, complete popcorn, p 3, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 1, k 1; work 51 (45-37) sts.

**Row 17**—Work 51 (45-37) sts; p 1, k 2,

p 2, k 9, p 2, k 2, p 1; work 51 (45-37) sts.

**Row 18**—Work 51 (45-37) sts; k 1, p 2, slip next 2 sts to hook, hold at front, p next st, k 2 from hook, p 7, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 2, k 1; work 51 (45-37) sts.

**Row 19**—Work 51 (45-37) sts; p 1, k 3, p 2, k 3, work 5 sts in next st, k 3, p 2, k 3, p 1; work 51 (45-37) sts.

**Row 20**—Work 51 (45-37) sts; k 1, p 3, slip next 2 sts to hook, hold at front, p next st, k 2 from hook, p 2, complete popcorn, p 2, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 3, k 1; work 51 (45-37) sts.

**Row 21**—Work 51 (45-37) sts; p 1, k 4, p 2, k 5, p 2, k 4. p 1; work 51 (45-37) sts.

**Row 22**—Work 51 (45-37) sts; k 1, p 4, slip next 2 sts to hook, hold at front, p next st, k 2 from hook, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 4, k 1; work 51 (45-37) sts.

**Row 23**—Work 51 (45-37) sts; p 1, k 5, p 2, k 3, p 2, k 5, p 1; work 51 (45-37) sts.

**Row 24**—Work 51 (45-37) sts; k 1, p 5, slip next 2 sts to hook, hold at front, p next st, k 2 from hook, p 1, slip next p st to hook, hold at back, k 2, p st from hook, p 5, k 1; work 51 (45-37) sts. Repeat these 24 rows for pattern.

Work even in pat. until about 15 (11½-10) ins. above ribbing, end on wrong side with pat. row 9 (9-21), place marker at center of work.

**Armhole and Shoulder Shaping**—Bind off 15 (12-11) sts at beg. of each of next 2 rows; 91 (85-71) sts.

Work even with care to keep pat. until 9 (8-7) ins. above marker, end with pat. row 1 (17-23). Bind off 10 (9-7) sts at beg. of each of next 4 rows; 51 (49-43) sts.

**COLLAR**—With size 4 needles, work k 1, p 1 ribbing for 7 rows. With larger needles, continue ribbing, increasing 1 st at end of each of next 32 (30-26) rows; 83 (79-69) sts. Bind off loosely in ribbing.

**FRONT**—With size 4 needles, cast on 120 (108-92) sts. Work same as back.

**SLEEVES**—With size 4 needles, cast on 56 (52-44) sts. Work k 1, p 1 ribbing for 4 (3-3½) ins. increasing 11 (11-15) sts evenly spaced across last row; 67 (63-59) sts.

**Pattern — Row 1** — wrong side — With larger needles, work seed st on first 7 (5-3) sts, \* p 1, k 1, p 8, k 1, p 1 \*. work 5 seed sts, place marker on needle, work next 19 sts same as pat. row 1 of center panel on back, place 2nd marker on needle, work 5 seed sts, repeat between \*'s once, work seed st to end.

**Row 2**—Work seed st on first 7 (5-3) sts, \* k 1, p 1, work double cable twist on next 8 sts, p 1, k 1 \*, work 5 seed sts, work next 19 sts same as pat. row 2 of center panel on back, work 5 seed sts; repeat between \*'s once, work seed st to end.

Continue pat. on 53 center sts as for center sts on back; increasing 1 st each side every 10th row 6 (7-9) times; every 6th row 10 (6-0) times, working added sts in seed st; 99 (89-77) sts. Work even until 18 (16-13½) ins. above ribbing, place marker each side for underarm. Work even for 16 (14-12) rows. Bind off 7 (6-4) sts at beg. of each of next 6 rows. Bind off 57 (53-53) sts.

**FINISHING**—Sew seams on pullover and collar. Sew sleeve seams to underarm markers. Sew rows worked even on sleeve to bound-off sts of armhole, and shaped edge of sleeve to straight edge of armhole, easing in fulness evenly. Block, see page 31.



**Style  
No. 8411**

(Continued  
from  
Page 11)

**Pattern—Row 1**—wrong side—Work 7 (11) seed sts, \* k 1, p 1, k 1, p 4, k 1, p 1, place a marker before next st for beg. of diamond pat. stripe, k 4, p 2, k 1, p 2, k 4, place another marker for end of stripe; p 1, k 1, p 4, k 1, p 1, k 1 \*; work seed st on 3 sts; repeat between \*'s once, work seed st to end. Carry up markers.

**Row 2**—Work 7 (11) seed sts, \* p 1, k 1, p 1, slip next 2 sts to hook, holding sts at front, k next 2 sts, then k 2 sts from hook—a cable twist—, p 1, k 1, p 4, slip next 3 sts to hook, hold at back, k next 2 sts, slip p st from hook to left hand needle and p this st, then k 2 sts from hook, p 4, k 1, p 1, twist cable on next 4 sts as before, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

**Row 3 and all uneven rows**—Work all seed sts over seed sts and matching sts on all other sts—k the k and p the p sts.

**Row 4**—Work 7 (11) seed sts, \* p 1, k 1, p 1, k 4, p 1, k 1, p 3, slip next p st to hook, hold at back, k next 2 sts, p st from hook, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 3, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

**Row 6**—Work 7 (11) seed sts, \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 2, slip next p st to hook, hold at back, k 2, p st from hook, p 3, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 2, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

**Row 8**—Work 7 (11) seed sts, \* p 1, k 1, p 1, k 4, p 1, k 1, p 1, slip next p st to hook and hold at back, k next 2 sts, p st from hook, p 2,—k 1, yo, k 1, yo, k 1—all in next st for popcorn, turn; p 5, turn; slip 1, k 4, turn; p 2 tog., p 1, p 2 tog., turn; slip 1, k 2 tog., pass slip st over the k 2 tog. st, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 3 sts; repeat between \*'s once, work seed st to end.

**Row 10**—Work 7 (11) seed sts, \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 5, slip next p st to hook, hold at back, k 2, p st from hook, p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

**Row 12**—Work 7 (11) seed sts; \* p 1, k 1, p 1, k 4, p 1, k 1, p 2, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 3, slip next p st to hook, hold at back, k 2, p st from hook, p 2, k 1, p 1, k 4, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

**Row 14**—Work 7 (11) seed sts, \* p 1, k 1, p 1, twist cable on next 4 sts, p 1, k 1, p 3, slip next 2 sts to hook, hold at front, p 1, k 2 sts from hook, p 1, slip next p st to hook, hold at back, k 2, p st from hook, p 3, k 1, p 1, twist cable on 4 sts, p 1, k 1, p 1 \*; work 3 seed sts; repeat between \*'s once, work seed st to end.

Repeat last 14 rows on 13 sts between markers for pat., repeating cable twist every 4th row at the same time and working seed sts on all other sts as before. Work even until about 17½ ins., end on wrong side with pat. row 13.

**Armhole Shaping**—Continue pat., bind off 3 (3) sts at beg. of each of next 2 rows for underarm. Dec. 1 st each side on next row; repeat decs. every 2nd row 3 (5) times; 65 (69) sts. Work even until 7½ (8) ins. above underarm, end with pat. row 9 (11). Bind off 7 (9) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 4 rows for shoulder; 23 sts.

**Dec. row**—K 2 tog., p 1, k 2 tog. twice in succession, p 1, k 1, p 2 tog., k 1, p 2 tog., k 1, p 1, k 2 tog. twice in succession, p 1, k 2 tog.; 15 sts. Bind off as to k.

**LEFT FRONT**—With size 8 needles, cast on 45 (49) sts. Work 3 rows of ribbing as for back.

**Inc. row**—Work ribbing on 11 (15) sts; repeat between \*'s of inc. row of back once, work ribbing to end; 47 (51) sts. With size 10½ needles, begin pat.

**Row 1**—wrong side—Work 9 (9) seed sts; repeat between \*'s of pat. row 1 of back once, work 7 (11) seed sts to end.

Continue with only 1 pat. panel on front and 7 (11) seed sts at underarm and 9 (9) seed sts at front edge until same length as back to underarm, end

with pat. row 13 on wrong side. Keeping front edge even, shape armhole as for back. Work even until about 6 (6½) ins. above underarm, end on right side with pat. row 14 (2).

**Next row**—Bind off 12 (12) sts for neckband, finish row. Keeping armhole edge even, dec. 1 st at neck edge every row 7 (7) times, shaping shoulder as for back when 7½ (8) ins. above underarm.

Mark position of 5 buttons on left front border, bottom button on 22nd and 23rd row above ribbing, top button on 4th and 5th row from neck edge and remaining 3 buttons evenly spaced—about 20 rows between buttons.

**RIGHT FRONT**—With size 8 needles, cast on 45 (49) sts. Work 3 rows of ribbing.

**Inc. row**—K 1, p 1 on 13 (13) sts; repeat between \*'s of inc. row of back once, work ribbing to end; 47 (51) sts. With size 10½ needles, begin pat.

**Pattern—Row 1**—wrong side—Work 7 (11) seed sts, repeat between \*'s of pat. row 1 of back; work seed st on 3 sts; repeat between \*'s once more, work seed st to end.

Continue pat. as on Left Front until 21 rows above ribbing, end at front edge.

**Buttonhole row**—Work 3 sts, bind off 3 sts, work to end. Cast on 3 sts over buttonhole on next row.

Complete to correspond to left front, repeating buttonhole opposite markers, shaping underarm, neck and shoulder at opposite sides.

**SLEEVES**—With size 8 needles, cast on 43 (47) sts. Work ribbing as for back.

**Inc. row**—Work ribbing on 11 (13) sts; repeat between \*'s of inc. row of back once, work ribbing to end; 45 (49) sts. With size 10½ needles, work 1 pat. stripe as for back with 7 (9) seed sts each side until about 2¾ ins. from lower edge. Inc. 1 st each side on next row. Repeat incs. every 6th row 6 times, with care to keep all increased sts in seed st; 59 (63) sts. Work even with 14 (16) seed sts each side until about 12 ins. from lower edge, end with pat. row 13 as on back below underarm. Bind off 3 (3) sts at beg. of each of next 2 rows. Dec. 1 st each side on next row. Repeat decs. every 2nd row 10 (12) times. Work 1 row even. Bind off 4 (4) sts at beg. of each of next 4 (4) rows. Bind off 15 (15) sts.

**FINISHING**—Sew seams. Sew in sleeves with sleeve seam at center underarm.

(Continued on Next Page)

**Style No. 8411** (Continued from Page 28)

From right side, work 1 row slip st loosely around neck edge. Fasten off. From right side, beg. at lower edge of right front, work 1 row sc up right front edge, keeping work flat, continue around neck holding in neck edge to desired size and working *behind* the slip sts, being careful to leave both loops of

slip st free to show on right side, continue sc to lower edge of left front. Fasten off. Block, see page 31. Sew 1 in. ribbon across shoulder seams, holding in to desired size.

**BUTTONS**—With steel hook, work 22 sc around ring. Join with slip st in first sc. Fasten off, leaving a 14-in. end. Thread

needle and insert in back loop of each sc. Pull tog. and tighten from wrong side. Insert needle in center from back to front and make a French knot, winding thread 3 times around needle. Fasten on wrong side, leaving end for sewing on button. Make 5 buttons.



**Style  
No. 8402**

(Continued  
from  
Page 10)

Continuing pat. and border, work even until there are 9 pat. rows above ribbing. Repeat buttonhole rows on next 2 rows. Continue pat. and border, repeating buttonholes every 15th and 16th row 3 (2-2) times more. Work even until 1 (13-9) rows above 5th (4th-4th) buttonhole, end with pat. row 12 (8-4). Mark for underarm.

**Armhole and Neck Shaping**—Bind off 2 (3-3) sts at beg. of next row for underarm; 34 (36-39) sts. Continue shaping as follows:

**For size 38 only**—Work 1 row even. K 2 tog. at beg. of next row for armhole dec., finish row. Work 1 row even. K 2 tog., k to within 2 sts of marker, k 2 tog. for front shaping, finish row. Work 1 row even. K 2 tog., work to end; 30 sts. Work 3 rows even. Work to within 2 sts of marker, k 2 tog. for front dec., work to end. Work 5 rows even. Work front dec. on next row. Repeat last 6 rows 2 times more; 26 sts.

**For size 42 only**—K 1, p 1, bind off 2 sts for buttonhole, work to end. K 2 tog. at beg. of next row for armhole dec., work to end casting on 2 sts over buttonhole. Work 1 row even. K 2 tog. for armhole dec., work to within 2 sts of marker, k 2 tog. for front dec., work to end. Work 1 row even. K 2 tog. for armhole dec., work to end. Work 3 rows even. Work to within 2 sts of marker, k 2 tog. for front dec., work to end. Work 5 rows even. Work front dec. on next row. Repeat last 6 rows 3 times more; 27 sts.

**For size 46 only**—Work 1 row even. K 2 tog. at beg. of next row for armhole dec., work to end. Work 1 row even. K 2 tog. for armhole dec., work

to within 2 sts of marker, k 2 tog. for front shaping, work to end. K 1, p 1, bind off 2 sts for buttonhole, work to end. K 2 tog. at beg. of next row for armhole dec., work to end casting on 2 sts over buttonhole. Work 3 rows even. Work to within 2 sts of marker, k 2 tog. for front dec., work to end. Work 5 rows even. Work front dec. on next row. Repeat last 6 rows 4 times; 29 sts.

**For all sizes**—Work even until 36 (40-44) rows above underarm marker, end with pat. row 16. There will be 5 buttonholes in all.

**Shoulder Shaping**—Bind off 6 (7-9) sts at beg. of next row; 7 sts at beg. of next 2 rows worked from armhole edge; 6 sts. Work even on 6 border sts for 8 (10-12) rows. Place on holder, leaving a 15-in. end for weaving.

**RIGHT FRONT**—With size 9 needles, cast on 36 (39-42) sts.

**For size 38 and 46 only—Ribbing—Row 1**—wrong side—\* P 1, k 1; repeat from \* to end.

**Row 2**—K 1, p 1, k 1, p 1, k 2 for front border; \* p 1, k 1; repeat from \* to end. Repeat last 2 rows until 9 (17) rows from beg., omitting buttonhole, end with row 1 at front edge.

**For size 42 only—Ribbing—Row 1**—wrong side—K 1, \* p 1, k 1; repeat from \* to end.

**Row 2**—K 1, p 1, k 1, p 1, k 2 for front border; p 1, \* k 1, p 1; repeat from \* to end. Repeat last 2 rows until 13 rows from beg., omitting buttonhole, end with row 1 at front edge.

**Pattern—Row 1**—right side—With size 11 needles, work 6 border sts, place marker on needle for beg. of panel pat., work pat. row 1 on next 19 sts, place a marker on needle for end of panel pat., k 11 (14-17) sts.

**Row 2**—P to first marker; work pat. row 2 on next 19 sts; work 6 border sts. Work to correspond to left front, omitting buttonholes, until same length to armhole and neck shaping, end with pat. row 11 (7-3).

**Armhole and Neck Shaping**—Bind off 2 (3-3) sts at beg. of next row for underarm, work to end; 34 (36-39) sts. Work

2 rows even. Work across next row to within 2 sts of end, slip, k and pass for armhole dec. Work 1 row even. Work 25 sts, slip, k and pass for front dec., work to within 2 sts of end, slip, k and pass for armhole dec. Work 1 row even. Work across next row to within 2 sts of end, slip, k and pass for armhole dec.

Work 3 rows even. Work 25 sts, slip, k and pass for front dec., work to end.

Work 5 rows even. Work front dec. on next row. Repeat last 6 rows 2 (3-4) times; 26 (27-29) sts. Finish to correspond to left front, shaping shoulder on opposite side.

**SLEEVES**—With size 9 needles, cast on 36 (36-40) sts. Work k 1, p 1 ribbing—mark first row for wrong side—until 10 (12-14) rows from beg., end on right side.

**Inc. row**—Inc. 1 st in first st, p 1, \* inc. 1 st in next st, p 1, k 1, p 1, inc. 1 st in next st \*, work 21 (21-25) sts; repeat between \*'s once, p 1, k 1, p 1; 41 (41-45) sts.

**Pattern—Row 1**—right side—With size 11 needles, k 11 (11-13) sts; place marker on needle for beg. of panel pat., work pat. row 1 on next 19 sts; place marker on needle for end of panel pat.; k 11 (11-13) sts.

**Row 2**—P to marker, work pat. row 2 on next 19 sts, slip marker, p to end.

Continue pat. on 19 sts between markers, keeping sts on each side in stockinette st, increasing 1 st each side every 2½ (2-2) ins. 5 (7-7) times; 51 (55-59) sts. Work even until 77 (75-73) rows—about 18 (17½-17) ins. above inc. row, end with pat. row 13 (11-9).

Bind off 2 (3-3) sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 4 (5-6) times. Bind off 2 sts at beg. of each of next 10 rows. Bind off 19 (19-21) sts in pat.

**FINISHING**—Sew seams. Weave ends of back neck border tog. and sew inner edge of border to back neck edge. Finish buttonholes in blanket st. Join yarn at lower edge of right front, work 1 sc in every 2nd row of border to lower edge of left front. Fasten off. Sew in sleeves with sleeve seam at center underarm. Block, see page 31.



**Style**  
**No. 8413**

(Continued  
from  
Page 5)

**Row 22**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, work 3-in-1 st on next 3 sts, p 1, slip 1, p 1 \*; slip marker, p 3, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 3, slip next p st to hook, hold at back, k 2 sts, p st from hook, p 3, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end.

**Row 23**—Work 15 (19) seed sts, † \* k 1, p 1, k 1, p 3, k 1, p 1, k 1 \*; slip marker, k 4, p 2, k 3, p 2, k 4, slip marker; repeat between \*'s once †; p 8; repeat between †'s once, work seed st to end.

**Row 24**—Work 15 (19) seed sts, † \* p 1, slip 1, p 1, k 3, p 1, slip 1, p 1 \*; slip marker, p 4, slip next 2 sts to hook, hold at front, p next st, k 2 sts from hook, p 1, slip next p st to hook, hold at back, k 2, p st from hook, p 4, slip marker; repeat between \*'s once †; k 8; repeat between †'s once, work seed st to end. Repeat these 24 rows for pat. Work even until about 13½ ins. above ribbing, end on wrong side with pat. row 23. Mark for underarm.

**Armholes**—Continue pat., binding off 4 (5) sts at beg. of each of next 2 rows. Dec. 1 st each side on next row. Repeat decs. every 2nd row 5 (7) times; 84 (86) sts. Work even until armhole measures 8 (8½) ins. above underarm marker, end on wrong side.

**Shoulders**—With care to keep pat., bind off 7 (8) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 6 rows. Place remaining 28 sts on holder for neck ribbing.

**LEFT FRONT**—With size 6 needles, cast on 65 (69) sts.

**Row 1**—wrong side—P 6, k 1, p 1, k 1, p 8; place marker after last st for end of front border and facing, \* k 1, p 1; repeat from \* to end.

**Row 2**—\* K 1, p 1; repeat from \* to marker, slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook, p 1, with yarn at back, slip 1 as to p for turning st, p 1, k 6.

**Row 3**—Same as row 1.

**Row 4**—Work ribbing to marker, k 8, p 1, slip 1, p 1, k 6. Repeat last 2 rows twice. With larger needles, work pat. as follows:

**Row 1**—wrong side—P 6, k 1, p 1, k 1, p 8; repeat between †'s of pat. row 1 of back once on next 33 sts; work 15 (19) seed sts.

**Row 2**—Work 15 (19) seed sts; repeat between †'s of pat. row 2 once, slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook, p 1, slip 1, p 1, k 6.

**Row 3**—P 6, k 1, p 1, k 1, p 8; repeat between †'s of pat. row 3 once, work 15 (19) seed sts.

**Row 4**—Work 15 (19) seed sts; repeat between †'s of pat. row 4 once, k 8, p 1, slip 1, p 1, k 6.

Continue pat. as on back on 33 sts of pat. panel, working facing and front border as before and working double cable on front border as on center back, with 15 (19) seed sts at underarm edge, until same length as back to underarm. Mark for underarm.

**Armhole**—Keeping front edge even, shape armhole as on right side of back; 55 (56) sts. Work even until 45 rows above marker, end on right side with pat. row 20.

**Neck and Shoulder Shaping**—Work 22 sts, place on holder for neck ribbing, finish row. Being careful to keep pat., dec. 1 st at neck edge on next row. Repeat dec. at neck edge every 2nd row 4 times, shaping shoulder as on right side of back when armhole is same length.

**RIGHT FRONT**—With size 6 needles, cast on 65 (69) sts.

**Row 1**—\* P 1, k 1; repeat from \* to within 17 sts of end, place marker on needle for beg. of border and facing; p 8, k 1, p 1, k 1, p 6.

**Row 2**—K 6, p 1, with yarn at back, slip 1 as to p for turning st, p 1; slip next 2 sts to hook, hold at back, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at front, k next 2 sts, k 2 sts from hook, slip marker; \* p 1, k 1; repeat from \* to end.

**Row 3**—Same as row 1.

**Row 4**—K 6, p 1, slip 1, p 1, k 8; work ribbing to end.

**Row 5**—Same as row 1.

**Row 6**—buttonhole row—\* K 1, k 2 tog., cast on 2 sts, slip, k and pass, k 1, p 1, slip 1, p 1, k 2, k 2 tog., cast on 2 sts, slip, k and pass, k 2; work ribbing to end.

**Row 7**—Same as row 1.

**Row 8**—Same as row 4.

With larger needles, work pat. as follows: Work 15 (19) seed sts; repeat

between †'s of pat. row 1 of back once, p 8, k 1, p 1, k 1, p 6.

Work to correspond to left front, repeating buttonholes every 24th row, shaping underarm, neck and shoulder at opposite side.

Last buttonhole will be made on the 22 sts which are placed on holder for neck ribbing.

**SLEEVES**—With size 6 needles, cast on 41 (45) sts for cuff.

**Row 1**—P 1, \* k 1, p 1; repeat from \* to end.

**Row 2**—K 1, \* p 1, k 1; repeat from \* to end.

Repeat last 2 rows until there are 22 rows—about 3 ins., increasing 18 (20) sts evenly spaced across last row; 59 (65) sts. With larger needles, work pat. as follows:

**Row 1**—wrong side—Work 13 (16) seed sts, place a marker on needle for beg. of center panel; repeat between †'s of pat. row 1 once, place another marker for end of panel; work 13 (16) seed sts.

**Row 2**—Work seed st to marker; repeat between †'s of pat. row 2 once; work seed st to end. Continue pat. on 33 center sts and seed st on all other sts until 23 rows above cuff. Inc. 1 st each side on next row. Repeat incs. every 12th row 5 times; 71 (77) sts. Work 11 rows even, end with same pat. row as on back. Bind off 4 (5) sts at beg. of each of next 2 rows. Dec. 1 st each side on next row. Repeat decs. every 2nd row 15 (16) times. Bind off 3 sts at beg. of each of next 4 rows. Bind off 19 (21) sts.

Sew shoulder seams.


**NECK RIBBING**—From wrong side, slip 22 sts of left front and 28 sts of back to size 6 needle, from right side, slip 22 sts of right front to free size 6 needle. Join yarn, pick up and k 11 sts on right neck edge to shoulder; p 2 tog., k 1, p 1, k 3, p 1, k 1, p 1, k 3, k 2 tog., k 3, p 1, k 1, p 1, k 3, p 1, k 1, p 2 tog., pick up and k 11 sts on right neck edge, work pat. to end; 91 sts.

**Row 1**—wrong side—Work pat. as before on first 20 sts; p 1, \* k 1, p 1; repeat from \* to within 20 sts of end; work pat. to end.

**Row 2**—Work pat. on first 20 sts; k 1, \* p 1, k 1; repeat from \* to within 20 sts of end; work pat. to end.

Repeat last 2 rows 3 times. Bind off in pat.

**FINISHING**—Sew seams. Sew in sleeves machining underarm seams. Turn facings to wrong side and hem. Tack buttonholes tog. from wrong side—do not work buttonhole st. Block, see page 31.



**Style  
No. 8401**

(Continued  
from  
Page 18)

**Row 8**—Same as row 2.  
Repeat last 8 rows until 12 ins. above ribbing, end on wrong side. Mark for underarm.

**Armholes**—Bind off 6 (4) sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 5 (4) times; 97 (111) sts. Work even until armholes measure 8 (9) ins. above marker, end on wrong side.

**Shoulders**—Bind off 7 sts at beg. of each of next 6 (8) rows; increasing 1 st in center st on last row; 56 sts. With size 3 needles, from right side, k 1 row.

**Neck Ribbing**—K 1, \* p 2, k 2; repeat from \*, end p 2, k 1. Work 8 more rows of ribbing. Bind off loosely in ribbing.

**FRONT**—Work same as back until armholes measure 5½ (6½) ins. above marker, end on wrong side; 97 (111) sts.

**Divide for Neck Shaping** — Work 35 (42) sts, place on holder for left front, work 27 sts, place on 2nd holder for neck ribbing, finish row. Work right front, decreasing 1 st at neck edge every row 10 times; every 2nd row 4 times; shaping shoulder same as left shoulder of back when armhole is same length as on back.

**Beg.** at neck edge, finish other side to correspond.

**Neck Ribbing**—From right side, with size 3 needles, pick up and k 9 sts evenly spaced on left neck edge to first cable; 6 sts over cable; 3 sts on next 3 sts, take up 27 sts from holder, k 13, inc. 1 st in next st, k 13, pick up and k 18 sts on right neck edge to correspond; 64 sts. Work ribbing same as for back.

**SLEEVES**—With size 3 needles, cast on 64 sts. Work k 2, p 2 ribbing for 4 ins. **Next row**—K 2 tog., continue ribbing until 31 sts on needle, k 2 tog., continue ribbing to end, increasing 1 st in last st; 63 sts.

**Pattern—Row 1** — right side — With larger needles, k 1, p 1 for 8 sts; p 1, \* k 6, p 1, k 8, p 1, k 6, p 1 \*; repeat between \*'s, end k 1, p 1 for 8 sts.

**Row 2**—P 1, k 1 for 8 sts; k 1, \* p 6, k 1, p 8, k 1, p 6, k 1 \*; repeat between \*'s, end p 1, k 1 for 8 sts.

Continue twisting cable as before, increasing 1 st each side every 1¼ (1) in. 13 (16) times with care to carry out pat. on added sts; 89 (95) sts. Work even until 17 ins. above ribbing, end on wrong side. Bind off 5 (4) sts at beg. of each of next 2 rows; 2 sts at beg. of each of next 24 (28) rows. Bind off 31 sts.

**FINISHING**—Sew seams. Sew in sleeves matching underarm seams. Block, see below.

---

## HELPFUL INFORMATION

---

**STITCH GAUGE: Important**—You **MUST** get gauge given to insure proper size of finished article.

If you do not obtain the gauge with size needles or hook recommended in instructions, change to **larger size** needles or hook if work is **too tight**; **smaller size** if work is **too loose**.

---

### COMPLETE ABBREVIATIONS AND TERMS USED

k—knit

p—purl

st (s)—stitch (es)

St. st—stockinette st

inc.—increase, increases, increased, increasing

dec.—decrease, decreases, decreased, decreasing

pat. (s.)—pattern (s)

rem.—remain

in. (s.)—inch (es)

beg.—begin, beginning

SKP—sl 1, k 1, pass sl st over k st

pssso—pass sl st over

rpt—repeat

tog.—together

sl—slip, slipping

sl st—slip st

sp—space

sl st—**To Knit**—pass st from one needle to another without working it. Unless otherwise specified, always sl as to p, except when dec.—as in SKP—, then sl as to k. "Work even" means to continue in st described without inc. or dec.


An asterisk (\*), double asterisk (\*\*), or dagger (†) indicates that the instructions immediately following are to be repeated the given number of times **in addition to the original**.

**TO BLOCK OR STEAM:** With wrong side up, using rust proof pins, pin out on pressing board to given measurements. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. Do not steam ribbing. Do not remove article from board until thoroughly dry.

The directions in this book are carefully checked and re-checked to insure accuracy. We cannot, however, be responsible for typographical errors or misinterpretation of instructions.

**IMPORTANT**—Washing instructions will be found on either outside or inside of yarn band. Please save band and follow instructions given for most satisfactory results.

# ARAN Fisherman SWEATERS



- to Knit
- for men
  - women
  - children



No. 8402  
(Page 10)

No. 8410  
(Page 23)

a collection of  
**ARAN PATTERNS** in  
*Bear Brand*  
**FLEISHER'S**  
*Bucilla*  
**YARNS**