Creative Commons 4.0 NC SA BY FREE DISTRIBUTION ONLY NOT FOR SALE

MARIA GIRLS FOR BOYS AND Hand knits

SIZES 2 to 6

BOOK No. 126 PRICE 25 CENTS

JACK and JILL ET PAGE 34

www.antiquepatternlibrary.org 2024, 11

A Necessary War Measure:

We regret that we are compelled to ask you to be patient if you are unable to find all the Beehive yarns you want. The usual plentiful supply of these fine imported wools has been curtailed, due to the manpower shortage in Great Britain. We know you will be glad to cooperate at this time, and "Share the Yarn" for Victory!



Beehive Has Been Knittin' Big Ideas for the Young . . .

If you're Mother Hubbard-ing a cute-an'-cunnin' citizen of two to six years small, we don't have to tell you you're in for some wardrobe-wondering!

So . . . BEEHIVE suggests cuddlesome, wearable, woolables of the famed BEEHIVE yarn. From soft-as-down non-shrink tubbables to Shetlands they're the perfect answer to today's search for the clothes that can really take it and keep on coming back for more—and more—wear.

Correct Size is Important . . .

Catch your precious chick and go to work with your tapemeasure *first*. You'll find we've charted every garment in two or three sizes. Our knitting directions are so easy to follow, your needles will go ahead on their own!


Copyright 1943, Patons & Baldwins, Inc.

Second Edition

Printed in U.S.A.

OF IMPORTED NON-SHRINK BABY WOOL

First step toward a cosy winter. A dainty design for comfortable living in lightweight warmth. Early Snowflake No. 505. Directions on page 36.



Regular Guy



No. 444...Sizes 4 and 6

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply (1 oz. skeins).

Size 4-5 skeins. **Size** 6-6 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 2. 5 buttons.

25" dge 14"	
doe 14"	27"
~5~ ~ ~	151/2"
9"	10"
121/2"	131/4"
7"	71/2"
	141/2"
91/2"	10"
	ts make
1	· ·
cast on 98 sts	106 sts
from * across. inches.	oss. 2nd Repeat
rk in stocki	nette st
9"	es in all 10"
	of next
beginning 3 sts until there	of next 4 sts remain 88 sts
beginning 3 sts until there 82 sts ures from	of next 4 sts remain 88 sts lst row 51/2"
	13" 91/2" 8 sts make STITCH) 8 s 4 cast on 98 sts from * across. inches.

POCKET LINING (Make 2) . . . With No. 2 needles cast on 18 sts. Work in stockinette st for 2 inches, ending with a knit row. Slip sts onto a stitch holder.

RIGHT FRONT . . . With No. 1 needles cast on 54 sts 62 sts

1st row: (K 1, p 1) 4 times (front band); p 2, * k 2, p 2. Repeat from * across. 2nd row: K 2, * p 2, k 2. Repeat from * across to within last 8 sts (k 1, p 1) 4 times (front band). Repeat these 2 rows alternately for 1½ inches, ending at front edge.

Change to No. 2 needles and work pattern as follows: 1st row: (K 1, p 1) 4 times; knit remainder of row. 2nd row: K 6, * p 2, k 6. Repeat from * across to last 8 sts, (k 1, p 1) 4 times. 3rd row: (K 1, p 1) 4 times; p 6, * k 2, p 6. Repeat from * across. 4th row: Same as 2nd row. 5th row: Same as 1st row. 6th row: K 2, * p 2, k 6. Repeat from *

4 more times 5 more times then p 2, k 2, (k 1, p 1) 4 times. 7th row: (K 1, p 1) 4 times; p 2, * k 2, p 6. Repeat from * across, ending with p 6, k 2, p 2. 8th row: Same as 6th row.

Repeat these 8 rows for pattern 2 more times. Next row: (K 1, p 1) 4 times;

knit 14 sts 18 sts
Bind off the next 18 sts for pocket and finish row.

Following row: Work in pattern across

14 sts 18 sts

then work in pattern across one pocket lining. Finish row.

Work straight in pattern until piece measures in all 8" 9"

To shape neck, decrease 1 st inside front band on next row and every 4th row thereafter

BUT AT THE SAME TIME

When piece measures in all 9" 10"

Continued on page 45

the remaining

27 sts

25 sts

OF IMPORTED NON-SHRINK MOORLAND, 3 PLY Son and heir will cut a figure in this very masculine cardigan. The back is plain, and the basket-stitch front buttons smartly to a V-neckline.



OF IMPORTED SCOTCH FINGERING, 3 PLY Her first school-days... And she faces the Big Adventure well fortified by a fine, snug-buttoning cardigan that's bound for the top of the class!



Teacher's Pet



No. 437 ... Sizes 2-4-6

What You Need:

BEEHIVE SCOTCH FINGERING, 3 Ply (1 oz. skeins).

Sizes 2 and 4-5 skeins. Size 6-6 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 3. 7 buttons.

Sizes	2	4	6
Measurements for Blockin	ng Garmo	ent:	~
Chest (after buttoning)	24"	26"	271/2"
Length from shoulder to lo	wer edge		\ .=
	13"	141/2"	16"
Side seam	8"	9"	10"
Across back at underarm	12"	13"	131/2"
Across each front at undera	rm		· -
	61/2"	7"	71/2"
Length of sleeve seam	12"	13"	14"
Across sleeve at upperarm	81/2"	91/4"	10"
GAUGE: 8 sts make 1 inc	ch; 10 rov	vs make	1 inch.
Sizes	2	4	6
last 9 sts, p 2, k 5, p 2 (from the from the from the form the for	* across. 1½"	Repeat 2"	these 2
Change to No. 3 needles, a edge in border pattern, wo in stockinette st (knit 1 rov measures in all	rk remai	ning sts	straight
To Shape Armhole: Bind once, then decrease 1 st a row until there remain Work straight until piece of armhole shaping, endin	t same ed 42 sts measures	dge ever 46 sts s, from t edge,	y other 48 sts
Work across border sts, slip to be worked later with No	p them or eckband,	nto a saf	ety pin
	4 sts	5 sts	5 sts

armhole shaping	41/2"	from 1s 5"	t row of 51/2"
To shape shoulder, bind of other row, twice Bind off remaining 8 sts.		hole edg 8 sts	ge every 9 sts
RIGHT FRONT Wo	to rever	se shapii neasures	
To make a buttonhole, wor edge, bind off next 2 sts a lowing row to replace those make a buttonhole every	nd cast	4 sts fro on 2 sts l off. He	m front on fol-
(always measure from 1st are 6 buttonholes in all (7t in neckband). Complete Right Front to Front.	buttonh h butto	ole) unt nhole is	il there worked
BACK With No. 2 nee			100
Work in ribbing of k 2, p		104 sts 2"	108 sts 2"
	-		-
	d work 8"	in stocki 9″	nette st 10"
Change to No. 3 needles an until piece measures in all To Shape Armholes: Bind of the next 2 rows. Decrea row until there remain	8" off 4 sts a	gy the begat end of	10" ginning
To Shape Armholes: Bind of the next 2 rows. Decrea	8" off 4 sts a se 1 st 76 sts	9" at the beg at end of 82 sts from 1st	ginning of every 88 sts
To Shape Armholes: Bind of the next 2 rows. Decrease row until there remain Work straight until piece measures in all	off 4 sts at a se 1 st 76 sts neasures 4½"	y' at the begat end of 82 sts from 1st	ginning of every 88 sts

Continued on page 41



Yankee Dandies

No. 433 ... Sizes 2-4-6

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply (1 oz. skeins).

Sizes 2 and 4-1 skein each of a light and dark color and 2 skeins of a medium color.

Size 6-2 skeins each of a light, dark and medium color.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

2	4	6
ing Garmo	ent:	
22"	24"	26"
11"	12"	13"
	131/2"	141/2'
81/2"	9"	91/2'
	21/2"	3"
rm 8"	9"	10"
nch; 10 ro	ws make	1 inch
2	4	6
color an	d No. 1 88 sts	needle 96 sts
	116"	11/2"
	-72	172
ow, purl l h light col medium c or and picl	row) for or work olor and c up dar	2 rows 2 rows work 2 k color
	derarm 11" ower edge 121/2" 81/2" 21/2" m 8" inch; 10 ro 2 n color an 80 sts color an 80 sts color an n town purl 1 h light col medium color and pick	ing Garment: 22" 24" derarm 11" 12" ower edge 121/2" 131/2" 81/2" 9" 21/2" 21/2" om 8" 9" inch; 10 rows make 2 4 n color and No. 1 80 sts 88 sts o 2, for

68 sts

74 sts

armhole shaping ending with a			5" Light
Bind off for shoulder Place a marker in work. the next Place another marker in shoulder the remaining	Bind off 28 sts work. B	30 sts	of neck 30 sts or other
Work in ribbing of k 2,	medium o	color, pic 36 sts	k up be- 36 sts
loosely in ribbing.	////	` > _ `	
FRONT Cast on an		s for Ba	
FRONT Cast on an piece measures from 1st n	row of arm 2½" k, work ac	as for Ba ahole sha 3"	aping 31/2"
FRONT Cast on an piece measures from 1st : Next row: To shape nec	row of arm 21/2" k, work ac 20 sts	as for Ba ahole sha 3" cross 22 sts	19ing 31/2' 24 sts
FRONT Cast on an piece measures from 1st in Next row: To shape nec	k, work ac 20 sts 28 sts	as for Ba ahole sha 3" cross 22 sts	aping 31/2"
FRONT Cast on an piece measures from 1st : Next row: To shape nec	k, work ac 20 sts 28 sts	as for Ba ahole sha 3" cross 22 sts	19ing 31/2' 24 sts
FRONT Cast on an piece measures from 1st on 1	k, work ac 20 sts 28 sts	ross 22 sts 30 sts	24 sts 30 sts
FRONT Cast on an piece measures from 1st of the next Work across the remains work over these last sts	k, work ac 20 sts 28 sts only until	ross 22 sts 30 sts	24 sts 30 sts
FRONT Cast on an piece measures from 1st of the next Work across the remains work over these last sts	k, work ac 20 sts 28 sts only until	cross 22 sts 30 sts 21 piece r	24 sts 30 sts 24 sts neasure
FRONT Cast on an piece measures from 1st on 1	k, work ac 20 sts 28 sts only untile shaping 4"	ross 22 sts 30 sts	24 sts 30 sts 24 sts 24 sts neasure
FRONT Cast on an piece measures from 1st on 1	k, work ac 20 sts 28 sts ing 20 sts only unter shaping 4" Dark	tross 22 sts 30 sts 21/2"	24 sts 30 sts 24 sts neasure 5" Light
FRONT Cast on an piece measures from 1st not not not not not not not not not no	k, work ac 20 sts 28 sts ing 20 sts only unter shaping 4" Dark	tross 22 sts 30 sts 22 sts 41/2" Medium	24 sts 30 sts 24 sts neasures

78 sts

OF IMPORTED NON-SHRINK MOORLAND, 3 PLY
There's sturdy Yankee independence in these tri-colored casuals! Easy
to make, they'll take plenty of energetic young living . . . and love it!



Miss Glamour

No. 503 . . . Sizes 2-4-6

BEEHIVE NON-SHRINK MOORLAND, 3 Ply (1 oz. skeins). **Pullover:**

For Short Sleeves:

What You Need:

Size 2-3 skeins. Size 4-4 skeins. Size 6-5 skeins.

For Long Sleeves:

Size 2-4 skeins. Size 4-5 skeins. Size 6-6 skeins.

Cardigan:

Size 2-4 skeins. Size 4-5 skeins. Size 6-6 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 2.

6 buttons for Cardigan.

PULLOVER			
Sizes	2	4	6
Measurements for Block	ing Garm	ent:	
Chest	22"	24"	26"
Length from shoulder to	lower ed	lge	
, ,	121/2"	14"	151/3'
Side seam	81/2"	91/2"	15½' 10½'
Across back or front at u	nderarm		/-
	11"	12"	13"
Length of short sleeve sea	m 33/1"	41/1"	41/1
Length of long sleeve seam	12"	41/4" 14"	151%
Width of sleeve at uppe	erarm		12
	8"	83/4"	91/2"
GAUGE: 8 sts make 1 inc	h; 10 row	s make 1	inch.
Sizes	2	4	6
BACK With No. 1 no	edles cast	on	
/ //			104 sts
Work tightly in ribbing	of k 2, p	2, for	l inch.
Change to No. 2 needles a	and work	in stocki	nette st
(knit I row, purl I row) u			
` \ '		91/2"	
To Shape Armholes: Bin			
next 2 rows	3 sts	3 sts	4 sts
Decrease 1 st at end of each	ch row un	til there	remain
	76 sts	82 sts	88 sts
Work straight until piece	measures	from 1st	row of

CARI	IGAN		
	2	4	6
r Blocki	ing Garmo	ent:	
ning)	23"	25"	27"
ulder to	lower edg	e \	
//~	131/2"	15"	161/2"
	9"	10"	11"
derarm	111/2"	121/2"	131/2"
at under	arm		
~~/	61/4"	63/4"	71/4"
eam	12"	14"	151/2"
	m /		
11	81/5"	91/4"	10"
	2	4) 6
No. 1 ne	edles cast	on	72
	94 sts	102 sts	110 sts
		102 sts	110 sts
of k 2, p	94 sts 2, for 11/2	102 sts inches.	\\
of k 2, p	94 sts 2, for 11/2 and work	102 sts inches.	\\
of k 2, p	94 sts 2, for 11/2 and work	102 sts inches.	\\
of k 2, p needles a 1 row) f	94 sts 2, for 11/2 and work or 9"	inches. in stocki	nette st
of k 2, p needles a 1 row) f	94 sts 2, for 11/2 and work or	inches. in stocki	nette st
of k 2, p needles a l row) f	94 sts 2, for 11/2 and work or 9" d off at be 3 sts	inches. in stocki 10" eginning 3 sts	nette st
of k 2, p needles a l row) f	94 sts 2, for 11/2 and work or 9" d off at be 3 sts	in stocki 10" eginning 3 sts	nette st 11" of the 4 sts
of k 2, p needles a l row) f	94 sts 2, for 11/2 and work or 9" d off at be 3 sts	102 sts inches. in stocki 10" eginning 3 sts til there 86 sts	nette st 11" of the 4 sts remain 92 sts
֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	or Blockining) ulder to derarm at underseam upperar	or Blocking Garmoning) 23" ulder to lower edge 13½" 9" derarm 11½" at underarm 6¼" eam 12" tupperarm 8½"	2 4 or Blocking Garment: oning) 23" 25" ulder to lower edge

Continued on page 44

Continued on page 43

OF IMPORTED NON-SHRINK MOORLAND, 3 PLY Catching up on the future in a grown-up twin sweater set. Make your sweater long or short-sleeved . . . and remember the cardigan looks lovely on, too!



OF IMPORTED SCOTCH FINGERING, 3 PLY

That "standby" sweater's here again! This one's going to rub along thru a small boy's busy day of work and fun and come up smiling on Sundays!



Sonny Boy



No. 504 ... Sizes 2-4-6

What You Need:

BEEHIVE SCOTCH FINGERING, 3 Ply (1 oz. skeins).

Size 2-3 skeins. Sizes 4 and 6-4 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 4.

Sizes	2	4	6
Measurements for Bloc	king Garm	ent:	(
Chest	22"	24"	26"
Across back or front at	underarm 11"	12"	13"
Length from shoulder		•	
	121/2"	14"	151/2'
Side seam	8"	9"	10"
Sleeve seam	12"	13"	14"
Across sleeve at upper	arm 8"	83/4"	91/2'
GAUGE: 7 sts make 1 in	nch; 9 rows	make 1	inch.
			6
BACK With No. 2 r Work in ribbing of k 2,	76 sts p 2, for 2½	84 sts inches.	92 sts
BACK With No. 2 1	needles cast 76 sts p 2, for 21/2 work in sto	on 84 sts inches.	92 sts Change st (kni
BACK With No. 2 r Work in ribbing of k 2, to No. 4 needles and v	needles cast 76 sts p 2, for 2½ vork in stoo piece meast 8" nd off 3 sts st at end o	on 84 sts inches. ckinette ures in a 9" at begin	92 sts Change st (kni ll 10" ning o
BACK With No. 2 reads of the No. 4 needles and with the No. 2 reads and with the N	p 2, for 2½ vork in stor piece meas 8" nd off 3 sts st at end o 64 sts	on 84 sts inches. ckinette ures in a 9'' at begin f each ro	92 sts Change st (kni ll 10" ning o ow unti 78 sts
BACK With No. 2 reads of the No. 4 needles and with the No. 2 rows. Decrease I there remain the Nork straight until picture of armhole shaping. To shape shoulders, bir	needles cast 76 sts p 2, for 2½ vork in stoc piece meast 8" nd off 3 sts st at end o 64 sts ece measure 4" nd off at be	on 84 sts inches. ckinette ures in a 9" at begin f each ro 72 sts es from 41/2" ginning	92 sts Change st (kni ll 10" ning of the control of the control 78 sts 1st row 5"
BACK With No. 2 reads of the No. 4 needles and with the No. 2 rows. Decrease I there remain	needles cast 76 sts p 2, for 2½ vork in stoce piece meast 8" nd off 3 sts st at end off 64 sts ece measure 4" nd off at be 9 sts the follow	on 84 sts inches. ckinette ures in a 9" at begin f each ro 72 sts es from 41/2" ginning 10 sts	92 sts Change st (kni ll 10" ning of w unti 78 sts 1st row 5" of next 12 sts

Shape armhole and neck simultaneously as follows:

Bind off 3 sts, work across 33 sts 37 sts 41 sts k 2 together. Turn and work over this set of sts only, decreasing 1 st at end of next

6 6 8

rows rows rows

Discontinue armhole shaping but decrease 1 st at

neck edge every other row until there remain

19 sts 23 sts 30 sts

Now decrease 1 st at neck edge every 3rd row until
there remain 18 sts 21 sts 24 sts

Work straight until piece measures from 1st row of armhole shaping 4" 4½" 5"

To shape shoulder, bind off at armhole edge 9 sts 10 sts 12 sts and finish row. Bind off remaining sts.

Attach yarn where sts were divided for neck and work other side to correspond.

BACK NECKBAND . . . With right side facing, using No. 2 needles, pick up along back of neck

34 sts 38 sts 38 sts

Work in ribbing of k 2, p 2, for 9 rows. Bind off loosely in ribbing.

FRONT NECKBAND... With right side facing, using No. 2 needles, pick up along neck edge from left shoulder to center front 42 sts 46 sts 50 sts Insert a marker on needle, then pick up the same number of sts from center front to right shoulder. There are on needle 84 sts 92 sts 100 sts

Ist row: P 2, * k 2, p 2. Repeat from * across to marker, slip marker, p 2, ** k 2, p 2. Repeat from ** across remaining sts. 2nd row: Work in ribbing to 2 sts before marker, then k 2 together, slip marker, slip 1, k 1, pass the slipped st over the knit st and continue in ribbing to end of row. 3rd row: Work in ribbing as established, purling the st before and the st after the marker. Repeat the last 2 rows 3 more times. Bind off in ribbing, decreasing before and after the marker as before.

Continued on page 37



Peter and Anne

No. 436 ... Sizes 2-4-6

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 4 Ply (1 oz. skeins).

Sizes 2 and 4-8 skeins. Size 6-9 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2.

4 buttons for each size.

Sizes	2	4	6
Measurements for Blockin	g Garmo	ent:	151
Chest (garment buttoned)	231/2"	251/2"	271/2
Across back at underarm	111/2"	121/2"	131/2
Across each front at under	, _	72	10 72
	61/2"	7"	71/2
Length from top of shoulde			. 72
	141/2"	16 ′′	171/2
Side seam	834"		103/4
Length of sleeve seam	81/2"	10"	111/2
Across sleeve at upperarm	9"-	91/2"	10"
GAUGE: 8 sts make 1 inc	h; 10 rov	ws make	1 inch
Sizes	2	4	6
1st and 2nd rows: * K 1 the p 1. Repeat from * across. k 1 through the back of across. These 4 rows consti	3rd and the st.	4th rows Repeat	s: * P I from
pattern until piece measur	es	pattern.	Repea
Lucion Proce measur		93/4"	
			103_{4}^{\prime}
To Shape Armholes: Bind next 2 rows. Decrease 1 st there remain	at end of	each ro	ning o w unti 84 sts
next 2 rows. Decrease 1 st	at end of	each ro	ning o w unti 84 sts
next 2 rows. Decrease 1 stathere remain Work straight until piece of armhole shaping Shape shoulders by bindi	at end of 76 sts measure 41/2"	each ro 80 sts es from 5" t begins	ning of worth with wind with the second with t
next 2 rows. Decrease 1 st there remain	at end of 76 sts measure 4½" ng off a 3 sts of each	each ro 80 sts s from 5" t begins 4 sts	ning o w unti 84 sts lst rov 51/2' ning o 5 sts

Work in pattern as for Back until piece measures 41/4" 43/4" 51/4"

If the jacket is for a girl, follow instructions as written. If jacket is for a boy, do not work buttonholes on Right Front but work them on Left Front instead. On next row make a buttonhole 4 sts in from front edge—to make a buttonhole, on one row bind off 4 sts and on next row cast on 4 sts to replace those bound off. Continue in pattern, making buttonholes 3 inches apart (measuring from 1st buttonhole) until 3 in all are made—however,

AT THE SAME TIME

When piece measures 834" 934" 1034" shape armhole as follows: Starting at side edge bind off 4 sts once. Then bind off 2 sts at armhole edge every other row twice. Decrease 1 st at armhole edge every other row once once twice

Now shape front edge and continue armhole shaping simultaneously as follows: Decrease 1 st at front edge on next row and every 3rd row thereafter until there have been decreased

3 sts 4 sts 6 sts

AT THE SAME TIME

Decrease 1 st at armhole edge every other row

2 more 4 more 5 more

times times times

Keeping armhole edge straight, decrease 1 st at front edge every other row until there remain

23 sts 24 sts 25 sts

Work straight until piece measures from 1st row of armhole shaping 4½" 5" 5½"

To shape shoulder, starting at armhole edge bind off once 2 sts 3 sts 4 sts

Then bind off 3 sts at same edge every other row until 3 sts remain. Bind off.

Continued on page 37

Here's a brother-and-sister outfit to be proud of! Jackets-an'-caps—look and wash like cloth . . . and patches are proper—when they're pockets!



She'll ring a heart for sure, in this jumper-dress with its snug waistline and short, full skirt. Note the perky finish to neck and armhole.



Jumper Pet



No. 439 ... Sizes 2-4-6

What You Need:

BEEHIVE FAIR ISLE SHETLAND (1 oz. skeins).

Sizes 2 and 4-4 skeins. Size 6-5 skeins.

A few yards of contrasting color for embroidery.

A 29-inch circular knitting needle No. 2.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2.

Steel Crochet Hook No. 1.

5 buttons.

Sizes	2	4	6
Measurements for Blockin	g Garm	ent:	
Chest	23"	25"	27"
Across front at underarm	111/2"	121/2"	131/2'
Across each back at undera	ırm		
	6''	61/2"	7"
Length from top of should	er to to		
	8"	9"	10"
Waist	21"	221/2"	
Length of skirt from botte			
TATE John of allies as I am		111/2"	
Width of skirt at hem	36"	40′′	44"
GAUGE: 9 sts make 1 inch	; 11 rnd	s make 1	inch.
Sizes	2	4	6
SKIRT Starting at t		circular 360 sts	
Do not join rnds but worlding of k 2, p 2, for 6 roand work in stockinette st until piece measures 1½ in a knit row. Do not turn tinue in rnds of stockinette piece measures in all Bind off.	ws. Disc (knit l : nches in but join st (knic	continue row, purl all, endi n work a	ribbing I row ng with nd con d) unti
BODICE-FRONT W		ght need 102 sts	
			100 313
Work in stockinette st for both ends of next row and until there are on needle	every 5t		e l st a ereafte

To Shape Armholes: Bind next 2 rows. Bind off 2 s	ts at be	ginning	of each
row until there remain	76 sts	86 sts	94 sts
To shape neck, with right	side fac	ing wor	k across 45 sts
then k 2 together. Turn set of sts only, decrease 1 st row 3 more times. Then be every other row twice (will slip the first st to make an estraight. Then bind off a	at neck of 3 hen bin even edg t neck o	edge eve sts at sa ding off e). Woi	ry other me edge always k l row ce
Work straight over remai	ning		
8		25 sts	27 sts
until piece measures fror shaping Bind off.	n lst r 4½"	ow of :	armhole 51⁄2″
Attach yarn where sts were sl 1, knit 1, pass slipped so creased), knit remainder of this manner at same edge times. Then, slipping the same edge every other rostraight. Bind off at neck edge finish to correspond with a simple of the same edge.	st over left row. It is servery of first st, left twice dige once the first sts.	enit st (Decrease her row oind off e. Work	l st de- l st in 3 more 3 sts at
LEFT BACK With stra	aight ne		t on 58 sts
Work in stockinette st for purl row. Increase 1 st at edge) and at same edge edge the there are on needle	end of very 5th	next ro	w (side
Work straight until piece	measure	s in all	41/2"
	Conti	nued on	page 41



William Tell, Jr.

No. 501...Sizes 4 and 6

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply (1 oz. skeins).

Sizes 4 and 6-3 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3.

Sizes	4	6
Measurements for Blocking Garmo	ent:	
Chest	24"	26"
Length from shoulder to lower edge	14"	151/2"
Side seam (including armband)	83/4"	93/4"
Across back or front at underarm	12"	13"
GAUGE: 81/2 sts make 1 inch; 10 ro	ws make	l inch.
Sizes	4	6
FRONT Cast on	70 sts	74 sts
Ist row: K 2, * p 2, k 2. Repeat from row: P 2, * k 2, p 2. Repeat from these 2 rows alternately for 2 inch the 1st row.	* across.	Repeat
Next row: P 2, * (increase 1 st in ne	on row	ice; p 2
Repeat from * across. There are	104 515	

2 rows alternately for pattern until piece measures

To Shape Armholes: Bind off 6 sts at beginning of

next 2 rows. Bind off 2 sts at beginning of each row

Work straight until piece measures from 1st row of

68 sts

Next row: Work across the first Bind off for neck shaping the next Work across the remaining	28 sts 12 sts 28 sts	30 sts 14 sts 30 sts
Work over the last set of sts only, bit neck edge every other row twice. neck edge every other row until the	Decrease	l st at ain
Work straight until piece measures armhole shaping Bind off for shoulder. Attach yarn side to correspond.	6"	61/2"

FRONT NECKBAND... With right side facing, pick up along neck edge 60 sts 64 sts Work in ribbing of k 2, p 2, for 3/4 inch. Bind off loosely in ribbing.

BACK . . . Work as for Front, omitting neck shaping, until piece measures from 1st row of armhole shaping 6" 6½"

Bind off for shoulder 18 sts 20 sts

For back of neck, bind off loosely the next 32 sts 34 sts

For other shoulder, bind off the remaining 18 sts 20 sts

BACK NECKBAND . . . With right side facing, pick up across back of neck 36 sts 40 sts Finish as for Front Neckband. Sew up shoulder and neckband seams.

ARM BANDS . . . With right side facing, pick up along armhole edge 100 sts 108 sts Finish as for Front Neckband.

Sew up underarm and arm band seams. Press seams lightly through a damp cloth.

in all

until there remain

armhole shaping

74 sts

31/2"

OF IMPORTED REAL SHETLAND WOOL, 2 PLY He can't miss with a sleeveless pullover "just like Dad's" to start him off to success. One of the best reasons we know for plying those needles!



OF IMPORTED FAIR ISLE SHETLAND

If letters could only tell how pretty a girl can look! Wouldn't daddy love
her in this short-sleeved dainty sweater blouse with its smart ruffles?





Daddy's Darling

No. 443... Sizes 4 and 6

What You Need:

BEEHIVE FAIR ISLE SHETLAND (1 oz. skeins).

Size 4-3 skeins. Size 6-4 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3. 9 buttons.

Sizes	4	6
Measurements for Blocking Garme	nt:	
Chest	24"	26"
Across back or front at underarm	12"	13"
Length from top of shoulder	131/2"	14"
Side seam	8"	81/2'
Sleeve seam	21/2"	3′′
Across sleeve at upperarm	9"	10"
GAUGE: 8 sts make 1 inch; 10 row	s make 1	inch.
Sizes	4	6
BACK With No. 1 needles cas		
	96 sts	104 sts
	nches.	

To Shape Armholes: Bind off 4 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain 80 sts 88 sts

Work straight until piece measures 5 inches from 1st row of armhole shaping.

(knit I row, purl I row), until piece measures in all

To shape shoulders, bind off at beginning of next 4 rows
8 sts
9 sts
Bind off 10 sts at beginning of next 2 rows. For back of neck bind off the remaining

28 sts 32 sts

FRONT . . . Cast on and work as for Back until piece measures 1½ inches from 1st row of armhole shaping, ending with a purl row. Next row: Work across

40 sts 44 sts
turn and work over this set of sts only until piece measures 4 inches from 1st row of armhole shaping, ending with a knit row.

To shape neck, bind off at beginning of next row 14 sts 16 sts and finish row. Work straight over remaining sts for 1 inch.

To shape shoulder, bind off at armhole edge every other row twice 8 sts 9 sts Bind off remaining 10 sts.

Attach yarn and work other side to correspond.

RUFFLE . . . With No. 3 needles cast on 80 sts 85 sts

1st row: Purl across.

2nd row: Knit

then (k 2 together, yarn over, k 7) twice; k 2 together, yarn over, k 2 (3 buttonholes made). 3rd row: Purl across. 4th row: Knit across. 5th row: Knit across increasing 1 st in each st—to increase 1 st in each st, knit in the front and in the back of each st. Knit 3 rows straight. Bind off.

Then with right side facing, pick up 1 st in each cast-on st. There are on needle 80 sts 85 sts

Next row: Knit across, increasing 1 st in each st.

Knit 3 rows straight. Bind off.

COLLAR . . . Starting at neck edge with No. 1 needles, cast on 90 sts 98 sts

Work in ribbing of k 2, p 2, for 6 rows.

Change to No. 3 needles. Next row: Knit across, increasing 2 sts in each st—to increase 2 sts in each st, knit in the front, in the back and in the front of each st. Knit 3 rows straight. Bind off.

SLEEVES . . . With No. 1 needles cast on 72 sts 80 sts
Work in ribbing of k 2, p 2, for 1 inch.

Change to No. 3 needles and work in stockinette st until piece measures in all 2½" 3"

Continued on page 44

Softie Blouse

No. 445...Sizes 2 and 4

What You Need:

BEEHIVE NON-SHRINK BABY WOOL (1 oz. balls).

Size 2-2 balls. Size 4-3 balls.

A few yards of a contrasting color for embroidery.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3. 4 buttons.

Sizes	2_	4
Measurements for Blocking Garm	ent:	
Chest	22"	24"
Across front or back at underarm	11"	12"
Length from top of shoulder	11"	12"
Side seam	61/2"	7"
Sleeve seam	2½" 8"	21/2"
Across sleeve at upperarm	8"	9"
GAUGE: 8 sts make 1 inch; 10 row	s make 1	inch.
Sizes	2	4
Work in ribbing of k 2, p 2, for 11 Change to No. 3 needles and work		
(knit I row, purl I row) until piece		
To Shape Armholes: Bind off 5 sts next 2 rows. Decrease 1 st at end o there remain	f each ro	w until
		2"
Work straight until piece measures armhole shaping, ending with a property of the second state of the seco	url row 1½" 34 sts only unt	2" 38 sts il piece ending
Next row: Work across turn and work over this set of sts measures from 1st row of armhole	url row 1½" 34 sts only unti shaping, 4"	2" 38 sts il piece ending 4½"

		\
FRONT Cast on and wo piece measures from 1st row ending with a knit row		
Next row: Purl	9 sts	10 sts
then k 6, purl	38 sts	44 sts
then k 6, purl	9 sts	10 sts
Following row: Knit	9 sts	10 sts
then p l, k 4, p l, knit	38 sts	44 sts
then p 1, k 4, p 1, knit	9 sts	10 sts
Repeat the last 2 rows alternatures from 1st row of armhole sampurl row		
To shape neck, work in patter	n across	
	20 sts	22 sts
Bind off the next	28 sts	32 sts
Work in pattern over the ren	naining 20 sts	22 sts
until piece measures from 1st r ing, ending with a purl row To shape shoulder, bind off at	armhole edg	41/2"
other row twice Bind off remaining 8 sts. Atta other side to correspond.	6 sts ach thread ar	/
NECKBAND Sew shoulderside facing and using No. 1 need entire neck edge		around
1st row: Purl across. 2nd row: over. Repeat from * across. 3 4th row: Knit across. Bind off 1	rd row: Pur	
SLEEVES With No. 1 nee	dles cast on 62 sts	70 sts
1st row: K 2, * p 2, k 2. Repea	t from * acr	oss. 2nd

Continued on page 42

OF IMPORTED NON-SHRINK BABY WOOL

A gift to warm any little heart. So much charm with so little wool . . . and tiny 'broidered daisies on shoulder and sleeve—just for fun!





3 skeins of main color and 1 skein of White for the set.

ROYAL SOCIETY DOUBLE-POINTED SOCK NEEDLES No. 3. Steel Crochet Hook No. 6.

GAUGE: 7 sts make 1 inch; 9 rnds make 1 inch.

HAT

With main color, cast on 132 sts, dividing onto 3 needles. Join, being careful not to twist sts. Work in ribbing of k 2, p 2, for 3 rnds. Now work in stockinette st (knit each rnd) until piece measures 2½ inches. Ist decrease rnd: * K 31, k 2 together, place a marker on needle. Repeat from * around. 2nd decrease rnd: * K 30, k 2 together, slip marker. Repeat from * around. 3rd decrease rnd: * K 29, k 2 together, slip marker. Repeat from * around. Continue in this manner, decreasing 4 sts on each rnd until 20 sts remain. Break off, leaving an 8-inch length. Thread a needle with this length and draw yarn through remaining sts; draw tightly together. Fasten securely on wrong side.

Press hat through damp cloth on wrong side, rounding top to fit head while damp. Allow to dry. Daisies are crocheted and sewed on.

DAISIES... With White, ch 4. Join with sl st to form ring. * Work an sc tightly in ring, draw out loop on hook to measure 3/4 inch. Keep this loop on hook. Repeat from *, making 13 loops in all (petals)—it is wise to carry only about 3 or 4 loops on the hook at once. Do not fasten last loop. Break off yarn, leaving a 6-inch length. Thread this through a needle and sew the joining of first and last loops. Then with this length sew center circle to Hat a little above the ribbing. Make 15 more Daisies. Sew 7 more Daisies around lower edge of Hat—centers about 21/4 inches apart. Sew a second row of Daisies alternating between and about 1 inch above 1st row.

For top-knot, wrap 1 strand of main color 15 times over a cardboard, cut to measure 2½ inches. Break off and slip from cardboard. Wrap these 30 strands round and round with another single strand of main color. Pull (with crochet hook) the two ends of this piece through to wrong side of Hat. Sew the two ends to underside of Hat, allowing the center to form a loop on right side of Hat. If desired a band of ribbon can be sewn inside lower edge of Hat to prevent stretching.

Continued on page 46

Some Cute Tricks in Natty Knitting

Hand-in-glove with comfort . . . and set your cap at style! Gloves and mittens, scarves and head-toasters—all perfect for your own punkin and ideal for the quality gift that's quick to make.

John and Betty No. 507. Directions on page 38



OF IMPORTED REAL SHETLAND WOOL, 2 PLY A really distinctive duo in sturdy Shetland and the always-favorite cable stitch. They keep in step together in knee-length and short socks.





Peter and Carol

No. 440 . . . Pullover 2 - 4 - 6
Socks 6 - 7 - 8

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply (1 oz. skeins).

For Pullover:

Size 2-4 skeins. Size 4-5 skeins. Size 6-6 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

Short Socks: Sizes 6 and 7-1 skein. Size 8-2 skeins.

Knee-Length Socks: Sizes 6, 7 and 8-2 skeins each.

ROYAL SOCIETY DOUBLE-POINTED SOCK NEEDLES, 1 set No. 1 and 1 set No. 3.

PULLOVER

FRONT

Sizes	2	4	6
Measurements for Blocki	ng Garm	ent:	
Chest	231/2"	25"	261/2"
Length from shoulder to lo	wer edge		\
	131/2"	15"	161/2"
Side seam	91/2"	101/2"	16½″ 11½″
Across back or front at und	erarm		\ . -
	113/4"	121/2"	131/4"
Length of sleeve seam	113/4" 121/2"	14"	131/4" 151/2"
Across sleeve at upperarm	9"	10"	11"
GAUGE: 11 sts make 11/2 inch.	½ inches;	9 rows	make 1
Sizes	2	4	6

lst row: K 2, * p 1, k 4, p 1, k 2. Repeat from * across. 2nd row: P 2, * k 1, p 4, k 1, p 2. Repeat from * across. 3rd row: K 2, * p 1, make a cable—to make a cable, slip next 2 sts onto a toothpick or a double-pointed needle and hold at back of work, knit next 2 sts, then knit the 2 sts from double-pointed needle and hold at back of work,

With No. 1 needles cast on (not

knit next 2 sts, then knit the 2 sts from double-pointed needle, p 1, k 2. Repeat from * across. 4th row: Same as 2nd row. These 4 rows constitute the pattern. Repeat pattern until piece measures 2 inches. Change to No. 3 needles and continue in pattern until piece measures in all

9½" 10½" 11½"

To Shape Armholes: Bind off 4 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain

68 sts 72 sts 78 sts

Continued on page 42

SHORT AND KNEE-LENGTH SOCKS

GAUGE: (PATTERN) 8 sts make 1 inch; 10 rnds make 1 inch.

Sizes	6	7	8
With No. 3 needles cast on	40 sts	40 sts	48 sts
Divide sts among 3 needle needles, work around in ri	s, join a	nd, usin	g No. 1
For Short Socks: Work	2"	2"	21/3"
For Knee-Length Socks: W	ork		/-
TOT INTICC MICHELLI DOCKS. VI			

Change to No. 3 needles and work around in pattern as follows: **1st**, **2nd** and **3rd rnds**: * K 2, p 1, k 4, p 1. Repeat from * around. 4th **rnd**: * K 2, p 1, make a cable—to make a cable, slip next 2 sts onto a toothpick or a double-pointed needle and hold at back of work, knit next 2 sts, then knit the 2 sts from double-pointed needle, p 1. Repeat from * around. These 4 rnds constitute the pattern. Repeat pattern until piece measures in all

For Short Socks 4" 4½" 5"
For Knee-Length Socks 10½" 11½" 12½"

Next rnd: With a different color thread for marker, knit (not in pattern) across 16 sts. Put these 16 sts onto 1 needle (1st needle) and divide remaining sts between 1st and 2nd needles. Drop different color thread, go back and pick up yarn and continue. Following rnd: Knit (not in pattern) across 1st needle, work in pattern across 2nd and 3rd needles. Repeat last rnd until piece measures from marker 234" 314" 334"

Next rnd: Knit across 1st needle, knit (not in pat-Continued on page 42

Sweetie Pie



No. 502...Sizes 2 and 4

What You Need:

BEEHIVE SCOTCH FINGERING, 3 Ply (1 oz. balls).

Size 2-5 balls. Size 4-6 balls.

A 21-inch circular knitting needle No. 3.

3 small buttons.

Sizes	2	4
Measurements for Blocking G	arment:	15.7
Length from top of shoulder Width at hem	17" 38"	19½" 42"
GAUGE: (STOCKINETTE STITCH) 11 rows make 1 inch.	15 sts make	2 inches;
Sizes	2	4
Starting at neck, cast on	85 sts	89 sts

Do not join, but work back and forth as follows: 1st row: Knit across. 2nd row: K 2 together, yarn over, k 1, * increase 1 st in next st, k 1. Repeat from * across to last 4 sts, k 4. There are on needle 124 sts 130 sts

3rd row: K 3, * p 1, k 2. Repeat from * across, ending with k 3. 4th row: K 3, * yarn over, k 1, p 2, k 1, pass the yarn-over over the last 4 sts worked, p 2. Repeat from * across, ending with k 3. 5th row: Same as 3rd row. 6th row: K 4, * p 2, yarn over, k 1, p 2, k 1, pass the yarn-over over the last 4 sts worked. Repeat from * across to last 6 sts, p 2, k 4. 7th, 8th and 9th rows: Repeat the 3rd, 4th and 3rd rows. 10th row: K 2 together, yarn over, k 2, * p 2, yarn over twice, k 1, p 2, k 1, inserting left-hand needle from back of work; pass the 2nd yarn-over over the last 4 sts worked. Repeat from * across to last 6 sts, p 2, k 4. 11th row: K 3, p 1, * (k 2, p 1) twice; drop the yarn-over. Repeat from * across to last 6 sts, k 2, p 1, k 3. 12th row: K 3, * yarn over twice, k 1, increase 1 st in next st, p 1, k 1, pass the 2nd yarnover over 5 sts, p 2. Repeat from * across, ending with k 3. 13th row: (K 3, p 1) twice; drop the yarnover, * k 2, p 1, k 3, p 1, drop the yarn-over. Repeat from * across, ending with k 3. There are on needle 144 sts 151 sts

14th row: K 4, * p 3, yarn over twice, k 1, increase 1 st in next st, p 1, k 1, pass the 2nd yarn-over over

5 sts. Repeat from * across, ending with p 3, k 4. 15th row: (K 3, p 1) 3 times; * drop the yarn-over, (k 3, p 1) twice. Repeat from * across. There are on 163 sts 171 sts needle

16th row: K 3, * yarn over twice, k 1, p 3, k 1, pass the 2nd yarn-over over 5 sts, p 3. Repeat from * across, ending with k 3. 17th row: * (K 3, p 1) twice; drop the yarn-over. Repeat from * across. 18th row: K 2 together, yarn over, k 2, * p 3, yarn over twice, k 1, increase 1 st in next st, p 2, k 1, pass the 2nd yarn-over over 6 sts. Repeat from * across ending with k 4. 19th row: (K 3, p 1) twice; * k 4, p 1, drop the yarn-over, k 3, p 1. Repeat from * across, ending with k 3. There are on needle

182 sts 191 sts

20th row: K 3, * yarn over twice, k 1, p 3, k 1, pass the 2nd yarn-over over 5 sts, p 4. Repeat from * across, ending with k 3. 21st row: K 8, drop the yarn-over, * k 9, drop the yarn-over. Repeat from * across. 22nd row: K 3, increase 1 st in each st across to last 3 sts, k 3. There are on needle

358 sts 376 sts

23rd row: K 3, purl across to last 3 sts, k 3. 24th row: For one half of Back, knit across

56 sts 59 sts

increase 1 st in next st, insert a marker on needle, increase 1 st in next st (seam). For Right Sleeve knit across next 62 sts 65 sts

increase 1 st in next st, insert a marker, increase in next st (2nd seam). For Front knit across next 114 sts 120 sts

increase in next st, insert marker, increase in next st (3rd seam). For Left Sleeve knit across next 65 sts

62 sts

increase in next st, insert marker, increase in next st (4th seam). For remainder of Back knit across last **56 sts**

25th row: Bind off 3 sts for underlap, purl across to last 3 sts-always slip marker from left- to right-Continued on page 45

This little lady's going a long way into everybody's heart. She's adorable in a darling yoke dress, just about the sweetest thing we've seen.



OF IMPORTED NON-SHRINK MOORLAND, 3 PLY Here's a trim little cardigan that started on the straight-line path—then went all gay and slipped in that charming touch of cable stitch.



Simplicity



No. 442... Sizes 4 and 6

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply (1 oz. skeins).

Size 4-4 skeins. Size 6-5 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 2 and 1 pair No. 1. 6 buttons for each size.

Sizes	4	6
Measurements for Blocking Garme	nt:	
Chest (sweater buttoned)	26"	271/2'
Length from shoulder to lower edge	121/2"	14"
Side seam	71/2"	81/2'
Across back at underarm	13"	133/4′
Across back between armholes	10"	101/2'
Across each front at underarm	7"	71/2'
Length of sleeve seam	2½" 9½"	3′′
Across sleeve at upperarm	91/2"	10"
GAUGE: 13 sts make 1½ inches; I	lo rows	make 1
Sizes	4	6
Work tightly in ribbing of k 1, p	1, for 11/4"	119 sts 13/4'
Work tightly in ribbing of k 1, p Change to No. 2 needles and conti	1, for 11/4" inue.	134′
Work tightly in ribbing of k 1, p Change to No. 2 needles and continue Next row: (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repea	1, for 1½" inue. 2 sts t from *	13/4' 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and conti	1, for 1½" inue. 2 sts t from *	13/4' 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and continuous Next row: (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repeatending row with (k 1, p 1) twice; k Following row: Knit	1, for 1½" inue. 2 sts t from * 1, purl 2 sts 2 sts	13/4' 5 sts across 5 sts 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and continuous continuous (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repeated and row with (k 1, p 1) twice; k Following row: Knit * (P 1, k 1) twice; p 1, k 8. Repeated and row with (k 1, p 2)	1, for 11/4" inue. 2 sts t from * 1, purl 2 sts 2 sts t from *	5 sts across 5 sts 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and continuous Next row: (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repeatending row with (k 1, p 1) twice; k Following row: Knit	1, for 11/4" inue. 2 sts t from * 1, purl 2 sts 2 sts t from *	13/4' 5 sts across 5 sts 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and continuous continuous (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repeated and row with (k 1, p 1) twice; k Following row: Knit * (P 1, k 1) twice; p 1, k 8. Repeated and row with (k 1, p 2)	1, for 11/4" inue. 2 sts t from * 1, purl 2 sts t from * 1, knit 2 sts	5 sts across 5 sts 5 sts across 5 sts
Work tightly in ribbing of k 1, p Change to No. 2 needles and contine Next row: (Right side) Purl * (K 1, p 1) twice; k 1, p 8. Repeatending row with (k 1, p 1) twice; k Following row: Knit * (P 1, k 1) twice; p 1, k 8. Repeatending row with (p 1, k 1) twice; p Repeat last 2 rows alternately until in all To Shape Armholes: Bind off 7 sts	1, for 1½" inue. 2 sts t from * 1, purl 2 sts 2 sts t from * 1, knit 2 sts piece m 7½" at begin	5 sts across 5 sts across 5 sts easure 8½'
Nork tightly in ribbing of k 1, p Change to No. 2 needles and continued (Right side) Purl (K 1, p 1) twice; k 1, p 8. Repeatending row with (k 1, p 1) twice; k Following row: Knit (P 1, k 1) twice; p 1, k 8. Repeatending row with (p 1, k 1) twice; p Repeat last 2 rows alternately until n all	1, for 11/4" inue. 2 sts t from * 1, purl 2 sts 2 sts t from * 1, knit 2 sts piece m 71/2" at beginning of for	5 sts acros 5 sts acros 5 sts easure 8½ ning of

s from 1s	t row of 51/2"
for back 35 sts	37 sts
ottom wit	h No. 1 64 sts
11/4"	134′
eat from ribbing, a g row: Value 1, * k 8, (1)	is estab Vork ir p l, k l
il piece n 7½"	
ting at si 7 sts	
ow. 5th ro ere are o 30 sts ed sts—to le-pointed t st onto init next hpick, pi	w: Bind n right 32 sts make a needle a tooth st, pur orl nex st from th, 9th
	25 sts for back 35 sts or other s 25 sts ottom wit 61 sts 1, for 1½" inue. 2 sts eat from ribbing, a g row: V d, * k 8, () ending ro 2 sts il piece n 7½" ting at si 7 sts n pattern ow. 5th ro ere are o 30 sts ed sts—to le-pointed t st onto enit next hpick, pi enit last erow. 7



Turnabout Twins

No. 506... Sizes 2-4-6

What You Need:

BEEHIVE REAL SHETLAND WOOL, 2 Ply (1 oz. skeins).

Size 2-3 skeins of main color.

Size 4-4 skeins of main color.

Size 6-5 skeins of main color.

I skein of contrasting color for each size.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3.

5 buttons.

Sizes	2	4	6
Measurements for Blockin	ng Garme	ent:	
Chest (after buttoning)	23"	25"	27".
Across back at underarm Across each front at undera	11½″ rm		131/2
	61/4"	63/4"	71/4
Length from shoulder to le		: '_	
	131/2"	15"	161/2
Side seam	9"	10"	11"
Sleeve seam	12"	14"	151/2
Across sleeve at upperarm	81/2"	91/4"	10"
Sizes	2	4	6
			94 sts
BACK With No. 1 new Work in ribbing of k 1, p 1 to No. 3 needles and work row, purl 1 row) until pie	edles cast 80 sts l, for 11/2 in stock	on 88 sts inches. inette st	94 sts Chang (knit
BACK With No. 1 new Work in ribbing of k 1, p to No. 3 needles and work	edles cast 80 sts 1, for 1½ in stock ce measu 9" off 3 sts at end of	on 88 sts inches. inette st res in al 10" at begin	94 sts Chang (knit l 11" ning o
BACK With No. 1 new Work in ribbing of k 1, p 1 to No. 3 needles and work row, purl 1 row) until piece 1. To Shape Armholes: Bind next 2 rows. Decrease 1 st there remain Work straight until piece 1.	edles cast 80 sts 1, for 1½ in stock ce measu 9" off 3 sts at end of 68 sts	inches. inette st res in al 10" at begin f each ro 74 sts from 1st	94 sts Chang (knit l 11" ning o
BACK With No. 1 new Work in ribbing of k 1, p 1 to No. 3 needles and work row, purl 1 row) until pie To Shape Armholes: Bind next 2 rows. Decrease 1 st	edles cast 80 sts 1, for 1½ in stock ce measu 9" off 3 sts at end of 68 sts measures 4½" 20 sts nd off loc	on 88 sts inches. inette st res in al 10" at begin f each ro 74 sts from 1st 5"	94 sts Chang (knit l 11" ning of wunti 78 sts row of 51/2 23 sts back of

RIGHT FRONT Wit	th No. 1 n	needles a	nd main
color, cast on		58 sts	

If the sweater is for a girl, follow instructions as written. If for a boy, omit buttonholes on Right Front and work buttonholes when making Left Front.

Work in ribbing of k 1, p 1, for 11/4" 1"

Now make a buttonhole-to make a buttonhole, work across 3 sts (this is front edge), bind off the next 3 sts and cast on 3 sts on following row to replace those bound off.

Buttonholes are repeated every 23/4" 21/2"

(always measure from 1st buttonhole) until there are 5 buttonholes in all. Continue working in ribbing until piece measures 11/2 inches. Next row: Starting at side edge, increase 1 st in first st, knit across to last 9 sts, work in ribbing over these 9 sts.

Change to No. 3 needles and work in pattern as follows: 1st row: Work in ribbing across first 9 sts, drop main color, attach contrasting color, * knit 1 st with contrasting color, then with yarn in back of work slip next st as if to purl. Repeat from * across. 2nd row: With contrasting color, knit across to last 9 sts. Turn. 3rd row: Drop contrasting color, pick up main color-always pick up new color from underneath color which is dropped, thus twisting yarns around each other to prevent making a hole-* with yarn in back of work slip next st as if to purl, knit 1 st with main color. Repeat from * across. 4th row: With main color knit across to last 9 sts, work in ribbing to end of row (front band). 5th row: With main color work in ribbing across first 9 sts, drop main color, pick up contrasting color (be sure to

Solid colored back and sleeves with a contrasting front for a surprise fillip! A handsome duet in Shetland wool for the active youth.



Jack and Jill

As illustrated on Cover



What You Need:

BEEHIVE SCOTCH FINGERING, 3 Ply (1 oz. skeins).

For Skirt:

Size 2-4 skeins. Sizes 4 and 6-5 skeins.

A few yards of contrasting color for embroidery.

A 29-inch circular knitting needle No. 3.

Steel Crochet Hook No. 3.

2 buttons.

For Pants:

Size 2-3 skeins. Sizes 4 and 6-4 skeins.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 3.

Steel Crochet Hook No. 3.

4 buttons.

SKIRT

Sizes	2	4	6
Measurements for Bloc	king Garn	nent:	
Waist (after buttoning)	21"	221/2"	24"
Length of skirt from cent	ter of waist		
Ö	10"	12"	14"
Width of skirt at hem	46′′	50"	54''
GAUGE: 8 sts make 1	inch; 10 ri	nds make	1 inch
Sizes	2	4	6
Starting at bottom of sk		405 sts	427 sts
Join, being careful not t			
stockinette st (knit each	rnd) for	WOIR at	ound in
Stockinetic St (kint cach	6 rnds	6 rnds	8 rnds
,	Ullius	0 11100	0

of rnd. Decrease 10 sts on next rnd as follows: Knit (for front panel) across 64 sts 70 sts 74 sts
Knit next 2 sts together, * place a marker on needle, knit 32 sts 35 sts 37 sts
knit next 2 sts together. Repeat from * 8 more times.

Knit around straight (no decreases), always slipping

markers from left to right-hand point of needle for 2 rnds 3 rnds 4 rnds

2nd decrease rnd: Starting at 1st marker, * knit to 1 st before next marker, slip this st as if to purl onto right-hand point of needle, remove marker, place slipped st back on left-hand point of needle, k 2 together, place marker on right-hand point of needle. Repeat from * around, ending with a decrease at 1st marker (knitting together the st before and the st after 1st marker). There are 10 decreases in rnd. Work straight for 2 rnds 3 rnds 4 rnds

3rd decrease rnd: Starting at 1st marker, * knit to 2 sts before next marker, k 2 together, slip marker. Repeat from * around (10 sts decreased). Work straight for 2 rnds 3 rnds 4 rnds

4th decrease rnd: Same as 2nd decrease rnd. Work straight for 2 rnds 3 rnds 4 rnds

5th decrease rnd: Same as 3rd decrease rnd. Continue in this manner, decreasing 10 sts on every

(by alternating 2nd and 3rd decrease rnds) until there remain

3rd rnd 4th rnd 5th rnd 3rd decrease rnds) until 162 sts 185 sts 197 sts

Remove all but 1st marker. Next rnd: Starting at marker, knit 144 sts 164 sts 174 sts

Turn (starting opening at left hip) and work back

and forth in rows (purl 1 row, knit 1 row) instead of rnds, until piece measures down center front 9" 11" 13"

Bind off.

Press skirt lightly with hot iron through damp cloth. Work 4 rnds of sc around bottom. Work a band of sc at top of skirt, holding waistline in to fit and having the band extend 1 inch at back for buttons. When band measures ½ inch, make a buttonhole ½ inch from front edge as follows: Ch 4, skip 4 sc and continue to work across to end of row. On following row, work 4 sc over the ch-4. Repeat buttonhole when band measures 1 inch. Work straight until band measures 1½ inches in all. Fasten off.

SUSPENDER (Make 2) . . . Ch 12, turn. 1st row: Sc in 2nd ch from hook and in each ch across. Ch 1, turn. 2nd row: Sc in each st across. Ch 1, turn. Repeat the 2nd row until piece measures about 15" 17" 19"

CROSS BAND . . . Ch 10, turn and work as for Suspenders for 3" 3½" 3½"

Sew suspenders to skirt, crossing them in back. Sew cross band in place. Sew buttons on waistband. With contrasting color work embroidery in lazy daisy stitch as in illustration.

PANTS

Sizes	2	4	6
Measurements for Blocki	ng Garmo	ent:	
Waist (after buttoning) Length of crotch (front) Length of crotch (back) Side seam	21" 9½" 10½" 9½"	22½" 10½" 11½" 10½"	24" 11½" 12½" 11½"
GAUGE: 8 sts make 1 in			
Sizes	2	4	6
BACK Starting at the	top, cast	on 78 sts	82 sts

Knit 1 row, purl 1 row, then work as follows: 1st short row: Knit 42 sts 44 sts 46 sts
Increase 1 st in next st. Turn.

2nd short row: Slip 1 st, purl 11 sts, increase 1 st in next st. Turn. 3rd short row: Slip 1 st, knit 16 sts, increase 1 st in next st. Turn. 4th short row: Slip 1 st, purl 21 sts, increase 1 st in next st. Turn. 5th short row: Slip 1 st, knit 26 sts, increase 1 st in next st. Turn. Continue in this manner, having 5 sts more on each short row before increasing until there are 12 short rows in all. Turn. Next row: Knit across all sts (to end of row). Following row: Purl across all sts. There are on needle

Next row: Knit 43 sts 45 sts 47 sts insert a marker on needle, knit to end of row.

Following row: Purl across, slipping marker. Work in stockinette st, increasing in the st before and the st after the marker on next row and every

10th 12th 12th row row

thereafter until there are on needle

100 sts 104 sts 108 sts

Work straight until piece measures in all (measuring along side edge) 71/4" 81/4" 91/4"

Bind off at the beginning of the next 2 rows

8 sts 10 sts 12 sts

Bind off 7 sts at the beginning of the next 10 rows. Insert a marker in work at both ends of remaining sts. Bind off the remaining 14 sts for crotch.

FRONT . . . Starting at the top cast on 71 sts 77 sts 79 sts

Knit 1 row, purl 1 row. Next row: Knit, increasing in every 10th st across to 78 sts 84 sts 86 sts

Following row: Purl across

39 sts 42 sts 43 sts insert marker on needle, purl remaining sts. Increase in the st before and the st after the marker on the next row and every

6th 8th 8th row row row thereafter until there are on needle 100 sts 104 sts 108 sts

Work straight until piece measures in all 71/4" 81/4" 91/4"

Finish same as Back.

SUSPENDERS and **CROSS BAND** . . . Same as Suspenders and Cross Band of Skirt.

Press pieces lightly with hot iron through damp cloth. Work a band of sc at top of Front, keeping work flat. When band measures ½ inch, make a buttonhole ½ inch from each end as follows: Ch 4, skip 4 sc and continue to work across to end of row. On following row work 4 sc over the ch-4. Repeat buttonholes when band measures 1 inch. Work straight until band measures 1½ inches in all. Fasten off. Work band of sc across top of Back, holding waistline in to fit and having the band extend ½ inch at each end for buttons. Work until band measures 1½ inches in all. Fasten off.

LEG BANDS... Sew side seams, leaving $2\frac{1}{2}$ inches open at top of each side. With right side facing and starting at marker at one end of crotch, pick up around leg opening 84 sts 88 sts 92 sts Work tightly in ribbing of k 2, p 2, for 6 rows. Bind off loosely in ribbing.

Press lightly with hot iron through damp cloth. Sew crotch seams. Work 1 row of sc along side openings. Sew suspenders to pants, crossing them in back. Sew cross band in place. Sew buttons on waistband.

Early Snowflake

As illustrated on page 3



No. 505 ... Sizes 2 and 4

What You Need:

BEEHIVE NON-SHRINK BABY WOOL (1 oz. balls).

Size 2-3 balls. Size 4-4 balls.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 and 1 pair No. 3. 4 small pearl buttons.

Sizes	2	4
Measurements for Blocking Garn	nent:	15
Chest	22"	24"
Across back or front at underarm	11"	12"
Length from top of shoulder	121/2"	14"
Side seam	81/3"	91
Sleeve seam	12"	91/ 14"
Width of sleeve at upperarm	8"	9"

GAUGE: (PATTERN STITCH) 7½ sts make 1 inch; 10 rows make 1 inch. (STOCKINETTE STITCH) 8 sts make 1 inch; 11 rows make 1 inch.

PATTERN STITCH (a multiple of 8 sts plus 7 sts) lst row: Knit. 2nd and all even rows: Purl. 3rd row: K 2, * (yarn over, k 2 together) twice; k 4. Repeat from * across, ending with k 1 instead of k 4. 5th row: K 3, * yarn over, k 2 together, k 6. Repeat from * across, ending with k 2 instead of k 6. 7th row: Knit. 9th row: K 6, * (yarn over, k 2 together) twice; k 4. Repeat from * across, ending with k 5. 11th row: K 7, * yarn over, k 2 together, k 6. Repeat from * across. 12th row: Same as 2nd row. Repeat these 12 rows for pattern.

Sizes	2	4
FRONT With No. 1 needle		
Work in ribbing of k 1, p 1, for		70 sts
Change to No. 3 needles and kn in every 4th st across to		increasing 87 sts
Starting with of pattern work in Pattern Stite ures in all	ch until pi 81/2	
ending with 6th row of Pattern	Stitch.	

To Shape Armholes: Knit 6 sts, slip these 6 sts off onto a safety pin (to be worked later for Sleeve), knit across to last 6 sts, slip these last 6 sts onto an-

other safety pin. Turn and work in pattern over the remaining sts (do not work pattern on end sts) for 2" 2½" ending with 2nd row 8th row of Pattern Stitch.

Next row: With right side facing, work in pattern across 17 sts 21 sts
Knit (not in pattern) across next 33 sts, then work in pattern across remainder of row.

Following row: Purl 17 sts 21 sts
Knit next 33 sts, purl to end of row. Repeat the last 2 rows 3 more times (4 ridges on right side of work).

Next row: Work in pattern across

17 sts 21 sts

K 5, bind off loosely for front of neck the next 23 sts and finish row.

Turn and work over the last set of sts only (keeping 5 sts in garter st at neck edge) until piece measures from sts on safety pin

4"
4½"
Bind off loosely in pattern.

Attach yarn to sts of other shoulder and work to correspond.

BACK . . . Work same as Front until there are on needle 79 sts 87 sts

Starting with 2nd row 8th row of pattern, work in Pattern Stitch (following directions for Front, but omitting instructions for neck shaping), until piece measures above underarm, ending on wrong side, 3½" 4"

Next row: Work in pattern across 17 sts 21 sts Knit (not in pattern) next 33 sts, then work in pattern to end of row. Repeat the last row until there are 4 ridges on right side of work. Bind off loosely in pattern.

RIGHT SLEEVE . . . Starting at armhole edge, sew shoulder seam for 1½ inches. With right side fac-

ing, using No. 3 needles, slip the 6 sts of Front off safety pin onto right-hand needle, join yarn, pick up around armhole edge 52 sts 60 sts then knit across the 6 sts on other safety pins. There are on needle 64 sts 72 sts

Work in stockinette st for 2½ inches. Decrease 1 st at both ends of next row and every 10th row thereafter until there remain 52 sts 56 sts

Work straight until sleeve measures in all 9½" 11½"

Change to No. 1 needles and work tightly in ribbing of k 1, p 1, for 2½ inches. Bind off loosely in ribbing.

LEFT SLEEVE . . . Work to correspond.

Block to measurements given. Work a row of sc along shoulder openings, making two ch-3 buttonloops on each front edge. Sew side and sleeve seams with one continuous seam. Sew on buttons.

Peter and Anne No. 436

Continued from page 14

LEFT FRONT... Work to correspond with Right Front, reversing shapings and, if jacket is for a boy, making buttonholes as described in Right Front.

SLEEVES . . . Starting at wrist cast on 48 sts 54 sts 60 sts

Work in pattern as for Back for 1 inch. Increase 1 st at both ends of next row and every

5th 6th 8th row row

thereafter until there are on needle
72 sts 76 sts 80 sts

Work straight until piece measures in all 8½" 10" 11½"

To shape top, bind off 4 sts at beginning of next 2 rows and 2 sts at beginning of following 2 rows. Decrease 1 st at end of each row until 40 sts remain. Bind off 2 sts at beginning of each row until 20 sts remain. Bind off.

BREAST POCKET . . . Starting at bottom cast on 14 sts 14 sts 18 sts

Work in pattern, increasing 1 st at both ends of each row until there are on needle

22 sts 22 sts 26 sts

Work straight until piece measures

3"

31/2"

Bind off.

LOWER POCKET (Make 2) . . . Starting at bottom cast on 18 sts 18 sts 22 sts

Work in pattern, increasing 1 st at both ends of

each row until there are on needle

30 sts 30 sts 34 sts

41/2"

Work straight until piece measures in all

Bind off.

FINISHING... Block pieces to measurements given. Sew underarm, shoulder and sleeve seams. Sew sleeves in. With right side facing work a row of sc evenly around entire outer edge of garment. Sew on buttons. Work a row of sc around each pocket. Place pockets and sew to garment.

BEANIE... 1st Wedge: Cast on 26 sts. Work in pattern as for Back for 1½ inches. Decrease 1 st at both ends of next row and every 3rd row thereafter until 12 sts remain. Decrease 1 st at end of each row until 2 sts remain. Bind off. Make 5 more wedges same as this.

FINISHING... Sew wedges together. Press seams lightly through a damp cloth. Work a rnd of sc along lower edge, being careful to get correct head size. Sew button to top of Beanie.

VISORED CAP... Work exactly as for Beanic. Peak... With double strand of yarn work a row of sl sts in sc's along lower edge of 2 wedges. Ch 1, turn. 1st row: Sc in front loop of each sl st across, increasing 5 sts evenly across—to increase, work 2 sc in 1 sc. Turn. 2nd to 5th rows incl: Sl st in 4 sts, sc in both loops of each st across to last 4 sts. Do not work in last 4 sts. Turn. At end of 5th row, fasten off. 6th row: With right side facing attach double yarn in cap at end of peak. Work sc closely along outer edge of peak to even off edge. Fasten off.

Sonny Boy No. 504

Continued from page 13

SLEEVES . . . With No. 2 needles cast on 36 sts 40 sts 44

Work in ribbing of k 2, p 2, for 2½ inches. Change to No. 4 needles and work in stockinette st for 1 inch. Increase 1 st at both ends of next row and every 6th row thereafter until there are on needle 56 sts 62 sts 66 sts

Work straight until piece measures in all

12" 13"

14"

To shape top, bind off 3 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain

38 sts 40 sts 46 sts

Bind off 3 sts at beginning of each row until there remain

14 sts 16 sts

Bind off.

Block pieces to measurements given. Sew side, shoulder and sleeve seams. Sew in sleeves.



John and Betty

As illustrated on page 25

No. 507... Sizes 3-4-5

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 3 Ply (1 oz. skeins).

Gloves - Sizes 3 and 4-1 skein. Size 5-2 skeins.

Mittens – Sizes 3 and 4-1 skein. Size 5-2 skeins.

Scarf -3 skeins. Bonnet -3 skeins.

ROYAL SOCIETY DOUBLE-POINTED SOCK NEEDLES, 1 set No. 1 for Gloves and Mittens.

ROYAL SOCIETY KNITTING PINS, 1 pair No. 1 for Scarf and Bonnet.

GAUGE: 17 sts make 2 inches; 12 rows make 1 inch.

PATTERN STITCH (a multiple of 4 sts) . . . 1st and 2nd rows: K 2, p 2 alternately across. 3rd and 4th rows: P 2, k 2 alternately across. Repeat these 4 rows for pattern.

GLOVES			
Sizes	3	4	5

Using double-pointed needles, cast on loosely
40 sts 44 sts 48 sts

Divide sts on 3 needles. Join, being careful not to twist sts, and work around in ribbing of k 2, p 2, for 2 inches. Knit I rnd, then work the 4 rnds of Pattern Stitch twice. Start increasing for thumb gore as follows: 1st rnd: Purl and knit in the first st, knit in the front and in the back of the next st, then p 2, k 2 alternately for remainder of rnd. 2nd, 3rd and 4th rnds: P 1, k 2, p 1 (4 sts in thumb gore), work in pattern for remainder of rnd. 5th rnd: Purl and knit in the first st, k 1, knit in the front and in the back of the next st, p 1, then p 2, k 2 alternately for remainder of rnd. 6th, 7th and 8th rnds: P 1, k 4, p 1, work in pattern for remainder of rnd. 9th rnd: Increase in purl st, k 3, increase in next st, p 1, then p 2, k 2 alternately for remainder of rnd. Work 3 rnds straight (8 sts in thumb gore). Continue in this manner, increasing in the first purl st of thumb gore and in the st before the second purl st on every 4th rnd (working sts between the 2 purl sts in stock-inette st) until there are in thumb gore

14 sts 14 sts 16 sts

Work 3 rnds straight after last increase rnd.

Next rnd: Take the sts for thumb gore off on a safety pin to be worked later, cast on 2 sts for inner side of thumb. Join and work in pattern to end of rnd. There are on needles 40 sts 44 sts 48 sts

Work around in **Pattern Stitch** until glove measures from end of ribbing 23/4" 3" 31/2" or until glove reaches base of forefinger when tried on.

Put glove on and mark fingers by putting safety pin on palm and back of hand between each finger.

Mark off for forefinger 12 sts 13 sts 14 sts
Mark off for middle finger 10 sts 11 sts
Mark off for ring finger 9 sts 10 sts 11 sts
Mark off for little finger 9 sts 10 sts 11 sts

When odd number of sts is required for a finger, always have the larger number of sts on the back of the hand with 1 st less on the palm. Knit around to where the sts are marked off for little finger, knit the sts for little finger, take the remaining sts off on a strand of yarn to be worked later.

LITTLE FINGER... Divide the sts for little finger on 3 needles, cast on 2 sts for inner side of finger and work around in stockinette st (knit each rnd) until finger, when tried on, reaches 1/4 inch

from fingertip, or measures 1½" 1¾" 1¾"

Next rnd: * K 1, k 2 together. Repeat from * around. Work 1 rnd straight. Following rnd: K 2 together around. Break yarn, leaving a 6-inch end. Thread this end into a sewing needle and run through the remaining sts. Draw tight and darn in end on wrong side to reinforce tip.

RING FINGER... Pick up sts for ring finger from strand of yarn and 2 sts on the 2 sts cast on for little finger. Cast on 2 sts between palm and back of hand as before. Divide the sts on 3 needles and work around in stockinette st until 1/4 inch from tip of finger, or for 2" 21/4" 21/4" Finish as for little finger.

MIDDLE FINGER ... Pick up sts for middle finger and 2 sts on the 2 sts cast on for ring finger, then cast on 2 sts between palm and back of hand. Work around until 1/4 inch from tip of finger, or for 21/4" 21/2" 21/2"

Finish as for little finger.

FOREFINGER... Pick up sts for forefinger and 2 sts on the 2 sts cast on for middle finger. Work as for ring finger.

THUMB... Pick up the sts from safety pin for thumb and 2 sts on the 2 cast-on sts. Work in stockinette st to 1/4 inch from tip of thumb, or for

11/2" 11/2" 13/4"

Finish as for little finger.

MITTENS

Sizes	3	4	5	
Follow direc			gore	is
		44 sts	48 st	S

Work around in Pattern Stitch until Mitten measures from end of ribbing 4" 4½" 5" ending directly above thumb stitches with either k l or p l.

Divide sts so that there are on 1st needle 20 sts 22 sts 24 sts

Divide remaining sts between 2nd and 3rd needles.

Shape tip as follows: Ist rnd: On 1st needle, k 2 together, work across in pattern to last 2 sts on 1st needle, then k 2 together. On 2nd needle, k 2 together, work in pattern to end. On 3rd needle, work in pattern to last 2 sts, then k 2 together. 2nd rnd: Keeping continuity of pattern (knit the 4 sts directly above decreases), work in pattern around. Repeat these 2 rnds 3 more times, then decrease 4 sts on each rnd in same manner until there remain 12 sts 16 sts

Weave sts together, or bind off, fold and sew.

THUMB... Work same as thumb on Gloves.

SCARF

With pair of needles cast on 68 sts. Work in Pattern Stitch until piece measures 31 inches. Bind off loosely in pattern. Pin Scarf out to measure 8 x 32 inches and steam lightly with hot iron through damp cloth.

FRINGE... Cut 2 strands of yarn each 6 inches long. Double these strands, forming a loop. With a crochet hook draw this loop through a stitch at one end of scarf, then draw the 6 ends through the loop. Make fringe in every 2nd stitch along both short ends of scarf. Trim ends evenly.

BONNET

Starting at bottom of back piece, with pair of needles cast on 32 sts. Work in Pattern Stitch for 5½ inches. Cast on 44 sts at end of next 2 rows for front and continue to work in Pattern Stitch as before for 5 inches. Bind off. Sew cast-on edges of front to sides of back piece. With back piece toward you, make a ridge on right side by working a row of sc over the two seams and along the top edge of back piece, working through double thickness of fabric.

RUFF... With right side facing, pick up 102 sts along bottom edge of Bonnet. Purl 1 row. Next row: Knit, increasing in each st across. Work in Pattern Stitch for 31/4 inches. Bind off loosely.

POMPON (Make 2) . . . Cut 2 cardboard circles each 21/4 inches in diameter. Cut a hole about 1/2 inch in diameter in center of each cardboard circle. Cut two 3-yard strands of yarn. Thread these 2 strands into a large-eyed sewing needle and double the yarn. Place cardboard circles together and wind varn around the double circles, drawing yarn through center opening and over edge, then through center opening again. Repeat until center hole is all filled up and cardboard circle is completely covered (using new strands of yarn as necessary). With a razor or very sharp scissors, cut yarn all around along outer edge between the 2 cardboard circles. Double a ½-yard length of yarn, slip it between the 2 cardboards and tie it securely around all the strands of Pompon. Remove cardboard and trim Pompon evenly.

CORD... Cut twelve 3-yard strands of yarn. Twist these strands together tightly, then double the twisted strands and give them another twist in the opposite direction. Make a knot about 1½ inches from each end of cord and trim ends evenly.

Steam bonnet with hot iron through damp cloth. Sew cord along top of ruff, having center of cord at center back of bonnet. Sew Pompons on as in illustration.

Nifty Beanie and Mittens

No. 460... As illustrated on page 24

What You Need:

BEEHIVE NON-SHRINK MOORLAND, 4 Ply (1 oz. skeins).

2 skeins of White and 1 skein of Red for the set. ROYAL SOCIETY DOUBLE-POINTED SOCK NEEDLES No. 3. A button 3/4 inch in diameter.

GAUGE: (STOCKINETTE STITCH) 7 sts make 1 inch; 9 rnds make 1 inch.

BEANIE

Starting at head band, with Red cast on 126 sts. Divide the sts on 3 needles and join, being careful not to twist sts. Purl 7 rnds (this is right side of work). Break off Red, attach White and knit around, increasing 1 st in every 9th st (140 sts). Place a marker at beginning of next rnd, then * k 13, p 1. Repeat from * around. Repeat last rnd until White measures 1 inch. 1st decrease rnd: * K 6, k 2 together, k 5, p 1. Repeat from * around (130 sts). Work in pattern of k 12, p 1, until White measures 1½ inches. 2nd decrease rnd: * K 5, k 2 together, k 5, p 1. Repeat from * around (120 sts). Work in pattern of k 11, p 1, for 2 rnds. 3rd decrease rnd: * K 5, k 2 together, k 4, p 1. Repeat from * around (110 sts). Work in pattern of k 10, p 1, for 2 rnds. 4th decrease rnd: * K 4, k 2 together, k 4, p 1. Repeat from * around (100 sts). Work in pattern of k 9, p 1, for 2 rnds. Continue in this manner, decreasing 10 sts on every 3rd rnd until 30 sts remain. Break yarn, leaving an 8-inch end; draw this end through remaining sts and draw together tightly. Fasten securely on wrong side.

Press very lightly through damp cloth. Allow Red purling at head band to roll, and on wrong side, using Red yarn, sew edge of Red roll to edge of White, being careful to allow for head room. With single strand of Red yarn, embroider chain stitch along each purl rib, starting at Red roll and working toward top for 1 inch.

BUTTON... With Red ch 2. 1st rnd: 8 sc in 2nd ch from hook. Do not join rnds. 2nd rnd: 2 sc in each st around. 3rd and 4th rnds: Sc in each st around. Slip button into this piece. 5th rnd: * Sc in next st, work off next 2 sts as 1 st. Repeat from * around until opening is closed. Fasten off, leaving an end long enough to sew Button to top of Beanie.

MITTENS

LEFT MITTEN... Starting at wrist with Red, cast on 48 sts. Divide the sts on 3 needles and join, being careful not to twist sts. Purl 7 rnds (this is right side). Break off Red, attach White, knit 1 rnd. Place a marker at beginning of rnd. Next rnd: K 14, p 1 (k 4, p 1) 3 times; k 18. Repeat last rnd 11 more times. To begin thumb shaping, starting at marker k 6, increase 1 st in next st. Finish rnd. Work 2

rnds straight. 2nd increase rnd: K 6, increase 1 st in each of the next 2 sts. Finish rnd. Work 2 rnds straight. 3rd increase rnd: K 6, increase in next st, k 2, increase in next st. Finish rnd. Work 2 rnds straight. 4th increase rnd: K 6, increase in next st, k 4, increase in next st. Finish rnd. Work 2 rnds straight. 5th increase rnd: K 6, increase in next st, k 6, increase in next st. Finish rnd. Work 2 rnds straight. Continue thus, increasing 2 sts on every 3rd rnd until there are 61 sts on needles. Work 1 rnd straight. On following rnd, starting at marker k 7, transfer the next 13 sts onto a safety pin (to be worked later for thumb), cast on 3 sts and complete the rnd. Now work in pattern around on these 51 sts for 3 inches. Decrease 10 sts evenly on next rnd. Work 2 rnds straight. Decrease 8 sts evenly on next rnd. Work 2 rnds straight. Next rnd: K 2 together around. Work 1 rnd straight. K 2 together around. Break yarn, leaving an 8-inch length; draw this length through remaining sts and draw together tightly. Fasten securely on wrong side.

THUMB... Transfer the 13 sts of thumb onto 2 needles; with 3rd needle pick up 3 sts on cast-on sts at opening of thumb, attach yarn and work in stockinette st over these 16 sts for 1½ inches. Decrease 5 sts evenly on next rnd, then decrease 3 sts evenly on next rnd. Break yarn and draw through the remaining 8 sts; draw tightly and fasten securely on wrong side. Whip edge of Red to edge of White, forming a Red roll at cuff.

RIGHT MITTEN . . . With Red, cast on and work as for Left Mitten until roll is complete. Break Red, attach White and knit 1 rnd. Place a marker at beginning of rnd. Next rnd: K 18, p 1, (k 4, p 1) 3 times; k 14. Repeat this rnd 11 more times. To begin thumb shaping, k 18, p 1, (k 4, p 1) 3 times; k 6, increase 1 st in next st, k 7. Work 2 rnds straight. 2nd increase rnd: K 18, p 1, (k 4, p 1) 3 times; k 6, increase 1 st in each of the next 2 sts, k 7. Work 2 rnds straight. 3rd increase rnd: K 18, p 1, (k 4, p 1) 3 times; k 6, increase 1 st in next st, k 2, increase 1 st in next st, k 7. Work 2 rnds straight. Continue to increase in this manner until there are 61 sts on needles. Continue and finish as for Left Mitten.

Press Mittens lightly through damp cloth and allow them to dry. With single strand of Red yarn, embroider chain stitch, starting 1¼ inches from tip of Mitten; work down the 2 center purl ribs for 3 inches. Starting at roll at wrist, embroider in the 4 ribs for ¾ inch.

Jumper Pet No. 439

Continued from page 17

To Shape Armhole: Bind off 3 sts at side edge once. Work 1 row straight. Bind off 2 sts at same edge every other row until there remain

42 sts 47 sts 51 sts

Work straight until piece measures from 1st row of armhole shaping 4½" 5" 5½"

With right side facing, bind off for back of neck

20 sts 22 sts 24 sts

Place a marker in work. For shoulder bind off remaining 22 sts 25 sts 27 sts

RIGHT BACK ... Work to correspond with Left Back, making a buttonhole when piece measures 1½" 1¾" 2"

To make a buttonhole, work across 2 sts from front edge, bind off next 3 sts and cast on 3 sts on following row to replace those bound off. Hereafter make a buttonhole every 2" 2½" 2½" (always measure from 1st buttonhole) until there are 4 buttonholes in all. Complete Right Back to correspond with Left Back.

WAIST BAND... With No. 1 crochet hook make a chain to measure about 26" 28" 29" (7 ch sts make 1 inch).

1st row: Sc in 2nd ch from hook, sc in each ch across until row measures 22" 23½" 25"

Cut off remaining chain. Ch 1, turn. 2nd and 3rd rows: Sc in each sc across. Ch 1, turn. 4th row: Sc in first 3 sc, ch 3, skip 3 sc (buttonhole), sc in each sc across. 5th row: Sc in each sc across; make 3 sc over ch-3 for buttonhole. Work 2 more rows of sc. Fasten off.

POCKET (Make 2) . . . With straight needles cast on 3 sts. 1st row: Increase 1 st in first 2 sts, k 1. 2nd row: Increase 1 st in first st, p 2, increase 1 st in next st, p 1. 3rd row: Increase I st in first st, k 4, increase 1 st in next st, k 1. 4th row: Increase 1 st in first st, p 6, increase 1 st in next st, p 1. 5th row: Increase 1 st in first st, k 8, increase 1 st in next st, k 1. Continue working in stockinette st, increasing 1 st in the first st and 1 st in the st before the last st on each row, until there are 19 sts on needle. Now increase 1 st in same manner at both ends of every other row until there are 31 sts on needle. Work straight for 1 inch, ending with a purl row. Next row: K 15. Turn and purl across this set of sts only. Following row: K 2 together, knit across to last 2 sts, sl 1, knit 1, pass slipped st over knit st. Purl 1 row. Repeat the last 2 rows once more, then the 1st row once again. Next row: P 2 together, purl across to last 2 sts, slip 1, purl 1, pass slipped st over purl st. Continue decreasing as before at both ends of each row until 5 sts remain. Bind off. Attach yarn

where sts were divided. Bind off 1 st and work remaining sts to correspond with other side.

Block pieces to measurements given. Sew shoulder and side seams of bodice. With right side facing work I row of sc along left back opening, along neck edge and along right back opening. Fasten off. Work I row of sc around each pocket and 2 rows around bottom of skirt. Sew bottom of bodice to waist band, being sure to have buttonhole in waist band in line with buttonholes in right back. Sew bottom of waist band onto top of skirt, gathering skirt in to fit. Allow 1/4 inch of waist band to extend beyond skirt opening at each end. Sew on buttons. With contrasting color work blanket stitch around neck edge, armhole edge and around each pocket. Sew on pockets.

Teacher's Pet No. 437

Continued from page 7

NECKBAND... Sew shoulder seams. With right side facing, using No. 2 needles, place the 9 border sts of Right Front onto needle, attach yarn, then with same needle pick up around neckline

66 sts 70 sts 74 sts

Work remaining 9 sts (from Left Front) in border pattern. There are on needle

84 sts 88 sts 92 sts

Next row: K 2, p 5, k 2 (front border), p 2, * k 2, p 2. Repeat from * across to last 9 sts, k 2, p 5, k 2 (other front border). Continue working in ribbing, keeping 9 sts in border pattern at both ends of row, and making a buttonhole in line with previous buttonholes when band measures 1/4 inch. Continue until band measures 3/4 inch. Bind off in ribbing.

SLEEVES . . . With No. 2 needles cast on

46 sts 50 sts 56 sts

Work in ribbing of k 2, p 2, for

2" 2½" 2½"

Change to No. 3 needles and work in stockinette st for 1 inch. Increase 1 st at both ends of next row and thereafter every 7th 7th 8th row row row until there are on needle **80 sts** 68 sts **74** sts Work straight until piece measures 14" 13"

To shape top, bind off 3 sts at the beginning of the next 2 rows. Bind off 2 sts at the beginning of each row until there remain 26 sts 32 sts 38 sts Bind off 3 sts at beginning of each row until 14 sts remain. Bind off.

Sew up underarm and sleeve seams. Sew sleeves in. Sew on buttons.

Socks No. 440

Continued from page 27

tern) across 2nd and 3rd needles, decreasing evenly across 6 sts 6 sts 10 sts

There are on rnd 34 sts 34 sts 38 sts

Work straight in stockinette st (knit each rnd) until piece measures from marker

3" 3½" 4¼"

Toe Shaping: Divide sts so that there are on 1st needle (sole) 17 sts 17 sts 19 sts divide remaining sts between 2nd and 3rd needles.

1st rnd: Starting with 1st needle, k 2 together, knit across to last 2 sts, then k 2 together. On 2nd needle, k 2 together; then knit across to last 2 sts on 3rd needle, k 2 together. 2nd rnd: Knit around. Repeat these 2 rnds alternately until 10 sts remain. Weave sts together; or bind off, fold so that decreases are at sides and sew.

HEEL... Pull out marker, pick up the 16 sole sts on 1st needle. Divide remaining 15 sts between 2nd and 3rd needles. Attach yarn at beginning of 1st needle and knit 1 rnd, picking up 2 sts between 1st and 2nd needles (1 on each needle) and 3 sts between 3rd and 1st needles (2 sts on 3rd needle and 1 more on 1st needle). There are 36 sts on rnd.

To Shape Heel: Work and finish exactly as for Toe Shaping.

Pullover No. 440

Continued from page 27

Work straight until piece measures from 1st row of armhole shaping 3" 3" 3½"

Next row: Work across 21 sts 23 sts 24 sts bind off for front of neck next

26 sts 26 sts 28 sts work across remaining 21 sts 23 sts 24 sts

Work straight until piece measures from 1st row of armhole shaping 4" 4½" 5" Bind off. Attach yarn to opposite side of neck edge and work to correspond.

FRONT NECKBAND . . . With right side facing and No. 1 needles, pick up along entire front neck edge 56 sts 60 sts 64 sts

Work tightly in ribbing of k 2, p 2, for ½ inch. Bind off loosely in ribbing.

BACK... Work same as Front, omitting neck shaping, until piece measures from 1st row of armhole shaping

4" 4½" 5"

Bind off for shoulder 21 sts 23 sts 24 sts place a marker in work, bind off loosely for back of

neck next 26 sts 26 sts 28 sts place another marker in work, bind off for other shoulder remaining 21 sts 23 sts 24 sts

BACK NECKBAND... With right side facing and No. 1 needles, pick up along back of neck between markers

32 sts

36 sts

40 sts

Work as for Front Neckband. Sew up shoulder seams.

SLEEVES . . . With right side facing and No. 3 needles, pick up along back armhole edge from underarm to shoulder seam 33 sts 37 sts 41 sts

Pick up along front armhole edge from shoulder seam to underarm 33 sts 37 sts 41 sts

There are on needle 66 sts 74 sts 82 sts

Starting with 2nd row of pattern, work straight for 21/2" 3" 3"

Decrease 1 st at both ends of next row and every 5th row thereafter until there remain

40 sts 44 sts 48 sts

Change to No. 1 needles and continue in pattern until Sleeve measures from where sts were picked up 12½" 14" 15½" Bind off loosely.

Sew underarm and sleeve seams in one continuous seam. Sew ends of neckbands together. Pin out to measurements given and steam through damp cloth.

Softie Blouse No. 445

Continued from page 22

row: P 2, * k 2, p 2. Repeat from * across. Repeat these 2 rows for 3/4 inch.

Change to No. 3 needles and work as follows:
Next row: Purl
then k 6, purl
28 sts 32 sts
28 sts 32 sts

Following row: Knit
then p 1, k 4, p 1, knit
28 sts 32 sts

Repeat the last 2 rows alternately until piece measures $2\frac{1}{2}$ inches in all, ending with wrong side. Discontinue pattern and work in stockinette st, shaping top as follows: Bind off 5 sts at beginning of next 2 rows. Decrease 1 st at end of each row until there remain

28 sts

36 sts

Bind off 3 sts at beginning of each row until there remain

16 sts

18 sts

Bind off.

Sew side seams and sleeve seams. Sew in sleeves. Fold neckband back across row of yarn-overs and whip down loosely on wrong side. Work 1 row of sc along back opening, making 4 ch-2 buttonloops evenly along right side. Sew 4 buttons on other side to correspond with buttonloops. With contrasting color embroider flowers with lazy daisy stitches.

Simplicity No. 442

Continued from page 31

Armhole shaping is complete and there remain on needle 47 sts 49 sts

13th row: Work in pattern across 27 sts 29 sts make a cable over the next 5 ribbed sts, complete row. Cable crossings are made every 8th row. Make 2 more cable crossings over these 5 sts (4 crossings in all). 15th row: Work in pattern across. 17th row: Work in pattern across 14 sts 16 sts make a cable over the next 5 ribbed sts, complete row. Make 2 more cable crossings over these 5 sts (3 crossings in all). Work in pattern until the 28th row of armhole is complete.

29th row: Purl 1 st 3 sts make a cable over the next 5 ribbed sts, complete row. Make 1 more cable crossing over these 5 sts (2 crossings in all).

AT THE SAME TIME

When front edge measures 11" 12½" shape neck as follows: Starting at front edge work across 7 sts. Slip these sts onto a safety pin to be used later for neckband, bind off next 8 sts for front of neck, work in pattern over remaining 32 sts 35 sts

Now decrease 1 st at neck edge on each row until there remain 25 sts 26 sts

Work straight until piece measures from 1st row of armhole shaping 5" 5½" Bind off.

NECKBAND... Transfer sts from safety pin onto a No. 2 needle, attach yarn and continue in ribbing until piece measures $4\frac{1}{2}$ inches. Bind off.

RIGHT FRONT . . . Work to correspond with Left Front, reversing shapings and making a buttonhole 3 sts in from front edge when piece measures

1" 11/4" and, measuring from 1st buttonhole, every

thereafter, until 6 buttonholes in all are made to make a buttonhole, on one row bind off 3 sts and on next row, cast on 3 sts to replace those bound off.

SLEEVES... Starting at bottom with No. 1 needles, cast on 73 sts. Work tightly in ribbing of k 1, p 1, for 3/4 inch. Change to No. 2 needles and continue. Next row: (Right side) P 8, * (k 1, p 1) twice; k 1, p 8. Repeat from * across. Following row: K 8, * (p 1, k 1) twice; p 1, k 8. Repeat from * across. Repeat last 2 rows alternately until piece measures 1 inch in all. Keeping continuity of pattern increase 1 st at end of each row until there are on needle 83 sts 87 sts

Work straight until piece measures in all 21/3" 3"

To shape top, bind off 7 sts at beginning of next 2 rows. Decrease 1 st at end of each row until 51 sts remain. Bind off 3 sts at beginning of each row until 21 sts remain. Bind off.

Pin out pieces to measurements given. Press through damp cloth. Sew shoulder seams, matching ribs. Sew underarm and sleeve seams. Sew sleeves in. Sew ends of neckband together, fit it across back of neck and sew in place. Sew on buttons. Steam garment through a wet cloth with a hot iron.

Pullover No. 503

Continued from page 10

Bind off for shoulder 21 sts 23 sts 25 sts
Bind off for back of neck the next
34 sts 36 sts 38 sts
Bind off for other shoulder the remaining
21 sts 23 sts 25 sts

FRONT . . . Cast on and work as for Back until piece measures from 1st row of armhole shaping, ending with a purl row, 21/2" **Next row:** Work across 21 sts 23 sts **25 sts 36 sts 38 sts** Bind off for front of neck **34 sts 21 sts 23 sts** 25 sts Work across remaining

Turn and work over this last set of sts only for 10 rows. Then work in garter st (knit each row) for 8 rows (4 ridges). Bind off. Attach thread at neck edge and work other shoulder to correspond.

BACK NECKBAND . . . With right side facing, using No. 1 needles pick up across back of neck 40 sts 40 sts 44 sts

Work in ribbing of k 2, p 2, for 10 rows. Bind off loosely in ribbing.

FRONT NECKBAND . . . With right side facing, using No. 1 needles pick up around sides and front of neck

56 sts

60 sts

Work same as Back Neckband.

SHORT SLEEVES . . . Sew shoulder seams. With right side facing, using No. 2 needles pick up around armhole 64 sts 68 sts 76 sts

Work in stockinette st for

3" 31/2" 31/2"

Change to No. 1 needles and work in ribbing of k 2, p 2, for 3/4 inch.

LONG SLEEVES . . . Sew shoulder seams. With right side facing, using No. 2 needles pick up around armhole 64 sts 68 sts 76 sts

Continued on page 44

Pullover No. 503

Continued from page 43

Work straight in stockinette st for

2" 2½" 3"

Decrease 1 st at both ends of next row and thereafter every

until there remain

40 sts 44 sts 48 sts

Work straight until piece measures from where sts

Work straight until piece measures from where sts were picked up 10" 11½" 13"

Change to No. 1 needles and work straight in ribbing of k 2, p 2, for 2" 2½" 2½" Bind off loosely in ribbing.

Block pieces to measurements given. Sew shoulder seams. Sew side and sleeve seams with one continuous seam. Press seams lightly through damp cloth.

Cardigan No. 503

Continued from page 10

Bind off for shoulder	23 sts	25 sts	27 sts
Bind off loosely for back	of neck th	ie next	5/
	34 sts	36 sts	38 sts
Bind off for other should	er the re	maining	
		25 sts	27 sts

LEFT FRONT . . . With No. 1 needles cast on 50 sts 54 sts 58 sts

1st row: Work tightly in ribbing of k 2, p 2, across to last 6 sts, k 6 (front band). 2nd row: K 6 (front band), finish row in ribbing. Repeat these 2 rows alternately for 1½ inches.

Change to No. 2 needles and work in stockinette st, keeping the 6 sts of front band in garter st, until piece measures in all ending at side edge

9" 10" 11"

To Shape Armhole: Bind off at beginning of next row 3 sts 3 sts 4 sts

Decrease 1 st at same edge every other row until there remain 44 sts 47 sts 50 sts

Work straight until piece measures from 1st row of armhole shaping 3" 3½" 4"

To shape neck, bind off at front edge

21 sts 22 sts 23 sts and finish row. Work over remaining sts for 10 rows. Then work in garter st (knit each row) for 8 rows (4 ridges). Bind off.

RIGHT FRONT... Work to correspond with Left Front, reversing shapings and making a buttonhole when piece measures

1" 11/4" 11/4"

To make a buttonhole, work across 2 sts from front edge, bind off next 2 sts and cast on 2 sts on follow-

ing row to replace those bound off. Hereafter, make a buttonhole every $2\frac{1}{4}$ " $2\frac{1}{2}$ " $2\frac{3}{4}$ " (always measure from 1st buttonhole) until there are 5 buttonholes in all (6th buttonhole is made in neckband). Complete Right Front to correspond with Left Front.

NECKBAND . . . Sew shoulder seams. With No. 1 needles pick up along entire neck edge

98 sts 102 sts 106 sts

Work in ribbing of k 2, p 2, making a buttonhole in line with previous buttonholes when band measures 1/4 inch. Continue until band measures 3/4 inch. Bind off in ribbing.

SLEEVES... With right side facing, using No. 2 needles pick up around armhole

Work in stockinette st for 2" 2½" 3"

Decrease 1 st at both ends of next row and thereafter every 6th row until there remain

44 sts 48 sts 52 sts

Work straight until piece measures from where sts were picked up 10" 111/2" 13"

Change to No. 1 needles and work in ribbing of k 2, p 2, for 2" 2½" 2½" Bind off loosely in ribbing.

Block pieces to measurements given. Sew side and sleeve seams with one continuous seam. Sew on buttons to correspond with buttonholes.

Daddy's Darling No. 443

Continued from page 21

To shape top, bind off 4 sts at beginning of next 2 rows. Bind off 2 sts at beginning of each row until there remain

40 sts

46 sts

Work two rows straight, then decrease 1 st at both ends of next row and every 3rd row thereafter until there remain

32 sts

36 sts

Bind off 3 sts at beginning of each row until there remain

14 sts

18 sts

Bind off.

Block pieces to measurements given. Sew shoulder, side and sleeve seams. Sew in sleeves. Pin ruffle to blouse along center front from neck edge to top of ribbing, having bottom buttonhole come in line with base of opening. Sew ruffle along both sides of center band, leaving one side free from base of opening to neck edge (thus leaving buttonholes free). Sew 3 buttons to other side of opening to correspond with buttonholes. Sew remaining buttons to center band evenly apart. Sew collar to neck edge to within ½ inch from front opening at each side, then sew collar to blouse ½ inch from neck edge (at base of ribbing).

Yankee Dandies No. 433

Continued from page 8

Work in ribbing of k 2, p 2, for 3/4 inch. Bind off loosely in ribbing.

SLEEVES... With medium color and No. 1 needles cast on 58 sts 66 sts 74 sts

Work in ribbing of k 2, p 2, for 3/4 inch. Change to

No. 3 needles and work in stripe pattern as for Back until piece measures in all

ending with a **Light Light Dark Stripe Stripe Stripe**

To shape top, bind off at beginning of next 2 rows

3 sts 4 sts 5 sts

Decrease 1 st at the end of each row until there remain

36 sts 38 sts 46 sts

Bind off 3 sts at beginning of each row until there remain

12 sts 14 sts 16 sts

Bind off.

Block pieces to measurements given. Sew shoulder, underarm and sleeve seams. Sew in sleeves, matching stripes.

Sweetie Pie No. 502

Continued from page 28

hand point of needle-k 3. 26th row: Knit across
57 sts 60 sts
increase in each of next 2 sts (slip marker between),
knit across
64 sts 67 sts
increase in next 2 sts, knit across next
116 sts 122 sts

increase in next 2 sts, knit across next

64 sts 67 sts

increase in next 2 sts, knit across last

Do not turn, but join and knit 1 rnd without increasing, slipping markers as before.

Hereafter work is done in rnds. Next rnd: Knit around, increasing in st before and st after each marker. Following rnd: Knit around (no increases). Continue in this manner, thus increasing 8 sts every other rnd until there are on needle

475 sts 517 sts

Work 1 rnd after last increase rnd.

Next rnd: Knit across to 1st marker, remove marker, knit across to 2nd marker, turn and purl back across last

94 sts 103 sts
for Right Sleeve. Turn and work in stockinette st (knit 1 row, purl 1 row) over these sleeve sts only for 1 inch, ending with a purl row.

Next row: Knit, decreasing evenly across to 62 sts 68 sts

Work in pattern as follows: 1st row: * K 2, p 1. Repeat from * across, ending with k 2. 2nd row: P 2,

* yarn over, k 1, p 2, k 1, pass yarn-over over the last 4 sts worked, p 2. Repeat from * across. 3rd row: Same as 1st row. 4th row: P 2, k 1, * p 2, yarn over, k 1, p 2, k 1, pass the yarn-over over 4 sts. Repeat from * across, ending with p 2. Repeat these 4 rows once, then repeat the 1st and 2nd rows once more. Bind off.

Slip the 141 sts 153 sts of Back from left- to right-hand point of needle, removing markers. Attach yarn and work across sts of Left Sleeve to correspond with Right Sleeve.

Slip the sts of Back back onto left-hand point of needle. Attach yarn and knit across sts of Back, then knit across 146 sts 158 sts of Front, thus joining underarm.

Do not turn, but join other underarm and continue knitting around on these 287 sts 311 sts until piece measures from end of yoke 13" 141/2"

or 1/2 inch less than length desired.

Work in garter st (purl 1 rnd, knit 1 rnd) until there are 3 ridges on right side of work. Bind off loosely.

Press dress lightly with hot iron through damp cloth. Sew underlap into place at bottom of back opening. Sew sleeve seams. Sew on buttons.

Regular Guy No. 444

Continued from page 4

shape armhole by binding off at side edge once

3 sts 5 sts

Continuing neck shaping as before, decrease 1 st at armhole edge every other row

5 6

times times

Keep armhole edge straight but continue neck shaping until there remain 33 sts 35 sts

Work straight until piece measures from 1st row of armhole shaping 5" 51/2"

Starting at armhole edge, bind off 25 sts 27 sts Continue working front band for 13/4 inches. Bind off. Stretch this tab to measure 21/4 inches.

LEFT FRONT... Work to correspond with Right Front, reversing shaping and making a buttonhole when piece measures 1 inch—to make a buttonhole, work across 3 sts from front edge, bind off next 2 sts and cast on 2 sts on following row to replace those bound off. Hereafter, make a buttonhole every

(always measure from 1st buttonhole) until there are 5 buttonholes in all. Complete Left Front to correspond with Right Front.

Sew shoulder seams. Sew together ends of tabs, sew to back of neck, easing in fabric of sweater to band.

Continued on page 16

Regular Guy No. 444

Continued from page 45

SLEEVES ... With right side facing, using No. 2 needles pick up along armhole edge **80** sts **76 sts** Work straight in stockinette st for 21/2" 3" Then decrease 1 st at both ends of next row and thereafter every 6th 7th row row **52 sts** 56 sts until there remain

Work straight until piece measures from picked up sts 10½" 12"

Change to No. 1 needles and work in ribbing of k 2, p 2, for $2\frac{1}{2}$ inches. Bind off loosely in ribbing.

POCKET BAND (Make 2) . . . With No. 2 needles cast on 6 sts. Work in ribbing of k 1, p 1, for 2 inches. Bind off. Block to measure $2\frac{1}{2}$ inches.

Block back and sleeves to measurements given, and steam fronts, being careful not to flatten pattern. Sew underarm and sleeve seams with one continuous seam. Sew pocket band to bound-off sts of pocket. Turn ends of band under and sew to front with invisible sts from wrong side of garment. Sew pocket lining to front on wrong side with loose whipping sts. Sew on buttons to correspond with buttonholes.

Turnabout Twins No. 506

Continued from page 32

pull contrasting color tightly when working first st), then * knit 1 st with contrasting color, slip 1. Repeat from * across. Repeat the last 4 rows (2nd to 5th rows incl) for pattern until piece measures in all 9" 10" 11"

To Shape Armhole: Starting at side edge bind off 4 sts. Decrease 1 st at same edge every other row until there remain 45 sts 49 sts 53 sts

Work straight until piece measures from 1st row of armhole shaping 2" 2" 2½" and 5th buttonhole is completed.

To shape neck, starting at front edge work across 9 sts and place on a safety pin, bind off the next 2 sts and finish row. Continue binding off 2 sts at neck edge every other row until there remain

Decrease 1 st at same edge every other row until there remain 22 sts 24 sts 26 sts

Work straight until piece measures from 1st row of armhole shaping 4½" 5" 5½" Bind off.

Place sts from safety pin onto needle, attach yarn, increase 1 st at inside edge and continue working in

ribbing over these 10 sts for 5" 5½" 6" Bind off.

LEFT FRONT . . . Work in ribbing as on Right Front. Next row: Work in ribbing for 9 sts, then knit across remainder of row, increasing 1 st at end of row. Attach contrasting color and with No. 3 needles work in pattern as follows: 1st row: * With contrasting color k 1, with yarn in back of work slip 1 st as if to purl. Repeat from * across to last 9 sts. Turn. 2nd row: With contrasting color knit across. 3rd row: * With main color, slip 1, k 1. Repeat from * across to last 9 sts, then work in ribbing to end of row. 4th row: With main color, work in ribbing across 9 sts, then knit remainder of row. Repeat these 4 rows for pattern. Complete to correspond with Right Front.

SLEEVES... Sew shoulder seams. With right side facing, using No. 3 needles and main color, pick up along armhole edge 58 sts 64 sts 70 sts

Work in stockinette st for 2" 2½" 3"
Decrease 1 st at both ends of next row and every
7th row thereafter until there remain

38 sts 42 sts 46 sts

Work straight until piece measures from place where sts were picked up 10" 12" 13"

Change to No. 1 needles and work in ribbing of k 1, p 1, for 2" 2½" 2½" Bind off loosely in ribbing.

Block pieces to measurements given. Sew side and sleeve seams with one continuous seam. Sew ends of bands together and sew band to neck edge. Sew on buttons.

Scarf No. 459

Continued from page 24

With 2 needles, cast on 54 sts. Work 4 rows in ribbing of k 2, p 2. 5th row: K 2, p 2 (border); k 46; p 2, k 2 (border). 6th row: P 2, k 2; p 46; k 2, p 2. Repeat last 2 rows until piece measures 5 inches in all. Next row: With right side facing, k 2, p 2; k 1, * k 2 together, k 1. Repeat from * across to within last 4 sts; p 2, k 2 (39 sts). Following row: P 2, k 2; p 4, * p 2 together, p 5. Repeat from * across to within last 8 sts; p 4; k 2, p 2 (35 sts). Hereafter work the center 27 sts in stockinette st (knit 1 row, purl I row) and continue to keep the border sts in k 2, p 2, until Scarf measures 30 inches in all. Next row: With right side facing, k 2, p 2; k 4, * increase in next st, k 5. Repeat from * to within last 8 sts; k 4; p 2, k 2 (39 sts). Following row: P 2, k 2; p 1, * increase in next st, p 1. Repeat from *, ending with k 2, p 2 (54 sts). Work over these sts for $4\frac{1}{2}$ inches. Change to ribbing of k 2, p 2, and work 4 rows. Bind off loosely in ribbing.

Press through damp cloth flaring the two ends slightly. Make 12 daisies. Sew two groups of 3 daisies each on the two ends, to match hat.



Hints to Help You

GAUGE . . . Before starting your article, knit a small swatch to be sure you obtain the gauge given in the directions. The needles specified are based on the average knitter's work. If you do not obtain the correct gauge with the needle size specified, change to a larger or smaller size, as necessary. The change in needle size will in no way change the garment as long as you follow the directions and maintain the specified gauge.

BLOCKING... With rust-proof pins, pin pieces wrong-side-up on Turkish towels, following Measurements For Blocking Garment given at beginning of directions. Ribbing must not be stretched. Press with a moderately hot iron through a damp cloth, taking care not to rest weight of iron on pieces. Remove pins when pieces are dry; then sew them together as directed. To block socks, draw sock over metal or wooden sock drier and press through a wet cloth. Let dry thoroughly.

SEWING A GARMENT . . . After pieces are blocked, place right sides of pieces together and pin edges. Sew with small back stitches about 1/4 inch in from edge, making sure the length of seam corresponds with that given in directions. Press seams open. Match stripes wherever possible, easing in any fullness. Sew a narrow tape across shoulder seams to avoid stretching.

LAUNDERING . . . Before laundering, notate carefully—on paper—all important measurements. Using a neutral soap or soap flakes, dissolved in lukewarm water, squeeze the suds through the article; do not rub or wring. Rinse several times in clear water, always keeping garment well supported in hands. Roll garment in Turkish towels to absorb

excess moisture. Then remove garment and pin to required measurements on a flat surface. Allow to dry. Press gently, if necessary, using a damp cloth.

BUY SUFFICIENT YARN . . . It is impossible to avoid slight variations in color in different dye lots. Therefore, make sure to buy, at one time, sufficient material of the same dye lot number to complete the article you are making.

WINDING YARN FROM A SKEIN . . . To preserve the natural elasticity of wool while winding, care should be taken to avoid stretching. We therefore suggest the following method: Wind yarn several times around four fingers. Remove strands and, placing them in the opposite direction, continue winding over these strands and fingers several times. Repeat this operation until entire skein is wound.

ABBREVIATIONS . . . k-knit; p-purl; st-stitch; ch-chain; sc-single crochet; sl st-slip stitch.

* (asterisk) . . . When this symbol occurs, continue working until directions refer you back to this symbol.

Directions in parentheses should be repeated as many times as directed. For instance: "(P 3, k 6) 3 times" means to repeat the directions in parentheses 3 times.

Increasing: To increase a stitch, knit one stitch in regular way, but without slipping the stitch off the left needle; then knit another stitch through the back of the same stitch and slip off.

Decreasing: To decrease a stitch, knit two together.



"Of Course I Wouldn't Dream of Using Anything but the Best Wool!"

BEEHIVE'S lovely imported yarns—says Mother—are the very finest. And BEEHIVE always has the correct wool for the correct garment—from dad's socks right down to our new baby's bootees.

That's why I hear her say: "BEEHIVE, please!"

Of course, Mother knows an awful lot. But I guess I'm learning fast because . . . 'tween you and me . . . I just love to bundle up in BEEHIVE.

The finest Hand Knitting Yarns in the World are made by PATONS & BALDWINS, Inc.

Distributed by

ROYAL SOCIETY, INC. • 230 FIFTH AVE. • NEW YORK CITY